Elizabeth A Cody

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1016676/publications.pdf

Version: 2024-02-01

623188 552369 14 35 695 26 citations g-index h-index papers 643 36 36 36 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Extramedullary Guides Versus Portable, Accelerometer-Based Navigation for Tibial Alignment in Total Knee Arthroplasty: A Randomized, Controlled Trial: Winner of the 2013 HAP PAUL Award. Journal of Arthroplasty, 2014, 29, 288-294. | 1.5 | 81 |
| 2 | Correlation of Talar Anatomy and Subtalar Joint Alignment on Weightbearing Computed Tomography With Radiographic Flatfoot Parameters. Foot and Ankle International, 2016, 37, 874-881. | 1.1 | 80 |
| 3 | Risk Factors for Failure of Total Ankle Arthroplasty With a Minimum Five Years of Follow-up. Foot and Ankle International, 2019, 40, 249-258. | 1.1 | 65 |
| 4 | Total Ankle Arthroplasty. JBJS Reviews, 2018, 6, e8-e8. | 0.8 | 57 |
| 5 | Increased Early Revision Rate With the INFINITY Total Ankle Prosthesis. Foot and Ankle International, 2019, 40, 9-17. | 1.1 | 47 |
| 6 | Lower Bone Density on Preoperative Computed Tomography Predicts Periprosthetic Fracture Risk in Total Ankle Arthroplasty. Foot and Ankle International, 2019, 40, 1-8. | 1.1 | 33 |
| 7 | Patient Factors Associated With Higher Expectations From Foot and Ankle Surgery. Foot and Ankle International, 2017, 38, 472-478. | 1.1 | 32 |
| 8 | Outcomes of Total Ankle Arthroplasty in Moderate and Severe Valgus Deformity. Foot and Ankle Specialist, 2019, 12, 238-245. | 0.5 | 24 |
| 9 | Development of an Expectations Survey for Patients Undergoing Foot and Ankle Surgery. Foot and Ankle International, 2016, 37, 1277-1284. | 1.1 | 23 |
| 10 | Fulfillment of Expectations After Orthopedic Foot and Ankle Surgery. Foot and Ankle International, 2019, 40, 1249-1259. | 1,1 | 22 |
| 11 | Correlation of Single-Photon Emission Computed Tomography Results With Clinical and Intraoperative Findings in Painful Total Ankle Replacement. Foot and Ankle International, 2020, 41, 639-646. | 1.1 | 19 |
| 12 | Lateralizing Calcaneal Osteotomies and Their Effect on Calcaneal Alignment: A Three-Dimensional Digital Model Analysis. Foot and Ankle International, 2018, 39, 970-977. | 1.1 | 18 |
| 13 | Effect of the Modified Lapidus Procedure for Hallux Valgus on Foot Width. Foot and Ankle International, 2020, 41, 154-159. | 1.1 | 18 |
| 14 | Relationship of Radiographic and Clinical Parameters With Hallux Valgus and Second Ray Pathology. Foot and Ankle International, 2017, 38, 14-19. | 1.1 | 17 |
| 15 | Effects on the Tarsal Tunnel Following Malerba Z-type Osteotomy Compared to Standard Lateralizing Calcaneal Osteotomy. Foot and Ankle International, 2016, 37, 1017-1022. | 1.1 | 14 |
| 16 | Influence of Diagnosis and Other Factors on Patients' Expectations of Foot and Ankle Surgery. Foot and Ankle International, 2018, 39, 641-648. | 1.1 | 14 |
| 17 | Hamstring Autograft for Foot and Ankle Applications. Foot and Ankle International, 2018, 39, 189-195. | 1.1 | 13 |
| 18 | Association of Depression and Anxiety With Expectations and Satisfaction in Foot and Ankle Surgery. Journal of the American Academy of Orthopaedic Surgeons, The, 2021, 29, 714-722. | 1.1 | 13 |

| # | Article | lF | Citations |
|----|---|-----|-----------|
| 19 | The Quality of Open-Access Video-Based Orthopaedic Instructional Content for the Shoulder Physical Exam is Inconsistent. HSS Journal, 2016, 12, 209-215. | 0.7 | 12 |
| 20 | Radiographic and Clinical Outcomes of Hallux Valgus and Metatarsus Adductus Treated With a Modified Lapidus Procedure. Foot and Ankle International, 2021, 42, 38-45. | 1.1 | 10 |
| 21 | Avascular Necrosis of the Talus After Subchondroplasty. Foot and Ankle International, 2021, 42, 1138-1143. | 1.1 | 10 |
| 22 | Evaluating and Managing the Painful Total Ankle Replacement. Foot and Ankle International, 2021, 42, 1347-1361. | 1.1 | 10 |
| 23 | Comparison of Patients' and Surgeons' Expectations in Foot and Ankle Surgery. Foot and Ankle International, 2020, 41, 1173-1180. | 1.1 | 9 |
| 24 | Most Readmissions Following Ankle Fracture Surgery Are Unrelated to Surgical Site Issues. Foot & Ankle Orthopaedics, 2017, 2, 247301141769525. | 0.1 | 8 |
| 25 | Assessment of Various Measurement Methods to Assess First Metatarsal Elevation in Hallux Rigidus. Foot & Ankle Orthopaedics, 2019, 4, 247301141987568. | 0.1 | 8 |
| 26 | Timeline for maximal subjective outcome improvement following total ankle arthroplasty. Foot and Ankle Surgery, 2021, 27, 305-310. | 0.8 | 8 |
| 27 | Measuring Joint Flexibility in Hallux Rigidus Using a Novel Flexibility Jig. Foot and Ankle International, 2017, 38, 885-892. | 1.1 | 6 |
| 28 | Perspectives From the Foot and Ankle Department at an Academic Orthopedic Hospital During the Surge Phase of the COVID-19 Pandemic in New York City. Foot and Ankle International, 2020, 41, 881-884. | 1.1 | 6 |
| 29 | Vascularized Pedicle Graft for Talar Osteonecrosis. Foot and Ankle Clinics, 2019, 24, 121-129. | 0.5 | 4 |
| 30 | Contribution of First-Tarsometatarsal Joint Fusion to Deformity Correction in the Treatment of Adult-Acquired Flatfoot Deformity. Foot & Ankle Orthopaedics, 2020, 5, 247301142092732. | 0.1 | 4 |
| 31 | Association Between Baseline PROMIS Scores, Patient-Provider Communication Factors, and Musculoskeletal Health Literacy on Patient and Surgeon Expectations in Foot and Ankle Surgery. Foot and Ankle International, 2021, 42, 192-199. | 1.1 | 4 |
| 32 | Comparing First Metatarsophalangeal Joint Flexibility in Hallux Rigidus Patients Pre- and Postcheilectomy Using a Novel Flexibility Device. Foot & Ankle Orthopaedics, 2020, 5, 247301142093000. | 0.1 | 2 |
| 33 | Prevalence of Hallux Rigidus in Patients With End-Stage Ankle Arthritis. Journal of Foot and Ankle Surgery, 2021, 60, 21-24. | 0.5 | 2 |
| 34 | Influence of Complications and Revision Surgery on Fulfillment of Expectations in Foot and Ankle Surgery. Foot and Ankle International, 2021, 42, 859-866. | 1.1 | 2 |
| 35 | An Unusual Foreign Body–Caused Chondral Lesion of the Talar Dome. JBJS Case Connector, 2021, 11, . | 0.1 | 0 |

3