

Hiroki Sugimori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10168548/publications.pdf>

Version: 2024-02-01

66
papers

1,686
citations

394421

19
h-index

289244

40
g-index

69
all docs

69
docs citations

69
times ranked

2235
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of COVID-19 and the Continued Citizen-Based Control in Japan. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1327, 25-33.	1.6	4
2	Analysis of factors affecting return of first-time blood donors in Japan: The role of small volume whole blood collection. <i>ISBT Science Series</i> , 2021, 16, 168-177.	1.1	1
3	Role of General Health Check in the Collaboration between Preventive Medicine and Clinical Practice. <i>Health Evaluation and Promotion</i> , 2021, 48, 413-420.	0.0	0
4	Mummies in Japan. , 2020, , 1-14.		0
5	SLAMF3-Mediated Signaling via ERK Pathway Activation Promotes Aggressive Phenotypic Behaviors in Multiple Myeloma. <i>Molecular Cancer Research</i> , 2020, 18, 632-643.	3.4	12
6	Survey About Handling Telephone Consultations at a Kampo Outpatient Clinic. <i>Kampo Medicine</i> , 2020, 71, 185-192.	0.1	0
7	FACTORS ASSOCIATED WITH DONOR RETURN OF FIRST-TIME BLOOD DONORS IN JAPAN. <i>Japanese Journal of Transfusion and Cell Therapy</i> , 2020, 66, 671-679.	0.2	0
8	Domestic work stress and self-rated psychological health among women: a cross-sectional study in Japan. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 75.	3.4	16
9	Clinical impact of serum soluble SLAMF7 in multiple myeloma. <i>Oncotarget</i> , 2018, 9, 34784-34793.	1.8	27
10	A New Prognostic Index for Waldenström Macroglobulinemia Based on a Multicenter Retrospective Study of the Japanese Society of Myeloma. <i>Blood</i> , 2018, 132, 5320-5320.	1.4	0
11	Cost-Effectiveness Analysis of Percutaneous Vertebroplasty for Osteoporotic Compression Fractures. <i>Clinical Spine Surgery</i> , 2017, 30, E205-E210.	1.3	15
12	Incidence and risk factors of hepatitis B virus reactivation in patients with multiple myeloma in an era with novel agents: a nationwide retrospective study in Japan. <i>Blood Cancer Journal</i> , 2017, 7, 631.	6.2	20
13	Adaptation of the European Commission-recommended user testing method to patient medication information leaflets in Japan. <i>Drug, Healthcare and Patient Safety</i> , 2017, Volume 9, 39-63.	2.5	8
14	Impact of Elevated Hemoglobin and Serum Protein on Vasovagal Reaction from Blood Donation. <i>PLoS ONE</i> , 2016, 11, e0148854.	2.5	10
15	Incidence and clinical background of hepatitis B virus reactivation in multiple myeloma in novel agents era. <i>Annals of Hematology</i> , 2016, 95, 1465-1472.	1.8	11
16	Fertility knowledge and the timing of first childbearing: a cross-sectional study in Japan. <i>Human Fertility</i> , 2016, 19, 275-281.	1.7	10
17	Cytomegalovirus reactivation in low-grade B-cell lymphoma patients treated with bendamustine. <i>Leukemia and Lymphoma</i> , 2016, 57, 2204-2207.	1.3	9
18	Help-seeking intentions for early signs of mental illness and their associated factors: comparison across four kinds of health problems. <i>BMC Public Health</i> , 2016, 16, 301.	2.9	34

#	ARTICLE	IF	CITATIONS
19	Effects of fertility education on knowledge, desires and anxiety among the reproductive-aged population: findings from a randomized controlled trial. <i>Human Reproduction</i> , 2016, 31, 2051-2060.	0.9	55
20	Relationship between individual characteristics, neighbourhood contexts and help-seeking intentions for mental illness. <i>BMJ Open</i> , 2015, 5, e008261.	1.9	16
21	A cross sectional study on fertility knowledge in Japan, measured with the Japanese version of Cardiff Fertility Knowledge Scale (CFKS-J). <i>Reproductive Health</i> , 2015, 12, 10.	3.1	55
22	Relationship between health literacy, health information access, health behavior, and health status in Japanese people. <i>Patient Education and Counseling</i> , 2015, 98, 660-668.	2.2	128
23	Validity and Reliability of the Japanese Version of the Newest Vital Sign: A Preliminary Study. <i>PLoS ONE</i> , 2014, 9, e94582.	2.5	32
24	Pharmaceutical company perspectives on current safety risk communications in Japan. <i>SpringerPlus</i> , 2014, 3, 51.	1.2	7
25	Reading comprehension of health checkup reports and health literacy in Japanese people. <i>Environmental Health and Preventive Medicine</i> , 2014, 19, 295-306.	3.4	18
26	The 14-item health literacy scale for Japanese adults (HLS-14). <i>Environmental Health and Preventive Medicine</i> , 2013, 18, 407-415.	3.4	141
27	Evaluation of health checkup reports from consumer perspectives. <i>Health Evaluation and Promotion</i> , 2013, 40, 593-603.	0.0	1
28	Risk factor analysis of vasovagal reaction from blood donation. <i>Transfusion and Apheresis Science</i> , 2012, 47, 319-325.	1.0	46
29	Overexpression of Lung Resistance-Related Protein and P-Glycoprotein and Response to Induction Chemotherapy in Acute Myelogenous Leukemia. <i>Hematology Reports</i> , 2012, 4, e18.	0.8	12
30	A Comparative Study of Health Checkup Results between Early and Late Elderly. <i>General Medicine</i> , 2011, 12, 11-18.	0.1	4
31	Internet Use for Health-Related Information via Personal Computers and Cell Phones in Japan: A Cross-Sectional Population-Based Survey. <i>Journal of Medical Internet Research</i> , 2011, 13, e110.	4.3	85
32	Risk Communication Regarding Drugs: The FDA Strategic Plan for Risk Communication. <i>Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku</i> , 2010, 15, 11-21.	0.0	3
33	Close relation between 14q32/IGH translocations and chromosome 13 abnormalities in multiple myeloma: a high incidence of 11q13/CCND1 and 16q23/MAF. <i>International Journal of Hematology</i> , 2008, 87, 260-265.	1.6	14
34	Profile of Serum Testosterone Levels after Application of Testosterone Ointment (Glowmin) and Its Clinical Efficacy in Late-Onset Hypogonadism Patients. <i>Journal of Sexual Medicine</i> , 2008, 5, 1727-1736.	0.6	21
35	Young Epidemiologists' Attitude towards Personal Data Protection. <i>Journal of Epidemiology</i> , 2006, 16, 90-92.	2.4	0
36	NK-cell neoplasms in Japan. <i>Hematology</i> , 2005, 10, 237-245.	1.5	95

#	ARTICLE	IF	CITATIONS
37	Relationships Between Erectile Dysfunction, Depression, and Anxiety in Japanese Subjects. <i>Journal of Sexual Medicine</i> , 2005, 2, 390-396.	0.6	65
38	Blastic natural killer cell lymphoma/leukemia (CD56 ⁺ positive blastic tumor). <i>Cancer</i> , 2005, 104, 1022-1031.	4.1	73
39	Analysis Between Lifestyle, Family Medical History and Medical Abnormalities Using Data Mining Method " Association Rule Analysis. <i>Lecture Notes in Computer Science</i> , 2005, , 161-171.	1.3	2
40	Analysis of factors that influence body mass index from ages 3 to 6 years: A study based on the Toyama cohort study. <i>Pediatrics International</i> , 2004, 46, 302-310.	0.5	105
41	What expectations do young Japanese epidemiologists have for the future of epidemiology? A questionnaire survey of members of the young epidemiologists society for discussing the future of epidemiology. <i>Journal of Epidemiology</i> , 2004, 14, 69-71.	2.4	2
42	Electronic Data Interchange Protocol for Healthcare " Health Data Markup Language (HDML) " <i>Journal of the Japan Society of Information and Knowledge</i> , 2003, 12, 32-52.	0.0	0
43	Persistent Insomnia is a Predictor of Hypertension in Japanese Male Workers. <i>Journal of Occupational Health</i> , 2003, 45, 344-350.	2.1	217
44	Data Mining for Seeking Relationships between Sickness Absence and Japanese Worker's Profile. <i>Lecture Notes in Computer Science</i> , 2003, , 410-416.	1.3	3
45	Insomnia is Associated with Psychological and Physical Problems in Japanese Male Workers.. <i>Health Evaluation and Promotion</i> , 2003, 30, 450-456.	0.0	1
46	Association between Insomnia and Hypertension in Japanese Male Workers.. <i>Health Evaluation and Promotion</i> , 2003, 30, 457-461.	0.0	1
47	Multiple Risk Factors Syndrome in Japanese Male Subjects Using Automatic Multiphasic Health Testing and Service Data: A Work-site Cohort Study.. <i>Health Evaluation and Promotion</i> , 2003, 30, 472-475.	0.0	1
48	Risk Factors of Low APGAR Score in Japanese Full-term Deliveries: A Case-control Study.. <i>Journal of Epidemiology</i> , 2002, 12, 320-323.	2.4	6
49	Acceptability and Long-term Compliance with Drug Treatment for Hypercholesterolemia in Japanese Male Workers. <i>Journal of Occupational Health</i> , 2002, 44, 307-314.	2.1	1
50	Parental influence on the development of obesity in 9-year-old Japanese children: the Toyama birth cohort study. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 173-175.	3.4	5
51	Acceptability and Long-term Compliance with Drug Treatment for Hypercholesterolemia in Japanese Male Workers: I. Acceptability of Drug Treatment. <i>Journal of Occupational Health</i> , 2002, 44, 166-175.	2.1	3
52	Standard Protocol for Exchange of Health-Checkups Based on SGML: The Health-Checkups Data Markup Language (HDML).. <i>Health Evaluation and Promotion</i> , 2002, 29, 823-826.	0.0	0
53	Stiff Neck Associates with Life Styles in Multiphasic Health Testing and Service.. <i>Health Evaluation and Promotion</i> , 2002, 29, 819-822.	0.0	0
54	Validity and Reliability of Single-item Questions about Physical Activity.. <i>Journal of Epidemiology</i> , 2001, 11, 211-218.	2.4	62

#	ARTICLE	IF	CITATIONS
55	A minor E-selectin ligand, CD65, is critical for extravascular infiltration of acute myeloid leukemia cells. <i>Leukemia Research</i> , 2001, 25, 847-853.	0.8	19
56	Application of the Updated Framingham Risk Score to Japanese Men. <i>Hypertension Research</i> , 2001, 24, 685-689.	2.7	33
57	Development of the New Assessment Tools for Lifestyles: Japanese Health Practice Index (JHPI). <i>Japanese Journal of MHTS</i> , 2001, 28, 302-310.	0.0	5
58	Temporal course of the development of obesity in Japanese school children: A cohort study based on the Keio Study. <i>Journal of Pediatrics</i> , 1999, 134, 749-754.	1.8	17
59	Influence Factors on the Development of Obesity in 3-Year-Old Children Based on the Toyama Study. <i>Preventive Medicine</i> , 1999, 28, 293-296.	3.4	96
60	Association of Lean Mass, Fat Mass, Body Mass Index, and Skinfold Thickness on Bone Mineral Density of Young Japanese Females: An Age-Controlled Cross-Sectional Study. <i>The Showa University Journal of Medical Sciences</i> , 1999, 11, 23-31.	0.1	4
61	Informed Consent on Epidemiological Studies. <i>Iryo To Shakai</i> , 1999, 9, 55-68.	0.1	0
62	Health risk assessment for diabetes mellitus based on longitudinal analysis of MHTS database. <i>Journal of Medical Systems</i> , 1998, 22, 27-32.	3.6	33
63	Years of potential life lost as the indicator of premature mortality in occupational medicine. <i>Environmental Health and Preventive Medicine</i> , 1997, 2, 40-44.	3.4	4
64	Influence of Behavioral and Environmental Factors on the Development of Obesity in Three-year-old Children "A Case-Control Study Based on Toyama Study". <i>Environmental Health and Preventive Medicine</i> , 1997, 2, 74-78.	3.4	14
65	Negative E-cadherin expression on bone marrow myeloma cell membranes is associated with extramedullary disease. <i>F1000Research</i> , 0, 11, 245.	1.6	1