
Masoumeh Navidinia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1017076/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Phylogenetic grouping and pathotypic comparison of urine and fecal Escherichia coli isolates from children with urinary tract infection. Brazilian Journal of Microbiology, 2014, 45, 509-514.	2.0	28
2	Determination of Integron Frequency by a Polymerase Chain Reaction–Restriction Fragment Length Polymorphism Method in Multidrug-Resistant <i>Escherichia coli</i> , Which Causes Urinary Tract Infections. Microbial Drug Resistance, 2012, 18, 546-549.	2.0	22
3	Phylogenetic Groups and Pathogenicity Island Markers in Escherichia coli Isolated From Children. Jundishapur Journal of Microbiology, 2013, 6, .	0.5	19
4	Molecular Characterization of Resistance Genes in MDR-ESKAPE Pathogens. Journal of Pure and Applied Microbiology, 2017, 11, 779-792.	0.9	19
5	Phenotypic and Molecular Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Clones Carrying the Panton-Valentine Leukocidin Genes Disseminating in Iranian Hospitals. Microbial Drug Resistance, 2018, 24, 1543-1551.	2.0	18
6	Antibiotic susceptibility of human-associated Staphylococcus aureus and its relation to agr typing, virulence genes, and biofilm formation. BMC Infectious Diseases, 2021, 21, 627.	2.9	17
7	The First Report of CMY, aac (6′)-Ib and 16S rRNA Methylase Genes Among Pseudomonas aeruginosa Isolates From Iran. Archives of Pediatric Infectious Diseases, 2013, 2, 109-12.	0.3	17
8	Colonization With Methicillin Resistant and Methicillin Sensitive Staphylococcus aureus Subtypes in Patients With Atopic Dermatitis and Its Relationship With Severity of Eczema. Archives of Pediatric Infectious Diseases, 2013, 1, 53-56.	0.3	15
9	Study Prevalence of Verotoxigenic E.coli Isolated from Urinary Tract Infections (UTIs) in an Iranian Children Hospital. Open Microbiology Journal, 2012, 6, 1-4.	0.7	14
10	Epidemiology of Methicillin-Resistant Staphylococcus aureus Isolated From Health Care Providers in Mofid Children Hospital. Archives of Pediatric Infectious Diseases, 2015, 3, .	0.3	14
11	Overview Perspective of Bacterial Strategies of Resistance to Biocides and Antibiotics. Archives of Clinical Infectious Diseases, 2019, In Press, .	0.2	11
12	Genetic Variability of Methicillin Resistant <italic>Staphylococcus Aureus</italic> Strains Isolated from Burns Patients. Osong Public Health and Research Perspectives, 2019, 10, 170-176.	1.9	10
13	Co-infection of Torque Teno virus and hepatitis C virus in Iranian Thalassemic patients. Turkish Journal of Haematology, 2012, 29, 156-161.	0.5	9
14	Clinical outcomes of Torque teno virus-infected thalassemic patients with and without hepatitis C virus infection. The Korean Journal of Hematology, 2011, 46, 123.	0.7	8
15	Distribution of the Pathogenicity Islands Markers (PAIs) in Uropathogenic E.coli Isolated from Children in Mofid Children Hospital. Archives of Pediatric Infectious Diseases, 2013, 1, 75-79.	0.3	8
16	Prevalence of blaOXA-1 and blaDHA-1 AmpC \hat{l}^2 -Lactamase-Producing and Methicillin-Resistant Staphylococcus aureus in Iran. Archives of Pediatric Infectious Diseases, 2016, Inpress, .	0.3	7
17	A Survey on Rotavirus Associated Diarrhea in 5 Main Cities of Iran. Archives of Pediatric Infectious Diseases, 2013, 1, 23-26.	0.3	7
18	Molecular typing, biofilm formation, and analysis of adhesion factors in Staphylococcus aureus strains isolated from urinary tract infections. Gene Reports, 2021, 22, 101008.	0.8	4

#	Article	IF	CITATIONS
19	Susceptibility Pattern of Bacille Calmette-Guerin Strains Against Pyrazinamide and Other Major Anti-Mycobacterial Drugs. Archives of Pediatric Infectious Diseases, 2014, 3, .	0.3	4
20	Capsular Genotypes Distribution and Antibiotic Resistance pattern of Group B Streptococcus (GBS) Isolated from Clinical Samples, Tehran, Iran. Journal of Pure and Applied Microbiology, 2017, 11, 111-117.	0.9	2
21	Aloe vera gel: Effective Therapeutic agent against Extended-Spectrum β-lactamase Producing Escherichia coli Isolated from Patients with Urinary Tract Infection in Tehran-Iran. Journal of Pure and Applied Microbiology, 2017, 11, 1401-1408.	0.9	2
22	Biofilm Matrix Formation in Human: Clinical Significance, Diagnostic Techniques, and Therapeutic Drugs. Archives of Clinical Infectious Diseases, 2021, 16, .	0.2	2
23	Effect of Recombinant Helicobacter Outer Membrane Protein H (HopH) on Nitric Oxide Production by Peripheral Macrophage in BALB/c Mice. Avicenna Journal of Medical Biotechnology, 2019, 11, 229-233.	0.3	2
24	Identification of a Novel Cassette Array in Integronbearing Helicobacter Pylori Strains Isolated from Iranian Patients. Asian Pacific Journal of Cancer Prevention, 2016, 17, 3309-15.	1.2	2
25	High prevalence of spa type t790, coa type III and the emergence of spa types t309, t571 and t127 in community-acquired methicillin-susceptible Staphylococcus aureus isolated from wound, Tehran-Iran. Gene Reports, 2021, 25, 101349.	0.8	1