

# Masoumeh Navidinia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1017076/publications.pdf>

Version: 2024-02-01

25  
papers

262  
citations

933447

10  
h-index

996975

15  
g-index

25  
all docs

25  
docs citations

25  
times ranked

381  
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular typing, biofilm formation, and analysis of adhesion factors in <i>Staphylococcus aureus</i> strains isolated from urinary tract infections. <i>Gene Reports</i> , 2021, 22, 101008.	0.8	4
2	Antibiotic susceptibility of human-associated <i>Staphylococcus aureus</i> and its relation to agr typing, virulence genes, and biofilm formation. <i>BMC Infectious Diseases</i> , 2021, 21, 627.	2.9	17
3	High prevalence of spa type t790, coa type III and the emergence of spa types t309, t571 and t127 in community-acquired methicillin-susceptible <i>Staphylococcus aureus</i> isolated from wound, Tehran-Iran. <i>Gene Reports</i> , 2021, 25, 101349.	0.8	1
4	Biofilm Matrix Formation in Human: Clinical Significance, Diagnostic Techniques, and Therapeutic Drugs. <i>Archives of Clinical Infectious Diseases</i> , 2021, 16, .	0.2	2
5	Genetic Variability of Methicillin Resistant <i>Staphylococcus Aureus</i> Strains Isolated from Burns Patients. <i>Osong Public Health and Research Perspectives</i> , 2019, 10, 170-176.	1.9	10
6	Overview Perspective of Bacterial Strategies of Resistance to Biocides and Antibiotics. <i>Archives of Clinical Infectious Diseases</i> , 2019, In Press, .	0.2	11
7	Effect of Recombinant <i>Helicobacter</i> Outer Membrane Protein H (HopH) on Nitric Oxide Production by Peripheral Macrophage in BALB/c Mice. <i>Avicenna Journal of Medical Biotechnology</i> , 2019, 11, 229-233.	0.3	2
8	Phenotypic and Molecular Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Clones Carrying the Panton-Valentine Leukocidin Genes Disseminating in Iranian Hospitals. <i>Microbial Drug Resistance</i> , 2018, 24, 1543-1551.	2.0	18
9	Capsular Genotypes Distribution and Antibiotic Resistance pattern of Group B <i>Streptococcus</i> (GBS) Isolated from Clinical Samples, Tehran, Iran. <i>Journal of Pure and Applied Microbiology</i> , 2017, 11, 111-117.	0.9	2
10	Molecular Characterization of Resistance Genes in MDR-ESKAPE Pathogens. <i>Journal of Pure and Applied Microbiology</i> , 2017, 11, 779-792.	0.9	19
11	Aloe vera gel: Effective Therapeutic agent against Extended-Spectrum $\beta$ -lactamase Producing <i>Escherichia coli</i> Isolated from Patients with Urinary Tract Infection in Tehran-Iran. <i>Journal of Pure and Applied Microbiology</i> , 2017, 11, 1401-1408.	0.9	2
12	Prevalence of blaOXA-1 and blaDHA-1 AmpC $\beta$ -Lactamase-Producing and Methicillin-Resistant <i>Staphylococcus aureus</i> in Iran. <i>Archives of Pediatric Infectious Diseases</i> , 2016, Inpress, .	0.3	7
13	Identification of a Novel Cassette Array in Integronbearing <i>Helicobacter Pylori</i> Strains Isolated from Iranian Patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 3309-15.	1.2	2
14	Epidemiology of Methicillin-Resistant <i>Staphylococcus aureus</i> Isolated From Health Care Providers in Mofid Children Hospital. <i>Archives of Pediatric Infectious Diseases</i> , 2015, 3, .	0.3	14
15	Phylogenetic grouping and pathotypic comparison of urine and fecal <i>Escherichia coli</i> isolates from children with urinary tract infection. <i>Brazilian Journal of Microbiology</i> , 2014, 45, 509-514.	2.0	28
16	Susceptibility Pattern of Bacille Calmette-Guerin Strains Against Pyrazinamide and Other Major Anti-Mycobacterial Drugs. <i>Archives of Pediatric Infectious Diseases</i> , 2014, 3, .	0.3	4
17	Phylogenetic Groups and Pathogenicity Island Markers in <i>Escherichia coli</i> Isolated From Children. <i>Jundishapur Journal of Microbiology</i> , 2013, 6, .	0.5	19
18	The First Report of CMY, aac (6)-Ib and 16S rRNA Methylase Genes Among <i>Pseudomonas aeruginosa</i> Isolates From Iran. <i>Archives of Pediatric Infectious Diseases</i> , 2013, 2, 109-12.	0.3	17

#	ARTICLE	IF	CITATIONS
19	A Survey on Rotavirus Associated Diarrhea in 5 Main Cities of Iran. Archives of Pediatric Infectious Diseases, 2013, 1, 23-26.	0.3	7
20	Colonization With Methicillin Resistant and Methicillin Sensitive Staphylococcus aureus Subtypes in Patients With Atopic Dermatitis and Its Relationship With Severity of Eczema. Archives of Pediatric Infectious Diseases, 2013, 1, 53-56.	0.3	15
21	Distribution of the Pathogenicity Islands Markers (PAIs) in Uropathogenic E.coli Isolated from Children in Mofid Children Hospital. Archives of Pediatric Infectious Diseases, 2013, 1, 75-79.	0.3	8
22	Determination of Integron Frequency by a Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Method in Multidrug-Resistant <i>Escherichia coli</i> , Which Causes Urinary Tract Infections. Microbial Drug Resistance, 2012, 18, 546-549.	2.0	22
23	Study Prevalence of Verotoxigenic E.coli Isolated from Urinary Tract Infections (UTIs) in an Iranian Children Hospital. Open Microbiology Journal, 2012, 6, 1-4.	0.7	14
24	Co-infection of Torque Teno virus and hepatitis C virus in Iranian Thalassemic patients. Turkish Journal of Haematology, 2012, 29, 156-161.	0.5	9
25	Clinical outcomes of Torque teno virus-infected thalassemic patients with and without hepatitis C virus infection. The Korean Journal of Hematology, 2011, 46, 123.	0.7	8