

# Karren M Plain

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1018019/publications.pdf>

Version: 2024-02-01

69  
papers

2,297  
citations

257357

24  
h-index

223716

46  
g-index

71  
all docs

71  
docs citations

71  
times ranked

2090  
citing authors

#	ARTICLE	IF	CITATIONS
1	Does a Th1 over Th2 dominance really exist in the early stages of Mycobacterium avium subspecies paratuberculosis infections?. Immunobiology, 2011, 216, 840-846.	0.8	376
2	Comparative immunological and microbiological aspects of paratuberculosis as a model mycobacterial infection. Veterinary Immunology and Immunopathology, 2012, 148, 29-47.	0.5	310
3	IL-5 promotes induction of antigen-specific CD4+CD25+ T regulatory cells that suppress autoimmunity. Blood, 2012, 119, 4441-4450.	0.6	81
4	High-Throughput Direct Fecal PCR Assay for Detection of Mycobacterium avium subsp. paratuberculosis in Sheep and Cattle. Journal of Clinical Microbiology, 2014, 52, 745-757.	1.8	76
5	INDUCTION OF SPECIFIC TOLERANCE TO ALLOGRAFTS IN RATS BY THERAPY WITH NON-MITOGENIC, NON-DEPLETING ANTI-CD3 MONOCLONAL ANTIBODY. Transplantation, 1999, 67, 605-613.	0.5	68
6	TREATMENT WITH INTERLEUKIN-4 PROLONGS ALLOGENEIC NEONATAL HEART GRAFT SURVIVAL BY INDUCING T HELPER 2 RESPONSES. Transplantation, 1998, 65, 1145-1152.	0.5	60
7	Role of IL-4 and Th2 responses in allograft rejection and tolerance. Current Opinion in Organ Transplantation, 2009, 14, 16-22.	0.8	57
8	Development and Validation of a Liquid Medium (M7H9C) for Routine Culture of Mycobacterium avium subsp. paratuberculosis To Replace Modified Bactec 12B Medium. Journal of Clinical Microbiology, 2013, 51, 3993-4000.	1.8	52
9	Comparison of methods for miRNA isolation and quantification from ovine plasma. Scientific Reports, 2020, 10, 825.	1.6	52
10	INDUCTION OF TOLERANCE WITH NONDEPLETING ANTI-CD4 MONOCLONAL ANTIBODIES IS ASSOCIATED WITH DOWN-REGULATION OF TH2 CYTOKINES1. Transplantation, 1997, 64, 1559-1567.	0.5	50
11	CD4+CD25+ T cells alloactivated ex vivo by IL-2 or IL-4 become potent alloantigen-specific inhibitors of rejection with different phenotypes, suggesting separate pathways of activation by Th1 and Th2 responses. Blood, 2009, 113, 479-487.	0.6	48
12	Candidate gene and genome-wide association studies of Mycobacterium avium subsp. paratuberculosis infection in cattle and sheep: A review. Comparative Immunology, Microbiology and Infectious Diseases, 2011, 34, 197-208.	0.7	45
13	Interleukin-12 (IL-12p70) Promotes Induction of Highly Potent Th1-Like CD4+CD25+ T Regulatory Cells That Inhibit Allograft Rejection in Unmodified Recipients. Frontiers in Immunology, 2014, 5, 190.	2.2	45
14	PCR Inhibition of a Quantitative PCR for Detection of Mycobacterium avium Subspecies Paratuberculosis DNA in Feces: Diagnostic Implications and Potential Solutions. Frontiers in Microbiology, 2017, 08, 115.	1.5	44
15	Macrophage polarization in cattle experimentally exposed to Mycobacterium avium subsp. paratuberculosis. Pathogens and Disease, 2015, 73, ftv085.	0.8	41
16	Expression of genes associated with the antigen presentation and processing pathway are consistently regulated in early Mycobacterium avium subsp. paratuberculosis infection. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 151-162.	0.7	40
17	Mycobacterium avium subspecies paratuberculosis is able to manipulate host lipid metabolism and accumulate cholesterol within macrophages. Microbial Pathogenesis, 2019, 130, 44-53.	1.3	39
18	Can early host responses to mycobacterial infection predict eventual disease outcomes?. Preventive Veterinary Medicine, 2013, 112, 203-212.	0.7	37

#	ARTICLE	IF	CITATIONS
19	IL-13 prolongs allograft survival: Association with inhibition of macrophage cytokine activation. <i>Transplant Immunology</i> , 2007, 17, 178-186.	0.6	34
20	Indoleamine 2,3-Dioxygenase, Tryptophan Catabolism, and <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> : a Model for Chronic Mycobacterial Infections. <i>Infection and Immunity</i> , 2011, 79, 3821-3832.	1.0	32
21	The cellular basis of cardiac allograft rejection. IX. Ratio of na $\tilde{\nu}$ e CD4+CD25+ T cells/CD4+CD25 $\hat{\nu}$ T cells determines rejection or tolerance. <i>Transplant Immunology</i> , 2006, 15, 311-318.	0.6	31
22	Role of host- and pathogen-associated lipids in directing the immune response in mycobacterial infections, with emphasis on <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> . <i>Critical Reviews in Microbiology</i> , 2014, 42, 1-13.	2.7	30
23	Do Natural T Regulatory Cells become Activated to Antigen Specific T Regulatory Cells in Transplantation and in Autoimmunity?. <i>Frontiers in Immunology</i> , 2013, 4, 208.	2.2	28
24	Studies on na $\tilde{\nu}$ e CD4+CD25+T cells inhibition of na $\tilde{\nu}$ e CD4+CD25 $\hat{\nu}$ T cells in mixed lymphocyte cultures. <i>Transplant Immunology</i> , 2008, 18, 291-301.	0.6	26
25	Interleukin-12p70 Prolongs Allograft Survival by Induction of Interferon Gamma and Nitric Oxide Production. <i>Transplantation</i> , 2006, 82, 1324-1333.	0.5	24
26	Expression of genes associated with cholesterol and lipid metabolism identified as a novel pathway in the early pathogenesis of <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> -infection in cattle. <i>Veterinary Immunology and Immunopathology</i> , 2014, 160, 147-157.	0.5	24
27	Toll-like receptor (TLR)6 and TLR1 differentiation in gene expression studies of Johne's disease. <i>Veterinary Immunology and Immunopathology</i> , 2010, 137, 142-148.	0.5	23
28	Efficient, Validated Method for Detection of Mycobacterial Growth in Liquid Culture Media by Use of Bead Beating, Magnetic-Particle-Based Nucleic Acid Isolation, and Quantitative PCR. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1121-1128.	1.8	22
29	Immunopathological changes and apparent recovery from infection revealed in cattle in an experimental model of Johne $\hat{\nu}$ s disease using a lyophilised culture of <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> . <i>Veterinary Microbiology</i> , 2018, 219, 53-62.	0.8	22
30	Complete Genome Sequence of the Telford Type S Strain of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> . <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.3	22
31	Gene expression profiles during subclinical <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> infection in sheep can predict disease outcome. <i>Scientific Reports</i> , 2019, 9, 8245.	1.6	21
32	Transfer of Allograft Specific Tolerance Requires CD4+CD25+T Cells but Not Interleukin-4 or Transforming Growth Factor $\hat{\nu}$ 2 and Cannot Induce Tolerance to Linked Antigens. <i>Transplantation</i> , 2007, 83, 1075-1084.	0.5	20
33	A Rapid Method for Quantifying Viable <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> in Cellular Infection Assays. <i>Applied and Environmental Microbiology</i> , 2016, 82, 5553-5562.	1.4	20
34	Biomarkers for Detecting Resilience against Mycobacterial Disease in Animals. <i>Infection and Immunity</i> , 2019, 88, .	1.0	20
35	A longitudinal study to evaluate the diagnostic potential of a direct faecal quantitative PCR test for Johne's disease in sheep. <i>Veterinary Microbiology</i> , 2011, 148, 35-44.	0.8	19
36	CD4+ T-cells, $\hat{\nu}$ 3 $\hat{\nu}$ T-cells and B-cells are associated with lack of vaccine protection in <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> infection. <i>Vaccine</i> , 2015, 33, 149-155.	1.7	19

#	ARTICLE	IF	CITATIONS
37	Defining resilience to mycobacterial disease: Characteristics of survivors of ovine paratuberculosis. <i>Veterinary Immunology and Immunopathology</i> , 2018, 195, 56-64.	0.5	19
38	The humoral immune response is essential for successful vaccine protection against paratuberculosis in sheep. <i>BMC Veterinary Research</i> , 2019, 15, 223.	0.7	18
39	Mycobacterial infection-induced miR-206 inhibits protective neutrophil recruitment via the CXCL12/CXCR4 signalling axis. <i>PLoS Pathogens</i> , 2021, 17, e1009186.	2.1	18
40	In vivo and in vitro expression pattern of Toll-like receptors in <i>Mycobacterium avium</i> subspecies paratuberculosis infection. <i>Veterinary Immunology and Immunopathology</i> , 2013, 156, 20-31.	0.5	17
41	Transplant Tolerance Associated With a Th1 Response and Not Broken by IL-4, IL-5, and TGF- $\beta$ 2 Blockade or Th1 Cytokine Administration. <i>Transplantation</i> , 2007, 83, 764-773.	0.5	16
42	Membrane attack complex of complement is not essential for immune mediated demyelination in experimental autoimmune neuritis. <i>Journal of Neuroimmunology</i> , 2010, 229, 98-106.	1.1	16
43	Cytokines affecting CD4+ T regulatory cells in transplant tolerance. Interleukin-4 does not maintain alloantigen specific CD4+CD25+ Treg. <i>Transplant Immunology</i> , 2013, 29, 51-59.	0.6	16
44	Cytokines affecting CD4 + T regulatory cells in transplant tolerance. II. Interferon gamma (IFN- $\gamma$ ) promotes survival of alloantigen-specific CD4 + T regulatory cells. <i>Transplant Immunology</i> , 2017, 42, 24-33.	0.6	16
45	THE CELLULAR BASIS OF CARDIAC ALLOGRAFT REJECTION. <i>Transplantation</i> , 1998, 65, 1152-1158.	0.5	16
46	Specific faecal antibody responses in sheep infected with <i>Mycobacterium avium</i> subspecies paratuberculosis. <i>Veterinary Immunology and Immunopathology</i> , 2015, 166, 125-131.	0.5	14
47	Evaluation of the limitations and methods to improve rapid phage-based detection of viable <i>Mycobacterium avium</i> subsp. paratuberculosis in the blood of experimentally infected cattle. <i>BMC Veterinary Research</i> , 2016, 12, 115.	0.7	14
48	Detection of <i>Mycobacterium avium</i> subspecies paratuberculosis in powdered infant formula using IS 900 quantitative PCR and liquid culture media. <i>International Journal of Food Microbiology</i> , 2017, 257, 1-9.	2.1	13
49	Enhancement of the interferon gamma assay to detect paratuberculosis using interleukin-7 and interleukin-12 potentiation. <i>Veterinary Immunology and Immunopathology</i> , 2012, 149, 28-37.	0.5	11
50	Cytokines affecting CD4 + T regulatory cells in transplant tolerance. III. Interleukin-5 (IL-5) promotes survival of alloantigen-specific CD4 + T regulatory cells. <i>Transplant Immunology</i> , 2017, 43-44, 33-41.	0.6	11
51	The immunogenicity and tissue reactivity of <i>Mycobacterium avium</i> subsp paratuberculosis inactivated whole cell vaccine is dependent on the adjuvant used. <i>Heliyon</i> , 2019, 5, e01911.	1.4	11
52	Autoantigen specific IL-2 activated CD4+CD25+T regulatory cells inhibit induction of experimental autoimmune neuritis. <i>Journal of Neuroimmunology</i> , 2020, 341, 577186.	1.1	11
53	Cellular and humoral immunogenicity of <i>Mycobacterium avium</i> subsp. paratuberculosis specific lipopentapeptide antigens. <i>Research in Veterinary Science</i> , 2013, 95, 123-129.	0.9	10
54	Alloactivation of Na $\gamma$ -ve CD4+CD8 $\beta$ -CD25+T Regulatory Cells: Expression of CD8 $\beta$ Identifies Potent Suppressor Cells That Can Promote Transplant Tolerance Induction. <i>Frontiers in Immunology</i> , 2019, 10, 2397.	2.2	10

#	ARTICLE	IF	CITATIONS
55	Determining an optimal pool size for testing beef herds for Johne's disease in Australia. <i>PLoS ONE</i> , 2019, 14, e0225524.	1.1	10
56	IFN- $\gamma$ fails to overcome inhibition of selected macrophage activation events in response to pathogenic mycobacteria. <i>PLoS ONE</i> , 2017, 12, e0176400.	1.1	9
57	Changes in Reactivity In Vitro of CD4+CD25+ and CD4+CD25 <sup>hi</sup> T Cell Subsets in Transplant Tolerance. <i>Frontiers in Immunology</i> , 2017, 8, 994.	2.2	8
58	Global Phylogeny of <i>Mycobacterium avium</i> and Identification of Mutation Hotspots During Niche Adaptation. <i>Frontiers in Microbiology</i> , 2022, 13, .	1.5	8
59	Culture-Independent Identification of <i>Mycobacterium avium</i> Subspecies <i>paratuberculosis</i> in Ovine Tissues: Comparison with Bacterial Culture and Histopathological Lesions. <i>Frontiers in Veterinary Science</i> , 2017, 4, 232.	0.9	7
60	Comparative Genomics of <i>Mycobacterium avium</i> Subspecies <i>Paratuberculosis</i> Sheep Strains. <i>Frontiers in Veterinary Science</i> , 2021, 8, 637637.	0.9	7
61	Histopathological Characterization of Cutaneous Delayed-type Hypersensitivity and Correlations with Intestinal Pathology and Systemic Immune Responses in Sheep with <i>Paratuberculosis</i> . <i>Journal of Comparative Pathology</i> , 2015, 153, 67-80.	0.1	6
62	Integrated vaccine screening system: using cellular functional capacity in vitro to assess genuine vaccine protectiveness in ruminants. <i>Pathogens and Disease</i> , 2018, 76, .	0.8	5
63	Sheep and cattle exposed to <i>Mycobacterium avium</i> subspecies <i>paratuberculosis</i> exhibit altered total serum cholesterol profiles during the early stages of infection. <i>Veterinary Immunology and Immunopathology</i> , 2018, 202, 164-171.	0.5	4
64	Australian Veterinarians' Perceptions Regarding the Zoonotic Potential of <i>Mycobacterium avium</i> Subspecies <i>Paratuberculosis</i> . <i>Veterinary Sciences</i> , 2020, 7, 33.	0.6	4
65	Simulation modelling to estimate the herd-sensitivity of various pool sizes to test beef herds for Johne's disease in Australia. <i>Preventive Veterinary Medicine</i> , 2021, 189, 105294.	0.7	3
66	Factors influencing the effectiveness of the Gudair vaccine for controlling Johne's disease in sheep flocks in Australia. <i>Preventive Veterinary Medicine</i> , 2021, 193, 105394.	0.7	3
67	<i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> exploits miRNA expression to modulate lipid metabolism and macrophage polarisation pathways during infection. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
68	Comparison of the current abattoir surveillance system for detection of <i>paratuberculosis</i> in Australian sheep with quantitative PCR tissue strategies using simulation modelling. <i>Preventive Veterinary Medicine</i> , 2021, 196, 105495.	0.7	1
69	Continuity in ovine Johne's disease vaccination practices despite a decline in clinical disease. <i>Australian Veterinary Journal</i> , 2021, 99, 392-394.	0.5	0