

# Andrei C. Sposito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1018128/publications.pdf>

Version: 2024-02-01

243  
papers

6,704  
citations

134610

34  
h-index

93651

72  
g-index

277  
all docs

277  
docs citations

277  
times ranked

12396  
citing authors

#	ARTICLE	IF	CITATIONS
1	RIC in COVID-19—a Clinical Trial to Investigate Whether Remote Ischemic Conditioning (RIC) Can Prevent Deterioration to Critical Care in Patients with COVID-19. <i>Cardiovascular Drugs and Therapy</i> , 2022, 36, 925-930.	1.3	3
2	Association of carotid wall layers with atherosclerotic plaques and cardiac hypertrophy in hypertensive subjects. <i>Journal of Human Hypertension</i> , 2022, 36, 732-737.	1.0	3
3	Understanding the Potential Impact of Different Drug Properties on Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Transmission and Disease Burden: A Modelling Analysis. <i>Clinical Infectious Diseases</i> , 2022, 75, e224-e233.	2.9	10
4	Intraoperative infusion of esmolol reduces the incidence and intensity of post-mastectomy pain syndrome. <i>Minerva Anestesiologica</i> , 2022, 88, .	0.6	1
5	Impact of the COVID-19 pandemic on blood pressure control: a nationwide home blood pressure monitoring study. <i>Hypertension Research</i> , 2022, 45, 364-368.	1.5	29
6	Rationale and design of the Brazilian diabetes study: a prospective cohort of type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2022, 38, 523-529.	0.9	3
7	Compliance with Cardiovascular Prevention Guidelines in Type 2 Diabetes Individuals in a Middle-Income Region: A Cross-Sectional Analysis. <i>Diagnostics</i> , 2022, 12, 814.	1.3	1
8	Soluble LOX-1 levels during acute coronary syndrome: a potent and multifaceted warning sign for cardiovascular risk. <i>European Heart Journal</i> , 2022, 43, 1861-1863.	1.0	3
9	Discrepancies in the diagnosis of hypertension in adolescents according to available office and home high blood pressure criteria. <i>Journal of Clinical Hypertension</i> , 2022, 24, 83-87.	1.0	1
10	Relationship Between Circulating MicroRNAs and Left Ventricular Hypertrophy in Hypertensive Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 798954.	1.1	3
11	Who is to blame, the chicken or the egg?. <i>Archives of Endocrinology and Metabolism</i> , 2022, 66, 137-138.	0.3	0
12	Glucose-Lowering and the Risk of Cardiovascular Events With Antidiabetic Therapies: A Systematic Review and Additive-Effects Network Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 876795.	1.1	1
13	Role of LOX-1 (Lectin-Like Oxidized Low-Density Lipoprotein Receptor 1) as a Cardiovascular Risk Predictor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 153-166.	1.1	49
14	Increased particle size of triacylglycerol-enriched remnant lipoproteins, but not their plasma concentration or lipid content, augments risk prediction of incident type 2 diabetes. <i>Diabetologia</i> , 2021, 64, 385-396.	2.9	15
15	Walking performance is associated with coronary artery calcification in very old adults. <i>Archives of Gerontology and Geriatrics</i> , 2021, 92, 104264.	1.4	0
16	Latin American Expert Consensus for Comprehensive Management of Type 2 Diabetes from a Metabolic—Cardio—Renal Perspective for the Primary Care Physician. <i>Diabetes Therapy</i> , 2021, 12, 1-20.	1.2	2
17	Impact of emergency short-stay unit opening on in-hospital global and cardiology indicators. <i>Journal of Evaluation in Clinical Practice</i> , 2021, 27, 1262-1270.	0.9	3
18	O Escore Genşini e a Carga Tromb�tica Adicionam Valor Preditivo ao Escore SYNTAX na Detec�o de No-Reflow ap�s Infarto do Mioc�rdio. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 466-472.	0.3	4

#	ARTICLE	IF	CITATIONS
19	AGEs accumulation is related to muscle degeneration and vascular calcification in peritoneal dialysis patients. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021, 43, 191-199.	0.4	9
20	Diretrizes Brasileiras de Hipertens�o Arterial � 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 516-658.	0.3	340
21	Dapagliflozin effect on endothelial dysfunction in diabetic patients with atherosclerotic disease: a randomized active-controlled trial. <i>Cardiovascular Diabetology</i> , 2021, 20, 74.	2.7	44
22	Serum potassium levels provide prognostic information in symptomatic heart failure beyond traditional clinical variables. <i>ESC Heart Failure</i> , 2021, 8, 2133-2143.	1.4	5
23	Left Ventricular Concentric Geometric Patterns Are Associated With Worse Prognosis Among Patients With Type�A Aortic Dissection. <i>Journal of the American Heart Association</i> , 2021, 10, e018273.	1.6	4
24	Intra-operative esmolol and pain following mastectomy. <i>European Journal of Anaesthesiology</i> , 2021, 38, 735-743.	0.7	6
25	Coronavirus disease-19: The multi-level, multi-faceted vasculopathy. <i>Atherosclerosis</i> , 2021, 322, 39-50.	0.4	32
26	Cardiovascular safety of naltrexone and bupropion therapy: Systematic review and meta�analyses. <i>Obesity Reviews</i> , 2021, 22, e13224.	3.1	10
27	Knowledge of self-care practices in diabetes: compasso. <i>Research, Society and Development</i> , 2021, 10, e41410515062.	0.0	0
28	The impact of changing home blood pressure monitoring cutoff from 135/85 to 130/80�mmHg on hypertension phenotypes. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1447-1451.	1.0	6
29	Dysfunctional High-Density Lipoproteins in Type 2 Diabetes Mellitus: Molecular Mechanisms and Therapeutic Implications. <i>Journal of Clinical Medicine</i> , 2021, 10, 2233.	1.0	15
30	Dapagliflozin increases the lean-to total mass ratio in type 2 diabetes mellitus. <i>Nutrition and Diabetes</i> , 2021, 11, 17.	1.5	8
31	Glucose-lowering Drugs and Hospitalization for Heart Failure: A Systematic Review and Additive-effects Network Meta-analysis With More Than 500 000 Patient-years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 3060-3067.	1.8	7
32	Defective Allele of the Neuronal Nitric Oxide Synthase Gene Increases Insulin Resistance During Acute Phase of Myocardial Infarction. <i>International Journal of General Medicine</i> , 2021, Volume 14, 3669-3676.	0.8	0
33	Reference values for the triglyceride to high-density lipoprotein ratio and its association with cardiometabolic diseases in a mixed adult population: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2021, 15, 699-711.	0.6	6
34	O Impacto da Educa�o na Mortalidade por Todas as Causas ap�s Infarto do Mioc�rdio com Supradesnivelamento do Segmento ST (IAMCSST): Resultados do Bras�lia Heart Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 5-12.	0.3	2
35	Differences in the diagnosis of high blood pressure using unattended and attended automated office blood pressure. <i>Journal of Human Hypertension</i> , 2021, , .	1.0	1
36	Cardiac magnetic resonance assessment of right ventricular remodeling after anthracycline therapy. <i>Scientific Reports</i> , 2021, 11, 17132.	1.6	12

#	ARTICLE	IF	CITATIONS
37	The impact of low income on long-term mortality of myocardial infarction patients: results from the Brazilian Heart Study. <i>Current Medical Research and Opinion</i> , 2021, 37, 1689-1695.	0.9	0
38	Dapagliflozin increases retinal thickness in type 2 diabetic patients as compared with glibenclamide: A randomized controlled trial. <i>Diabetes and Metabolism</i> , 2021, 47, 101280.	1.4	6
39	AtualizaÃ§Ã£o da Diretriz Brasileira de Hipercolesterolemia Familiar â€“ 2021. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 782-844.	0.3	10
40	The Reciprocal Relationship between LDL Metabolism and Type 2 Diabetes Mellitus. <i>Metabolites</i> , 2021, 11, 807.	1.3	17
41	Dapagliflozin reduces adiposity and increases adiponectin in patients with type 2 diabetes and atherosclerotic disease at short-term: an active-controlled randomised trial. <i>Diabetes and Metabolism</i> , 2021, 48, 101304.	1.4	1
42	Impact of Hypertension History and Blood Pressure at Presentation on Cardiac Remodeling and Mortality in Aortic Dissection. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 803283.	1.1	1
43	Association of Circulating miR-145-5p and miR-let7c and Atherosclerotic Plaques in Hypertensive Patients. <i>Biomolecules</i> , 2021, 11, 1840.	1.8	4
44	Lower bone mass is associated with subclinical atherosclerosis, endothelial dysfunction and carotid thickness in the very elderly. <i>Atherosclerosis</i> , 2020, 292, 70-74.	0.4	10
45	Excess weight mediates changes in HDL pool that reduce cholesterol efflux capacity and increase antioxidant activity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 254-264.	1.1	9
46	Correlation between office and home blood pressure in clinical practice. <i>Journal of Hypertension</i> , 2020, 38, 179-181.	0.3	12
47	Relationship between office isolated systolic or diastolic hypertension and white-coat hypertension across the age spectrum: a home blood pressure study. <i>Journal of Hypertension</i> , 2020, 38, 663-670.	0.3	16
48	Machine Learning Improves the Identification of Individuals With Higher Morbidity and Avoidable Health Costs After Acute Coronary Syndromes. <i>Value in Health</i> , 2020, 23, 1570-1579.	0.1	14
49	Rationale and design of the expanded combination of evolocumab plus empagliflozin in diabetes: EXCEED-BHS3 trial. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232095924.	1.1	10
50	Elevated Glucose Levels Favor SARS-CoV-2 Infection and Monocyte Response through a HIF-1 $\alpha$ /Glycolysis-Dependent Axis. <i>Cell Metabolism</i> , 2020, 32, 437-446.e5.	7.2	578
51	Bupropion and/or naltrexone are not associated with increased risk of major adverse cardiovascular events: A network meta-analysis of additive effects. <i>Atherosclerosis</i> , 2020, 315, e9.	0.4	0
52	Lean-to-total mass and body fat mass are both associated with coronary artery calcification in type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2020, 315, e128.	0.4	0
53	Visceral adipose tissue is related with coronary artery calcium score in subjects with type 2 diabetes. <i>Atherosclerosis</i> , 2020, 315, e128.	0.4	0
54	Ischemic postconditioning with HDL preserves mitochondrial complex I activity. <i>Atherosclerosis</i> , 2020, 315, e153.	0.4	0

#	ARTICLE	IF	CITATIONS
55	Prevalence of metabolic syndrome varies accordingly with different guidelines: Results from the Brazilian diabetes study. <i>Atherosclerosis</i> , 2020, 315, e184.	0.4	0
56	Goal attainment in cardiovascular prevention in diabetes: Results of the Brazilian diabetes study. <i>Atherosclerosis</i> , 2020, 315, e197.	0.4	0
57	Evolution and epidemic spread of SARS-CoV-2 in Brazil. <i>Science</i> , 2020, 369, 1255-1260.	6.0	454
58	Ambulatory blood pressure phenotypes and isolated elevation of office central or brachial blood pressure. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1936-1940.	1.0	1
59	Association of left ventricular strain and E/e <sup>TM</sup> ratio with carotid wall layers. <i>Atherosclerosis</i> , 2020, 310, 109-110.	0.4	4
60	Reference values of office central blood pressure, pulse wave velocity, and augmentation index recorded by means of the Mobilâ€™Graph PWA monitor. <i>Hypertension Research</i> , 2020, 43, 1239-1248.	1.5	21
61	Diacerein: A potential multi-target therapeutic drug for COVID-19. <i>Medical Hypotheses</i> , 2020, 144, 109920.	0.8	27
62	Letter to the Editor: â€œCardiovascular Effects of Pioglitazone or Sulfonylureas According to Pretreatment Risk: Moving Toward Personalized Careâ€• <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e907-e908.	1.8	0
63	Synergistic effect of the association between lidocaine and magnesium sulfate on peri-operative pain after mastectomy. <i>European Journal of Anaesthesiology</i> , 2020, 37, 224-234.	0.7	14
64	Statin Use in the Early Phase of ST-Segment Elevation Myocardial Infarction Is Associated With Decreased QTc Dispersion. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2020, 25, 226-231.	1.0	1
65	Circulating miR-34a and Bone Mineral Density of Brazilian Very-Old Adults. <i>Journal of Aging Research</i> , 2020, 2020, 1-7.	0.4	3
66	1480-P: Increased Particle Size of Triglyceride Remnant Lipoproteins, but Not Plasma Concentration or Lipid Content, Boost Risk Prediction of Incident Type 2 Diabetes. <i>Diabetes</i> , 2020, 69, .	0.3	0
67	400-P: High Levels of Glycemic Coefficient of Variation Are Associated with Higher Hypoglycemia Episodes in T1D Adults in a Brazilian Tertiary Hospital. <i>Diabetes</i> , 2020, 69, .	0.3	0
68	GLP1-Receptor Agonists in Diabetes: Drugs, General Effects, and Cardiovascular Impact. , 2020, , 695-704.		0
69	Increased particle size of triglyceride remnant lipoproteins, but not their plasma concentration or lipid content, augment risk prediction of incident diabetes: prospective results from ELSA-Brasil. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
70	Abstract 17007: Cardiac Magnetic Resonance Assessment of Right Ventricular Remodeling After Anthracycline Therapy. <i>Circulation</i> , 2020, 142, .	1.6	0
71	Carotid wall sublayers and their association with atherosclerosis in hypertensive subjects. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
72	Circulating microRNAs, Vascular Risk, and Physical Activity in Spinal Cord-Injured Subjects. <i>Journal of Neurotrauma</i> , 2019, 36, 845-852.	1.7	21

#	ARTICLE	IF	CITATIONS
73	Assessment of dapagliflozin effect on diabetic endothelial dysfunction of brachial artery (ADDENDA-BHS2 trial): rationale, design, and baseline characteristics of a randomized controlled trial. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 62.	1.2	9
74	Treatment effect of alirocumab according to age group, smoking status, and hypertension: Pooled analysis from 10 randomized ODYSSEY studies. <i>Journal of Clinical Lipidology</i> , 2019, 13, 735-743.	0.6	1
75	Blood pressure cutoffs for white-coat and masked effects in a large population undergoing home blood pressure monitoring. <i>Hypertension Research</i> , 2019, 42, 1816-1823.	1.5	12
76	Statin Short-term Inhibition of Insulin Sensitivity and Secretion During Acute Phase of ST-Elevation Myocardial Infarction. <i>Scientific Reports</i> , 2019, 9, 16401.	1.6	2
77	Noninvasive imaging assessment of rehabilitation therapy in heart failure with preserved and reduced left ventricular ejection fraction (IMAGING-REHAB-HF): design and rationale. <i>Therapeutic Advances in Chronic Disease</i> , 2019, 10, 204062231986837.	1.1	2
78	Lipid trafficking in cardiovascular disease. <i>Advances in Clinical Chemistry</i> , 2019, 92, 105-140.	1.8	10
79	Impact of hypertension phenotypes on the office and 24-h pulse wave velocity and augmentation index in individuals with or without antihypertensive medication use. <i>Hypertension Research</i> , 2019, 42, 1989-1995.	1.5	9
80	Correlation between office and 24-hour ambulatory measures of pulse wave velocity, central augmentation index and central blood pressure. <i>Journal of Clinical Hypertension</i> , 2019, 21, 335-337.	1.0	7
81	Low empowerment and diabetes regimen distress are related to HbA1c in low income type 1 diabetes patients in a Brazilian tertiary public hospital. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 6.	1.2	6
82	Reciprocal Multifaceted Interaction Between HDL (High-Density Lipoprotein) and Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 1550-1564.	1.1	21
83	Omega-3 intake is associated with attenuated inflammatory response and cardiac remodeling after myocardial infarction. <i>Nutrition Journal</i> , 2019, 18, 29.	1.5	10
84	Intensive treatment of hyperglycemia in the acute phase of myocardial infarction: the tenuous balance between effectiveness and safety – a systematic review and meta-analysis of randomized clinical trials. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 24-32.	0.3	4
85	Prevalence, treatment, and control of dyslipidemia in diabetic participants of two Brazilian cohorts: a place far from heaven. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 3-8.	0.3	2
86	Cardiovascular autonomic neuropathy in type 2 diabetic patients. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 56-60.	0.3	6
87	Diabetic cardiomyopathy: factual or factoid?. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 61-69.	0.3	8
88	Inhibition of the sodium-glucose co-transporter 2 in the elderly: clinical and mechanistic insights into safety and efficacy. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 70-86.	0.3	15
89	Central role of obesity in endothelial cell dysfunction and cardiovascular risk. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 87-97.	0.3	10
90	HDL-Targeted Therapies During Myocardial Infarction. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 371-381.	1.3	14

#	ARTICLE	IF	CITATIONS
91	Adverse interaction between HDL and the mass of myocardial infarction. <i>Atherosclerosis</i> , 2019, 281, 9-16.	0.4	8
92	Change of BNP between admission and discharge after ST-elevation myocardial infarction (Killip I) improves risk prediction of heart failure, death, and recurrent myocardial infarction compared to single isolated measurement in addition to the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 643-651.	0.4	21
93	Updated Cardiovascular Prevention Guideline of the Brazilian Society of Cardiology - 2019. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 787-891.	0.3	102
94	Diabetes and premature death. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 1-2.	0.3	0
95	<i>Arquivos Brasileiros de Cardiologia (ABC Cardiol)</i> e a nova classificação Qualis da Coordenação de Aperfeiçoamento de Pessoal de Nível Superior (CAPES). <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 333-334.	0.3	3
96	Inflammatory Response During Myocardial Infarction. <i>Advances in Clinical Chemistry</i> , 2018, 84, 39-79.	1.8	26
97	Temporal trends in the contribution of Chagas cardiomyopathy to mortality among patients with heart failure. <i>Heart</i> , 2018, 104, 1522-1528.	1.2	17
98	Cholesterol efflux capacity does not associate with coronary calcium, plaque vulnerability, and telomere length in healthy octogenarians. <i>Journal of Lipid Research</i> , 2018, 59, 714-721.	2.0	21
99	HDL acceptor capacities for cholesterol efflux from macrophages and lipid transfer are both acutely reduced after myocardial infarction. <i>Clinica Chimica Acta</i> , 2018, 478, 51-56.	0.5	21
100	Adverse outcome has a U-shaped relation with acute phase change in insulin sensitivity after ST-Elevation Myocardial Infarction. <i>International Journal of Cardiology</i> , 2018, 254, 16-22.	0.8	1
101	Adiponectin concentration data improve the estimation of atherosclerotic risk in normal and in overweight subjects. <i>Clinical Endocrinology</i> , 2018, 88, 388-396.	1.2	4
102	Rationale and design of the Statins Evaluation in Coronary procedures and REvascularization: The SECURE-PCI Trial. <i>American Heart Journal</i> , 2018, 198, 129-134.	1.2	4
103	Impact of Regular Physical Activity on Adipocytokines and Cardiovascular Characteristics in Spinal Cord "Injured Subjects. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1561-1567.e1.	0.5	5
104	Response to Comment on de Carvalho et al. Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Inhibitors and Incident Type 2 Diabetes: A Systematic Review and Meta-analysis With Over 96,000 Patient-Years. <i>Diabetes Care</i> 2018;41:364-367. <i>Diabetes Care</i> , 2018, 41, e70-e71.	4.3	1
105	Effect of Loading Dose of Atorvastatin Prior to Planned Percutaneous Coronary Intervention on Major Adverse Cardiovascular Events in Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1331.	3.8	100
106	Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Inhibitors and Incident Type 2 Diabetes: A Systematic Review and Meta-analysis With Over 96,000 Patient-Years. <i>Diabetes Care</i> , 2018, 41, 364-367.	4.3	88
107	Distinct factors are related to lower limb atherosclerosis in smokers and nonsmokers. <i>Journal of Hypertension</i> , 2018, 36, 2390-2397.	0.3	3
108	GLP-1RAs in type 2 diabetes: mechanisms that underlie cardiovascular effects and overview of cardiovascular outcome data. <i>Cardiovascular Diabetology</i> , 2018, 17, 157.	2.7	97

#	ARTICLE	IF	CITATIONS
109	Impact of 2017 ACC/AHA hypertension guidelines on the prevalence of white-coat and masked hypertension: A home blood pressure monitoring study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1745-1747.	1.0	18
110	Anthracycline Therapy Is Associated With Cardiomyocyte Atrophy and Preclinical Manifestations of Heart Disease. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1045-1055.	2.3	109
111	P-wave duration is a predictor for long-term mortality in post-CABG patients. <i>PLoS ONE</i> , 2018, 13, e0199718.	1.1	4
112	The Emotional Side of Diabetes and Glycemic Control in a Brazilian Sample of Adults with Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, .	0.3	0
113	Sarcopenia, but not excess weight or increased caloric intake, is associated with coronary subclinical atherosclerosis in the very elderly. <i>Atherosclerosis</i> , 2017, 258, 138-144.	0.4	48
114	Reduced Sympathetic Stimulus and Angiotensin 1 <sup>7</sup> Are Related to Diastolic Dysfunction in Spinal Cord-Injured Subjects. <i>Journal of Neurotrauma</i> , 2017, 34, 2323-2328.	1.7	5
115	Statin-associated muscle symptoms: position paper from the Luso-Latin American Consortium. <i>Current Medical Research and Opinion</i> , 2017, 33, 239-251.	0.9	18
116	Far-infrared Emitting Fabric Improves Aerobic Metabolism, Oxidative Stress and Exercise Tolerance, Independent of Nitric Oxide. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 939.	0.2	0
117	Self-Reported High-Cholesterol Prevalence in the Brazilian Population: Analysis of the 2013 National Health Survey. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 108, 411-416.	0.3	14
118	Current management of diabetic patients with kidney disease: a renal-cardio-endocrine perspective. <i>Panminerva Medica</i> , 2017, 59, 67-75.	0.2	0
119	TCF7L2 polymorphism is associated with low nitric oxide release, endothelial dysfunction and enhanced inflammatory response after myocardial infarction. <i>BBA Clinical</i> , 2016, 5, 159-165.	4.1	2
120	HDL metrics, let's call the number thing off?. <i>Atherosclerosis</i> , 2016, 251, 525-527.	0.4	6
121	ST-elevation myocardial infarction risk in the very elderly. <i>BBA Clinical</i> , 2016, 6, 108-112.	4.1	4
122	Impact of Adapted Sports Activities on the Progression of Carotid Atherosclerosis in Subjects With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1034-1037.	0.5	11
123	Atheroprotective Properties of Serum IGF-1 in the Carotid and Coronary Territories and Beneficial Role on the Physical Fitness of the Oldest Old. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1281-1288.	1.7	8
124	Elevated serum uric acid is associated with vascular inflammation but not coronary artery calcification in the healthy octogenarians: the Brazilian study on healthy aging. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 359-362.	1.4	18
125	Atorvastatin Improves Ventricular Remodeling after Myocardial Infarction by Interfering with Collagen Metabolism. <i>PLoS ONE</i> , 2016, 11, e0166845.	1.1	31
126	The simvastatin effect on acute inflammatory response during ST elevation myocardial infarction. <i>BBA Clinical</i> , 2015, 3, S5.	4.1	0



#	ARTICLE	IF	CITATIONS
127	Neuronal nitric oxide synthase polymorphism reduces endothelial function, increases sympathetic activity and recurrent cardiovascular events after myocardial infarction. <i>BBA Clinical</i> , 2015, 3, S4-S5.	4.1	0
128	Biopsychosocial features and myocardial infarction in very elderly patients. <i>BBA Clinical</i> , 2015, 3, S3-S4.	4.1	0
129	Anthropometric features and myocardial infarction in very elderly people. <i>BBA Clinical</i> , 2015, 3, S3.	4.1	1
130	HDL size is more accurate than HDL cholesterol to predict carotid subclinical atherosclerosis in individuals classified as low cardiovascular risk. <i>BBA Clinical</i> , 2015, 3, S13.	4.1	0
131	Body constitution and subclinical atherosclerosis in very elderly people. <i>BBA Clinical</i> , 2015, 3, S3.	4.1	0
132	Adipose tissue dysfunction is associated with increased atherosclerotic burden in individuals with or without weight excess. <i>BBA Clinical</i> , 2015, 3, S8.	4.1	0
133	Arterial tissue and plasma concentration of enzymatic-derived oxysterols are associated with atherosclerotic disease and systemic inflammatory activity. <i>BBA Clinical</i> , 2015, 3, S12-S13.	4.1	0
134	Carotid flow velocity/diameter ratio is a predictor of cardiovascular events in hypertensive patients. <i>Journal of Hypertension</i> , 2015, 33, 2054-2060.	0.3	15
135	Coronary artery calcification score is an independent predictor of the no-reflow phenomenon after reperfusion therapy in acute myocardial infarction. <i>Coronary Artery Disease</i> , 2015, 26, 562-566.	0.3	7
136	Endothelial nitric oxide synthase genotypes modulate peripheral vasodilatory properties after myocardial infarction. <i>Gene</i> , 2015, 568, 165-169.	1.0	7
137	Gender influences the relationship between lung function and cardiac remodeling in hypertensive subjects. <i>Hypertension Research</i> , 2015, 38, 264-268.	1.5	6
138	Arterial tissue and plasma concentration of enzymatic-driven oxysterols are associated with severe peripheral atherosclerotic disease and systemic inflammatory activity. <i>Free Radical Research</i> , 2015, 49, 199-203.	1.5	23
139	Flow-mediated dilation: An evolving method. <i>Atherosclerosis</i> , 2015, 241, 143-144.	0.4	4
140	Vitamin D for the prevention of cardiovascular disease: Are we ready for that?. <i>Atherosclerosis</i> , 2015, 241, 729-740.	0.4	60
141	Enhanced parathyroid hormone levels are associated with left ventricle hypertrophy in very elderly men and women. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 697-704.	2.3	16
142	Glycosylated hemoglobin is associated with decreased endothelial function, high inflammatory response, and adverse clinical outcome in non-diabetic STEMI patients. <i>Atherosclerosis</i> , 2015, 243, 124-130.	0.4	17
143	Low HDL cholesterol but not high LDL cholesterol is independently associated with subclinical coronary atherosclerosis in healthy octogenarians. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 61-67.	1.4	14
144	Diacerein Improves Left Ventricular Remodeling and Cardiac Function by Reducing the Inflammatory Response after Myocardial Infarction. <i>PLoS ONE</i> , 2015, 10, e0121842.	1.1	28

#	ARTICLE	IF	CITATIONS
145	Not Simply a Matter of Fish Intake. <i>Current Vascular Pharmacology</i> , 2015, 13, 676-678.	0.8	2
146	Coronary arterial disease after electroconvulsive therapy: a case report. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 173-176.	0.2	0
147	HDL Size is More Accurate than HDL Cholesterol to Predict Carotid Subclinical Atherosclerosis in Individuals Classified as Low Cardiovascular Risk. <i>PLoS ONE</i> , 2014, 9, e114212.	1.1	12
148	The prevalence of the metabolically healthy obese phenotype in an aging population and its association with subclinical cardiovascular disease: The Brazilian study on healthy aging. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 121.	1.2	6
149	Cardiovascular effects of Glucagon-like peptide 1 (GLP-1) receptor agonists. <i>Cardiovascular Diabetology</i> , 2014, 13, 142.	2.7	94
150	Response to Cold Pressor Test Predicts Long-Term Changes in Pulse Wave Velocity in Men. <i>American Journal of Hypertension</i> , 2014, 27, 157-161.	1.0	9
151	Beyond BMI: The "Metabolically healthy obese" phenotype & its association with clinical/subclinical cardiovascular disease and all-cause mortality -- a systematic review. <i>BMC Public Health</i> , 2014, 14, 14.	1.2	250
152	HDL levels and oxidizability during myocardial infarction are associated with reduced endothelial-mediated vasodilation and nitric oxide bioavailability. <i>Atherosclerosis</i> , 2014, 237, 840-846.	0.4	25
153	Elevated CETP activity during acute phase of myocardial infarction is independently associated with endothelial dysfunction and adverse clinical outcome. <i>Atherosclerosis</i> , 2014, 237, 777-783.	0.4	22
154	Onset of hypertension during pregnancy is associated with long-term worse blood pressure control and adverse cardiac remodeling. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 827-831.	2.3	1
155	Low zinc levels is associated with increased inflammatory activity but not with atherosclerosis, arteriosclerosis or endothelial dysfunction among the very elderly. <i>BBA Clinical</i> , 2014, 2, 1-6.	4.1	28
156	Low-density lipoprotein cholesterol and radiotherapy-induced carotid atherosclerosis in subjects with head and neck cancer. <i>Radiation Oncology</i> , 2014, 9, 134.	1.2	15
157	Validation of surrogate indexes of insulin sensitivity in acute phase of myocardial infarction based on euglycemic-hyperinsulinemic clamp. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E399-E403.	1.8	15
158	C-reactive protein is independently associated with coronary atherosclerosis burden among octogenarians. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 19-23.	1.4	12
159	Apolipoprotein E genotype is associated with apolipoprotein B plasma levels but not with coronary calcium score in very elderly individuals in primary care setting. <i>Gene</i> , 2014, 539, 275-278.	1.0	3
160	Short-Term Effects of Extended-Release Niacin With and Without the Addition of Laropiprant on Endothelial Function in Individuals With Low HDL-C: A Randomized, Controlled Crossover Trial. <i>Clinical Therapeutics</i> , 2014, 36, 961-966.	1.1	1
161	Lung age is related to carotid structural alterations in hypertensive subjects. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 381-387.	2.3	0
162	Guideline For Stable Coronary Artery Disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 103, 1-56.	0.3	38

#	ARTICLE	IF	CITATIONS
163	Impact of Seasonality on the Prevalence of Dyslipidemia: A Large Population Study. <i>Chronobiology International</i> , 2013, 30, 1011-1015.	0.9	31
164	Osteopontin in bone mineral density of very old Brazilians. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 449-454.	1.3	4
165	Exercise intensity modulates nitric oxide and blood pressure responses in hypertensive older women. <i>Aging Clinical and Experimental Research</i> , 2013, 25, 43-48.	1.4	44
166	Peri-Infarct Zone Characterized by Cardiac Magnetic Resonance Imaging is Directly Associated with the Inflammatory Activity During Acute Phase Myocardial Infarction. <i>Inflammation</i> , 2013, 37, 678-85.	1.7	12
167	Angiotensinogen gene polymorphism and HDL2 are linked to coronary artery calcification in individuals with family history of early coronary disease. <i>Atherosclerosis</i> , 2013, 226, 339-340.	0.4	1
168	High-density lipoprotein levels are strongly associated with the recovery rate of insulin sensitivity during the acute phase of myocardial infarction: A study by euglycemic hyperinsulinemic clamp. <i>Journal of Clinical Lipidology</i> , 2013, 7, 24-28.	0.6	4
169	A systematic review: Burden and severity of subclinical cardiovascular disease among those with nonalcoholic fatty liver; Should we care?. <i>Atherosclerosis</i> , 2013, 230, 258-267.	0.4	301
170	Diabetes mellitus unawareness is a strong determinant of mortality in patients manifesting myocardial infarction. <i>Current Medical Research and Opinion</i> , 2013, 29, 1423-1427.	0.9	6
171	Influence of the C242T Polymorphism of the p22-phox Gene (CYBA) on the Interaction between Urinary Sodium Excretion and Blood Pressure in an Urban Brazilian Population. <i>PLoS ONE</i> , 2013, 8, e81054.	1.1	7
172	High plasma HDL-C attenuates stress hyperglycemia during acute phase of myocardial infarction. <i>Atherosclerosis</i> , 2012, 220, 231-236.	0.4	9
173	High sodium intake adversely affects oxidative-inflammatory response, cardiac remodelling and mortality after myocardial infarction. <i>Atherosclerosis</i> , 2012, 222, 284-291.	0.4	24
174	Diastolic function parameters are improved by the addition of simvastatin to enalapril-based treatment in hypertensive individuals. <i>Atherosclerosis</i> , 2012, 222, 444-448.	0.4	13
175	Use of modified ultrafiltration in adults undergoing coronary artery bypass grafting is associated with inflammatory modulation and less postoperative blood loss: A randomized and controlled study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 144, 663-670.	0.4	37
176	Atherosclerotic disease in octogenarians: A challenge for science and clinical practice. <i>Atherosclerosis</i> , 2012, 225, 281-289.	0.4	29
177	Emergent cardiovascular risk factors in the very elderly. <i>Expert Review of Cardiovascular Therapy</i> , 2012, 10, 1221-1225.	0.6	5
178	The I405V and Taq1B polymorphisms of the CETP gene differentially affect sub-clinical carotid atherosclerosis. <i>Lipids in Health and Disease</i> , 2012, 11, 130.	1.2	4
179	Most of the patients presenting myocardial infarction would not be eligible for intensive lipid-lowering based on clinical algorithms or plasma C-reactive protein. <i>Atherosclerosis</i> , 2011, 214, 148-150.	0.4	16
180	Association of systemic inflammatory activity with coronary and carotid atherosclerosis in the very elderly. <i>Atherosclerosis</i> , 2011, 216, 212-216.	0.4	38

#	ARTICLE	IF	CITATIONS
181	Characterization of peri-infarct zone by CMR is a robust predictor of major adverse events and is strongly associated with systemic inflammatory response post-myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, .	1.6	0
182	Long-Term Resistance Training Is Associated with Reduced Circulating Levels of IL-6, IFN-Gamma and TNF-Alpha in Elderly Women. <i>NeuroImmunoModulation</i> , 2011, 18, 165-170.	0.9	33
183	Timing and Dose of Statin Therapy Define Its Impact on Inflammatory and Endothelial Responses During Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1240-1246.	1.1	36
184	POSCH trial 25-year follow-up results: latest news from an old kid on the block. <i>Clinical Lipidology</i> , 2010, 5, 651-653.	0.4	0
185	Plasma cholesterol is involved in the setting of resting blood pressure: A study in hypercholesterolemic young subjects and in monozygotic twins. <i>International Journal of Cardiology</i> , 2010, 144, 88-89.	0.8	0
186	Effect of Beta Blockers (Metoprolol or Propranolol) on Effect of Simvastatin in Lowering C-Reactive Protein in Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2009, 103, 461-463.	0.7	7
187	Association between suicide and cardiovascular disease: Time series of 27 years. <i>International Journal of Cardiology</i> , 2009, 135, 261-262.	0.8	27
188	Physicians' attitudes and adherence to use of risk scores for primary prevention of cardiovascular disease: cross-sectional survey in three world regions. <i>Current Medical Research and Opinion</i> , 2009, 25, 1171-1178.	0.9	67
189	Rebound inflammatory response during the acute phase of myocardial infarction after simvastatin withdrawal. <i>Atherosclerosis</i> , 2009, 207, 191-194.	0.4	61
190	Effect of interaction of statins and $\beta$ -blockers on inflammatory response during myocardial infarction. <i>Clinical Lipidology</i> , 2009, 4, 271-273.	0.4	0
191	Hypertension and dyslipidaemia in obesity and insulin resistance: Pathophysiology, impact on atherosclerotic disease and pharmacotherapy. , 2008, 117, 354-373.		80
192	No correlation and low agreement of imaging and inflammatory atherosclerosis markers in familial hypercholesterolemia. <i>Atherosclerosis</i> , 2008, 200, 83-88.	0.4	47
193	LDL particle subspecies are distinct in their capacity to mediate free cholesterol efflux via the SR-BI/Cla-1 receptor. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 129-138.	1.2	24
194	L 013 AGE GREATER THAN 60 PREDICTS A BETTER CARDIOVASCULAR RISK PROFILE AND WORSE TREATMENT AND OUTCOME AFTER MYOCARDIAL INFARCTION IN TERTIARY PUBLIC HOSPITALS: BRASÍLIA COHORT SUBANALYSIS. <i>Atherosclerosis Supplements</i> , 2007, 8, 20.	1.2	0
195	L 049 FRAMINGHAM, EUROPEAN SCORE AND TIMI SCORE DO NOT IDENTIFY THE MAJORITY OF BRAZILIAN PATIENTS WHO MANIFEST MYOCARDIAL INFARCTION: SUB ANALYSIS OF THE BRASÍLIA COHORT. <i>Atherosclerosis Supplements</i> , 2007, 8, 29.	1.2	0
196	O teste ergométrico é eficaz e custo-efetivo na predição de eventos cardiovasculares no paciente muito idoso, quando comparado à cintilografia de perfusão miocárdica. <i>Arquivos Brasileiros De Cardiologia</i> , 2007, 88, 531-6.	0.3	5
197	Endothelial nitric oxide synthase gene variant modulates the relationship between serum cholesterol levels and blood pressure in the general population: New evidence for a direct effect of lipids in arterial blood pressure. <i>Atherosclerosis</i> , 2006, 184, 193-200.	0.4	62
198	Lipid Modulation of Intravascular and Cellular Sodium Handling: Mechanistic Insights and Potential Clinical Implications. <i>Current Vascular Pharmacology</i> , 2006, 4, 409-416.	0.8	2

#	ARTICLE	IF	CITATIONS
199	Hypercholesterolaemia is associated with an exaggerated elevation in blood pressure during exercise in very elderly subjects. <i>Age and Ageing</i> , 2005, 34, 182-184.	0.7	4
200	Emerging insights into hypertension and dyslipidaemia synergies. <i>European Heart Journal Supplements</i> , 2004, 6, G8-G12.	0.0	24
201	Mechanistic Insights and Clinical Relevance of the Interaction between Acute Coronary Syndromes and Lipid Metabolism. <i>Seminars in Vascular Medicine</i> , 2004, 4, 197-202.	2.1	6
202	Common Promoter C516T Polymorphism in the ApoB Gene Is an Independent Predictor of Carotid Atherosclerotic Disease in Subjects Presenting a Broad Range of Plasma Cholesterol Levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 2192-2195.	1.1	22
203	Common Polymorphism in the MTP Promoter Attenuates the Dyslipidemic and Proatherogenic Effects of Excess Body Weight. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, e143.	1.1	3
204	Hemodynamic and tissue oxygenation responses to exercise and beta-adrenergic blockade in patients with hyperthyroidism. <i>Clinical Cardiology</i> , 2004, 27, 401-406.	0.7	2
205	Impaired intravascular triglyceride lipolysis constitutes a marker of clinical outcome in patients with stable angina undergoing secondary prevention treatment. <i>Journal of the American College of Cardiology</i> , 2004, 43, 2225-2232.	1.2	30
206	Commentary 1. Evidence-based Cardiovascular Medicine, 2004, 8, 107-108.	0.0	0
207	Pitavastatin increases ABCA1-mediated lipid efflux from Fu5AH rat hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 321, 670-674.	1.0	31
208	Smoking prevents the intravascular remodeling of high-density lipoprotein particles: implications for reverse cholesterol transport. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 858-862.	1.5	28
209	Delayed intravascular catabolism of chylomicron-like emulsions is an independent predictor of coronary artery disease. <i>Atherosclerosis</i> , 2004, 176, 397-403.	0.4	25
210	Decrease of plasma triglycerides during the acute phase of unstable angina or non-ST elevation myocardial infarction is a marker of recurrent ischemia. <i>Atherosclerosis</i> , 2004, 177, 71-76.	0.4	5
211	Effect of atorvastatin (80 mg) on recurrent ischemia in unstable angina pectoris or Non-ST-Elevation acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003, 91, 1355-1357.	0.7	9
212	Anti-inflammatory effect of atorvastatin (80 mg) in unstable angina pectoris and non-Q-wave acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003, 92, 298-301.	0.7	56
213	Atorvastatin enhances the plasma clearance of chylomicron-like emulsions in subjects with atherogenic dyslipidemia: relevance to the in vivo metabolism of triglyceride-rich lipoproteins. <i>Atherosclerosis</i> , 2003, 166, 311-321.	0.4	30
214	The pre-existence of an acute coronary event predicts differences in biological parameters and clinical evolution among patients with longstanding stable angina. <i>International Journal of Cardiology</i> , 2003, 91, 193-200.	0.8	5
215	Magnitude of HDL Cholesterol Variation After High-Dose Atorvastatin Is Genetically Determined at the LDL Receptor Locus in Patients With Homozygous Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 2078-2082.	1.1	5
216	Cellular cholesterol efflux mediated by HDL isolated from subjects with low HDL levels and coronary artery disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2003, 81, 39-41, 35-8.	0.3	3

#	ARTICLE	IF	CITATIONS
217	Statin Therapy in Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1524-1534.	1.1	146
218	LDL concentration is correlated with the removal from the plasma of a chylomicron-like emulsion in subjects with coronary artery disease. <i>Atherosclerosis</i> , 2002, 161, 447-453.	0.4	17
219	Atorvastatin lowers lipoprotein(a) but not apolipoprotein(a) fragment levels in hypercholesterolemic subjects at high cardiovascular risk. <i>Atherosclerosis</i> , 2002, 164, 305-311.	0.4	67
220	Short-term effect of atorvastatin (80 mg) on plasma lipids of patients with unstable angina pectoris or non-Q-wave acute myocardial infarction. <i>American Journal of Cardiology</i> , 2002, 90, 162-164.	0.7	23
221	Effects of etofibrate upon the metabolism of chylomicron-like emulsions in patients with coronary artery disease. <i>Atherosclerosis</i> , 2001, 154, 455-461.	0.4	19
222	Triglyceride and lipoprotein (a) are markers of coronary artery disease severity among postmenopausal women. <i>Maturitas</i> , 2001, 39, 203-208.	1.0	26
223	Etofibrate but not controlled-release niacin decreases LDL cholesterol and lipoprotein (a) in type IIb dyslipidemic subjects. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 177-182.	0.7	13
224	Hyperlipidemia related to the use of HIV-protease inhibitors: natural history and results of treatment with fenofibrate. <i>Brazilian Journal of Infectious Diseases</i> , 2001, 5, 332-8.	0.3	26
225	Cholesterol lowering with statins reduces exercise-induced myocardial ischemia in hypercholesterolemic patients with coronary artery disease. <i>American Journal of Cardiology</i> , 2001, 88, 1134-1138.	0.7	6
226	The effects of gemfibrozil upon the metabolism of chylomicron-like emulsions in patients with endogenous hypertriglyceridemia. <i>Cardiovascular Research</i> , 2001, 49, 456-465.	1.8	29
227	Effect of Pravastatin on plasma removal of a chylomicron-like emulsion in men with coronary artery disease. <i>American Journal of Cardiology</i> , 2000, 85, 1163-1166.	0.7	44
228	PANDORA - Survey of Brazilian cardiologists about cholesterol reduction. <i>Arquivos Brasileiros De Cardiologia</i> , 2000, 75, 296-302.	0.3	3
229	Effect of niacin and etofibrate association on subjects with coronary artery disease and serum high-density lipoprotein cholesterol <35 mg/dl. <i>American Journal of Cardiology</i> , 1999, 83, 98-100.	0.7	9
230	Additional reduction in blood pressure after cholesterol-lowering treatment by statins (lovastatin) (enalapril or lisinopril). <i>American Journal of Cardiology</i> , 1999, 83, 1497-1499.	0.7	132
231	Influence of prednisone, cyclosporine, the original type of heart disease and time after transplantation on chylomicron metabolism in heart transplant patients. <i>Atherosclerosis</i> , 1999, 144, 36.	0.4	0
232	Senhor Editor. <i>Arquivos Brasileiros De Cardiologia</i> , 1998, 71, 89-91.	0.3	0
233	4.P.220 Fibrate effect over the plasma kinetics of a chylomicron-like emulsion in patients with coronary artery disease. <i>Atherosclerosis</i> , 1997, 134, 342.	0.4	0
234	Understanding the Potential Role of Therapeutics in Preventing Deaths Due to COVID-19: A Modelling Analysis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
235	Diretrizes para Cardiologistas sobre Excesso de Peso e Doença Cardiovascular dos Departamentos de Aterosclerose, Cardiologia Clínica e FUNCOR da Sociedade Brasileira de Cardiologia. Arquivos Brasileiros De Cardiologia, 0, 78, .	0.3	13
236	Elevated Glucose Levels Favor Sars-Cov-2 Infection and Monocyte Response Through a Hif-1 $\alpha$ /Glycolysis Dependent Axis. SSRN Electronic Journal, 0, , .	0.4	65
237	QUANTIFICATION AND PHENOTYPIC CHARACTERIZATION OF MONOCYTES SUBSETS IN HUMAN ATHEROSCLEROSIS. Frontiers in Immunology, 0, 6, .	2.2	0
238	ANALYSIS OF IL-27 AND IL-37 EXPRESSION IN ATHEROSCLEROSIS. Frontiers in Immunology, 0, 6, .	2.2	0
239	VALIDAÇÃO DO QUESTIONÁRIO DE BERLIN PARA SÍNDROME DA APNEIA OBSTRUTIVA DO SONO E SUA PREVALÊNCIA EM PACIENTES EM FASE AGUDA DE INFARTO DO MIOCÁRDIO. , 0, , .		0
240	Síndrome da Apneia Obstrutiva do Sono em pacientes com Síndrome Coronariana Aguda – Análise Preliminar. , 0, , .		0
241	FAMILIAL HYPERCHOLESTEROLEMIA (FH) IN CHILDREN AND ADOLESCENTS: OPTIMIZATION OF DETECTION FOR EARLY TREATMENT. , 0, , .		0
242	Characterization of the electrical and extracellular matrix remodeling in patients with HF: comparison between HFrEF and HFpEF. , 0, , .		0
243	Increased Particle Size of Triglyceride Remnant Lipoproteins, but not Their Plasma Concentration or Lipid Content, Augment Risk Prediction of Incident Type 2 Diabetes: Prospective Results from ELSA-Brasil. SSRN Electronic Journal, 0, , .	0.4	0