

Hongya Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10184543/publications.pdf>

Version: 2024-02-01

20
papers

219
citations

1163065

8
h-index

1058452

14
g-index

21
all docs

21
docs citations

21
times ranked

185
citing authors

#	ARTICLE	IF	CITATIONS
1	Triglyceride-glucose index is associated with in-stent restenosis in patients with acute coronary syndrome after percutaneous coronary intervention with drug-eluting stents. <i>Cardiovascular Diabetology</i> , 2021, 20, 137.	6.8	55
2	Perivascular adipose-derived exosomes reduce macrophage foam cell formation through miR-382-5p and the BMP4-PPAR γ ³ -ABCA1/ABCG1 pathways. <i>Vascular Pharmacology</i> , 2022, 143, 106968.	2.1	23
3	Tocilizumab treatment effectively improves coronary artery involvement in patients with Takayasu arteritis. <i>Clinical Rheumatology</i> , 2020, 39, 2369-2378.	2.2	21
4	Perivascular Adipose Tissue as an Indication, Contributor to, and Therapeutic Target for Atherosclerosis. <i>Frontiers in Physiology</i> , 2020, 11, 615503.	2.8	20
5	High Serum Secreted Frizzled-Related Protein 5 Levels Associates with Early Improvement of Cardiac Function Following ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 868-878.	2.0	17
6	Association between the triglyceride glucose index and coronary collateralization in coronary artery disease patients with chronic total occlusion lesions. <i>Lipids in Health and Disease</i> , 2021, 20, 140.	3.0	16
7	Preconditioning With Tauroursodeoxycholic Acid Protects Against Contrast-Induced HK-2 Cell Apoptosis by Inhibiting Endoplasmic Reticulum Stress. <i>Angiology</i> , 2015, 66, 941-949.	1.8	13
8	Atherogenic Index of Plasma and the Risk of In-Stent Restenosis in Patients with Acute Coronary Syndrome beyond the Traditional Risk Factors. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1226-1235.	2.0	10
9	High Clopidogrel Dose in Patients With Chronic Kidney Disease Having Clopidogrel Resistance After Percutaneous Coronary Intervention. <i>Angiology</i> , 2015, 66, 319-325.	1.8	8
10	Time-Dependent Change in Omentin-1 Level Correlated with Early Improvement of Myocardial Function in Patients with First Anterior ST-Segment Elevation Myocardial Infarction After Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 856-867.	2.0	7
11	Perivascular Adipose-Derived Exosomes Reduce Foam Cell Formation by Regulating Expression of Cholesterol Transporters. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 697510.	2.4	7
12	Significant association between admission serum monocyte chemoattractant protein-1 and early changes in myocardial function in patients with first ST-segment elevation myocardial infarction after primary percutaneous coronary intervention. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 107.	1.7	6
13	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. <i>Angiology</i> , 2019, 70, 423-430.	1.8	6
14	Comparison of Drug-Coated Balloon Angioplasty vs. Drug-Eluting Stent Implantation for Drug-Eluting Stent Restenosis in the Routine Clinical Practice: A Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 766088.	2.4	5
15	Protective Role of Statins in Patients With Acute Coronary Syndrome Aged \geq 75 Years With Low LDL-C Who Underwent Percutaneous Coronary Intervention. <i>Angiology</i> , 2014, 65, 590-595.	1.8	2
16	A Synergistic Effect of Lp(a) and GRACE Score on Cardiovascular Risk in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention: A Cohort Study From China. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 637366.	2.4	2
17	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , 2016, 67, 12-20.	1.8	1
18	Expression Profiles of Long Noncoding and Messenger RNAs in Epicardial Adipose Tissue-Derived from Patients with Coronary Atherosclerosis. <i>Current Vascular Pharmacology</i> , 2022, 20, 189-200.	1.7	0

#	ARTICLE	IF	CITATIONS
19	Serum CTRP9 Reflects Coronary Collateralization in Nondiabetic Patients with Obstructive Coronary Artery Disease. <i>BioMed Research International</i> , 2022, 2022, 1-10.	1.9	0
20	Increased estimated remnant-like particle cholesterol is associated with impaired coronary collateralization in patients with coronary chronic total occlusions. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 57.	2.7	0