

# Hongya Han

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/10184543/hongya-han-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19  
papers

73  
citations

5  
h-index

7  
g-index

21  
ext. papers

139  
ext. citations

3.9  
avg, IF

1.91  
L-index

#	Paper	IF	Citations
19	Preconditioning With Tauroursodeoxycholic Acid Protects Against Contrast-Induced HK-2 Cell Apoptosis by Inhibiting Endoplasmic Reticulum Stress. <i>Angiology</i> , <b>2015</b> , 66, 941-9	2.1	10
18	High Serum Secreted Frizzled-Related Protein 5 Levels Associates with Early Improvement of Cardiac Function Following ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2019</b> , 26, 868-878	4	10
17	Tocilizumab treatment effectively improves coronary artery involvement in patients with Takayasu arteritis. <i>Clinical Rheumatology</i> , <b>2020</b> , 39, 2369-2378	3.9	9
16	Perivascular Adipose Tissue as an Indication, Contributor to, and Therapeutic Target for Atherosclerosis. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 615503	4.6	7
15	Triglyceride-glucose index is associated with in-stent restenosis in patients with acute coronary syndrome after percutaneous coronary intervention with drug-eluting stents. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 137	8.7	7
14	High clopidogrel dose in patients with chronic kidney disease having clopidogrel resistance after percutaneous coronary intervention. <i>Angiology</i> , <b>2015</b> , 66, 319-25	2.1	5
13	Time-Dependent Change in Omentin-1 Level Correlated with Early Improvement of Myocardial Function in Patients with First Anterior ST-Segment Elevation Myocardial Infarction After Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2019</b> , 26, 856-867	4	4
12	Perivascular adipose-derived exosomes reduce macrophage foam cell formation through miR-382-5p and the BMP4-PPAR $\alpha$ -ABCA1/ABCG1 pathways.. <i>Vascular Pharmacology</i> , <b>2022</b> , 143, 106968	5.9	4
11	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. <i>Angiology</i> , <b>2019</b> , 70, 423-430	2.1	4
10	Significant association between admission serum monocyte chemoattractant protein-1 and early changes in myocardial function in patients with first ST-segment elevation myocardial infarction after primary percutaneous coronary intervention. <i>BMC Cardiovascular Disorders</i> , <b>2019</b> , 19, 107	2.3	3
9	Atherogenic Index of Plasma and the Risk of In-Stent Restenosis in Patients with Acute Coronary Syndrome beyond the Traditional Risk Factors. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2021</b> ,	4	3
8	Association between the triglyceride glucose index and coronary collateralization in coronary artery disease patients with chronic total occlusion lesions. <i>Lipids in Health and Disease</i> , <b>2021</b> , 20, 140	4.4	2
7	Perivascular Adipose-Derived Exosomes Reduce Foam Cell Formation by Regulating Expression of Cholesterol Transporters. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 697510	5.4	2
6	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , <b>2016</b> , 67, 12-20	2.1	1
5	Protective role of statins in patients with acute coronary syndrome aged $\geq$ 75 years with low LDL-C who underwent percutaneous coronary intervention. <i>Angiology</i> , <b>2014</b> , 65, 590-5	2.1	1
4	Comparison of Drug-Coated Balloon Angioplasty vs. Drug-Eluting Stent Implantation for Drug-Eluting Stent Restenosis in the Routine Clinical Practice: A Meta-Analysis of Randomized Controlled Trials.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 766088	5.4	1
3	A Synergistic Effect of Lp(a) and GRACE Score on Cardiovascular Risk in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention: A Cohort Study From China. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 637366	5.4	0

- 2 Serum CTRP9 Reflects Coronary Collateralization in Nondiabetic Patients with Obstructive Coronary Artery Disease.. *BioMed Research International*, **2022**, 2022, 8537686 3
- 1 Increased estimated remnant-like particle cholesterol is associated with impaired coronary collateralization in patients with coronary chronic total occlusions.. *Diabetology and Metabolic Syndrome*, **2022**, 14, 57 5.6