

Helder Louvandini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1019376/helder-louvandini-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

1,937
citations

24
h-index

38
g-index

154
ext. papers

2,302
ext. citations

2
avg, IF

4.5
L-index

#	Paper	IF	Citations
143	Use of agro-industrial by-products containing tannins for the integrated control of gastrointestinal nematodes in ruminants.. <i>Parasite</i> , 2022 , 29, 10	3	3
142	Path and logistic analysis for heat tolerance in adapted breeds of cattle in Brazil. <i>Livestock Science</i> , 2022 , 258, 104888	1.7	0
141	Treating tropical grass with fibrolytic enzymes from the fungus <i>Trichoderma reesei</i> : Effects on animal performance, digestibility and enteric methane emissions of growing lambs. <i>Animal Feed Science and Technology</i> , 2022 , 286, 115253	3	2
140	Ovarian activation delays in peripubertal ewe lambs infected with <i>Haemonchus contortus</i> can be avoided by supplementing protein in their diets. <i>BMC Veterinary Research</i> , 2021 , 17, 344	2.7	0
139	The effect of <i>Haemonchus contortus</i> and <i>Trichostrongylus colubriformis</i> infection on the ruminal microbiome of lambs. <i>Experimental Parasitology</i> , 2021 , 231, 108175	2.1	0
138	Use of internal markers to estimate feed intake and selection of forage in sheep fed grass and legume hay. <i>Animal Feed Science and Technology</i> , 2021 , 283, 115177	3	2
137	Physiological and hematological parameters of sheep reared in the tropics and subtropics. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2021 , 73, 622-630	0.3	1
136	Cottonseed (gossypol) intake during gestation and lactation does affect the ovarian population in ewes and lambs?. <i>Research in Veterinary Science</i> , 2021 , 135, 557-567	2.5	
135	Resistance of <i>Phaseolus vulgaris</i> genotypes to <i>Zabrotes subfasciatus</i> (Coleoptera: Chrysomelidae: Bruchinae): categories and mechanisms. <i>International Journal of Tropical Insect Science</i> , 2021 , 41, 1611-1621	1	1
134	Potential use of cassava by-product as ruminant feed. <i>Tropical Animal Health and Production</i> , 2021 , 53, 108	1.7	3
133	<i>Trichostrongylus colubriformis</i> infection negatively impacted phosphorus metabolism of lambs. <i>Small Ruminant Research</i> , 2021 , 202, 106462	1.7	0
132	<i>Trichostrongylus colubriformis</i> affecting sheep phosphorus metabolism and precision feeding as a mitigating strategy. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021 , 30, e026820	1.3	
131	Taxonomy and Functional Diversity in the Fecal Microbiome of Beef Cattle Reared in Brazilian Traditional and Semi-Intensive Production Systems.. <i>Frontiers in Microbiology</i> , 2021 , 12, 768480	5.7	0
130	Fibrolytic enzymes improving in vitro rumen degradability of tropical forages. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2020 , 104, 1267-1276	2.6	5
129	Effects of dietary replacement of urea with encapsulated nitrate and cashew nut shell liquid on nutrient digestibility, nitrogen balance, and carcass characteristics in growing lambs. <i>Animal Feed Science and Technology</i> , 2020 , 266, 114515	3	4
128	Heat stress effects on sheep: Are hair sheep more heat resistant?. <i>Theriogenology</i> , 2020 , 155, 157-167	2.8	14
127	Tannin supplementation modulates the composition and function of ruminal microbiome in lambs infected with gastrointestinal nematodes. <i>FEMS Microbiology Ecology</i> , 2020 , 96,	4.3	8

126	Gestational and lactational exposure to gossypol alters the testis transcriptome. <i>BMC Genomics</i> , 2020 , 21, 59	4.5	7
125	Trichostrongylus colubriformis infection in Santa Inês lambs: impact on feed digestibility, blood markers, and nitrogen balance. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020 , 29, e002220	1.3	0
124	Methane emission, ruminal fermentation parameters and fatty acid profile of meat in Santa Inês lambs fed the legume macrotiloma. <i>Animal Production Science</i> , 2020 , 60, 665	1.4	2
123	Nutritive Value and Enteric Methane Production of Brachiaria spp. Under Elevated [CO ₂]. <i>International Journal of Plant Production</i> , 2020 , 14, 119-126	2.4	1
122	Effects of Maternal Dietary Cottonseed on the Profile of Minerals in the Testes of the Lamb. <i>Biological Trace Element Research</i> , 2020 , 197, 159-166	4.5	6
121	Protocol for assessing soybean antixenosis to <i>Heliothis virescens</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2020 , 168, 911-927	2.1	4
120	Long-term chromium picolinate supplementation improves colostrum profile of Santa Ines ewe. <i>Biological Trace Element Research</i> , 2020 , 193, 414-421	4.5	1
119	Plants extract and bioactive compounds on rumen methanogenesis. <i>Agroforestry Systems</i> , 2020 , 94, 1541-15538		
118	Carcass characteristics and fatty acid profile of Santa Inês lamb fed banana leftovers. <i>Scientia Agricola</i> , 2020 , 77,	2.5	1
117	Different methods of assessing udder temperature through thermography and their relation with rectal temperature. <i>Tropical Animal Health and Production</i> , 2020 , 53, 44	1.7	0
116	Feeding effects of cottonseed and its co-products on the meat proteome from ram lambs. <i>Scientia Agricola</i> , 2019 , 76, 463-472	2.5	7
115	Effects of genetic group, pregnancy and age on carcass traits, meat quality and fatty acid profile in female sheep. <i>Revista Colombiana De Ciencias Pecuarias</i> , 2019 , 32, 21-33	0.6	1
114	Health and nutrition in sheep receiving <i>Bacillus thuringiensis</i> . <i>Animal Production Science</i> , 2019 , 59, 1119	1.4	0
113	Cottonseed feeding changes oxidative stress markers in ewes during the peripartum period and increases the quality of colostrum. <i>Veterinary Journal</i> , 2019 , 247, 32-37	2.5	2
112	Encapsulated nitrate replacing soybean meal changes in vitro ruminal fermentation and methane production in diets differing in concentrate to forage ratio. <i>Animal Science Journal</i> , 2019 , 90, 1350-1361	1.8	2
111	Trichostrongylus colubriformis infection: Impact on digesta passage rate and lamb performance. <i>Veterinary Parasitology</i> , 2019 , 272, 17-22	2.8	6
110	Effects of <i>Acacia mearnsii</i> supplementation on nutrition, parasitological, blood parameters and methane emissions in Santa Inês sheep infected with <i>Trichostrongylus colubriformis</i> and <i>Haemonchus contortus</i> . <i>Experimental Parasitology</i> , 2019 , 207, 107777	2.1	12
109	Effect of maternal cottonseed feed on the immune and antioxidant status of Santa Ines lambs. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019 , 62, 58-63	2.6	7

108	Fatty acid profile and carcass characteristics in castrated and uncastrated hair lambs. <i>Tropical Animal Health and Production</i> , 2019 , 51, 775-780	1.7	1
107	Rumen degradability and gas production as influenced by different strains of <i>Bacillus thuringiensis</i> . <i>Canadian Journal of Animal Science</i> , 2019 , 99, 951-954	0.9	
106	Morphological-metric, ultrastructural and immunohistochemical effects of gossypol on cultured granulosa cells and oocytes of ewes using MOEPF. <i>Animal Reproduction Science</i> , 2019 , 201, 22-31	2.1	2
105	Evaluation of encapsulated anethole and carvone in lambs artificially- and naturally-infected with <i>Haemonchus contortus</i> . <i>Experimental Parasitology</i> , 2019 , 197, 36-42	2.1	14
104	Supplementation with dry <i>Mimosa caesalpinifolia</i> leaves can reduce the <i>Haemonchus contortus</i> worm burden of goats. <i>Veterinary Parasitology</i> , 2018 , 252, 47-51	2.8	10
103	Characterization of Antibiosis to <i>Diabrotica speciosa</i> (Coleoptera: Chrysomelidae) in Brazilian Maize Landraces. <i>Journal of Economic Entomology</i> , 2018 , 111, 454-462	2.2	3
102	Inclusion complex and nanoclusters of cyclodextrin to increase the solubility and efficacy of albendazole. <i>Parasitology Research</i> , 2018 , 117, 705-712	2.4	10
101	Phosphorus kinetics in lambs experimentally infected with <i>Trichostrongylus colubriformis</i> with the use of P. <i>Experimental Parasitology</i> , 2018 , 188, 13-20	2.1	5
100	Nutritional evaluation of the legume <i>Macrotyloma axillare</i> using in vitro and in vivo bioassays in sheep. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018 , 102, e669-e676	2.6	13
99	Crossbreeding locally adapted hair sheep to improve productivity and meat quality. <i>Scientia Agricola</i> , 2018 , 75, 288-295	2.5	10
98	CARCASS CHARACTERISTICS AND MEAT QUALITY IN CULL EWES AT DIFFERENT AGES. <i>Ciencia Animal Brasileira</i> , 2018 , 19,	0.8	2
97	Morphological characteristics, nutritive quality, and methane production of tropical grasses in Brazil. <i>Pesquisa Agropecuaria Brasileira</i> , 2018 , 53, 323-331	1.8	14
96	Synergistic interaction of ten essential oils against <i>Haemonchus contortus</i> in vitro. <i>Veterinary Parasitology</i> , 2017 , 243, 47-51	2.8	38
95	Dry matter intake, performance and carcass characteristics of hair sheep reared under different grazing systems. <i>Scientia Agricola</i> , 2017 , 74, 436-442	2.5	2
94	<i>Terminalia catappa</i> : Chemical composition, in vitro and in vivo effects on <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2017 , 246, 118-123	2.8	10
93	Diets based on plants from Brazilian Caatinga altering ruminal parameters, microbial community and meat fatty acids of Santa Inês lambs. <i>Small Ruminant Research</i> , 2017 , 154, 70-77	1.7	8
92	Performance, metabolic variables and enteric methane production of Santa Inês hair lambs fed <i>Orbignya phalerata</i> and <i>Combretum leprosum</i> . <i>Journal of Animal Physiology and Animal Nutrition</i> , 2017 , 101, 457-465	2.6	8
91	Comparison of the in vitro anthelmintic effects of <i>Acacia nilotica</i> and <i>Acacia raddiana</i> . <i>Parasite</i> , 2017 , 24, 44	3	4

90	Effect of tanniferous food from Bauhinia pulchella on pasture contamination with gastrointestinal nematodes from goats. <i>Parasites and Vectors</i> , 2016 , 9, 102	4	9
89	Parasitic infection, reproductive and productive performance from Santa Inês and Morada Nova ewes. <i>Small Ruminant Research</i> , 2016 , 136, 96-103	1.7	18
88	Tissue accumulation and urinary excretion of Cr in chromium picolinate (CrPic)-supplemented lambs. <i>Journal of Trace Elements in Medicine and Biology</i> , 2016 , 35, 30-5	4.1	7
87	Impact of feeding cottonseed coproducts on reproductive system of male sheep during peripubertal period. <i>Scientia Agricola</i> , 2016 , 73, 489-497	2.5	3
86	Evaluation of carcass and muscle traits in Santa Ines female lambs finished with different agricultural products. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2016 , 68, 1259-1266	0.3	1
85	Tannin containing legumes as a model for nutraceuticals against digestive parasites in livestock. <i>Veterinary Parasitology</i> , 2015 , 212, 5-17	2.8	139
84	Gossypol was not detected in the longissimus muscle of lambs fed several forms of cottonseed. <i>Animal Production Science</i> , 2015 , 55, 812	1.4	3
83	Exploring the sheep rumen microbiome for carbohydrate-active enzymes. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 15-30	2.1	27
82	In vitro methane production and tolerance to condensed tannins in five ruminant species. <i>Animal Feed Science and Technology</i> , 2015 , 205, 1-9	3	26
81	Dried, ground banana plant leaves (Musa spp.) for the control of Haemonchus contortus and Trichostrongylus colubriformis infections in sheep. <i>Parasitology Research</i> , 2015 , 114, 4545-51	2.4	8
80	Tissue and centesimal composition of the 12th rib of lambs from genetic groups different. <i>Revista Brasileira De Saude E Producao Animal</i> , 2015 , 16, 470-478	0.8	1
79	Blood Parameters and Toxicity of Chromium Picolinate Oral Supplementation in Lambs. <i>Biological Trace Element Research</i> , 2015 , 168, 91-102	4.5	4
78	Laser and thermographic infrared temperatures associated with heat tolerance in adult rams. <i>Small Ruminant Research</i> , 2015 , 132, 86-91	1.7	5
77	The effects of diet and corticosteroid-induced immune suppression during infection by Haemonchus contortus in lambs. <i>Veterinary Parasitology</i> , 2015 , 214, 289-94	2.8	6
76	Performance of sheep grazing in pastures of Brachiaria decumbens, Brachiaria brizantha, Panicum maximum, and Andropogon gayanus with different protodioscin concentrations. <i>Tropical Animal Health and Production</i> , 2014 , 46, 733-7	1.7	16
75	Production traits in F1 and F2 crosses with naturalized hair breed Santa Inês ewes. <i>SpringerPlus</i> , 2014 , 3, 66		2
74	Long-term effects of drenches with condensed tannins from Acacia mearnsii on goats naturally infected with gastrointestinal nematodes. <i>Veterinary Parasitology</i> , 2014 , 205, 725-9	2.8	9
73	Carcass traits and fatty acid profile of meat from lambs fed different cottonseed by-products. <i>Small Ruminant Research</i> , 2014 , 116, 71-77	1.7	23

72	Effects of detoxified <i>Jatropha curcas</i> kernel meal in finishing pig diets on their performance, carcass traits, meat quality and intoxication. <i>Livestock Science</i> , 2014 , 165, 100-103	1.7	2
71	Effect of temperature and pre-incubation time of fibrolytic enzymes on in vitro degradability of <i>Brachiaria</i> (<i>Brachiaria decumbens</i>). <i>Animal Production Science</i> , 2014 , 54, 1779	1.4	3
70	Encapsulated nitrate and cashew nut shell liquid on blood and rumen constituents, methane emission, and growth performance of lambs. <i>Journal of Animal Science</i> , 2014 , 92, 2214-24	0.7	43
69	Factors affecting heat tolerance in crossbred cattle in central Brazil. <i>Ciencia Animal Brasileira</i> , 2014 , 15, 152-158	0.8	16
68	Methane emission of Santa In [^] �s sheep fed cottonseed by-products containing different levels of gossypol. <i>Tropical Animal Health and Production</i> , 2014 , 46, 285-8	1.7	2
67	Thermal comfort index and infrared temperatures for lambs subjected to different environmental conditions. <i>Scientia Agricola</i> , 2014 , 71, 356-361	2.5	8
66	Anthelmintic activity of anethole, carvone, carvacrol, thymol, linalool, limonene, eucalyptol, vanillin, cinnamaldehyde and eugenol in in vitro tests. <i>Planta Medica</i> , 2014 , 80,	3.1	6
65	Effect of supplementary milk feeding on growth and survival of Santa In [^] �s lambs. <i>Ciencia Animal Brasileira</i> , 2014 , 15, 451-457	0.8	
64	Contribution of condensed tannins and mimosine to the methane mitigation caused by feeding <i>Leucaena leucocephala</i> . <i>Archives of Animal Nutrition</i> , 2013 , 67, 169-84	2.7	46
63	Humoral and cellular immunity in chromium picolinate-supplemented lambs. <i>Biological Trace Element Research</i> , 2013 , 154, 196-201	4.5	6
62	Thermographic evaluation of climatic conditions on lambs from different genetic groups. <i>International Journal of Biometeorology</i> , 2013 , 57, 59-66	3.7	35
61	Effect of Brazilian red propolis administration on hematological, biochemical variables and parasitic response of Santa In [^] �s ewes during and after flushing period. <i>Tropical Animal Health and Production</i> , 2013 , 45, 1609-18	1.7	14
60	Multivariate analysis of heat tolerance characteristics in Santa In [^] �s and crossbred lambs in the Federal District of Brazil. <i>Tropical Animal Health and Production</i> , 2013 , 45, 1407-14	1.7	15
59	Tropical tanniferous legumes used as an option to mitigate sheep enteric methane emission. <i>Tropical Animal Health and Production</i> , 2013 , 45, 879-82	1.7	18
58	Mastitis detection in sheep by infrared thermography. <i>Research in Veterinary Science</i> , 2013 , 94, 722-4	2.5	34
57	Performance, survivability and carcass traits of crossbred lambs from five paternal breeds with local hair breed Santa In [^] �s ewes. <i>Small Ruminant Research</i> , 2013 , 112, 28-34	1.7	22
56	Effects of <i>Mimosa tenuiflora</i> on larval establishment of <i>Haemonchus contortus</i> in sheep. <i>Veterinary Parasitology</i> , 2013 , 196, 341-6	2.8	7
55	Growth and carcass characteristics of Santa In [^] �s lambs fed diet supplemented with physic nut meal free of phorbol ester. <i>Small Ruminant Research</i> , 2013 , 114, 20-25	1.7	13

54	Effect of alternate and simultaneous grazing on endoparasite infection in sheep and cattle. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 485-94	1.3	15
53	Lack of genotoxicity in <i>Astyanax bimaculatus</i> and <i>Oreochromis niloticus</i> of 17β-methyltestosterone used in fish hatcheries to produce male monosex populations. <i>Genetics and Molecular Research</i> , 2013 , 12, 5013-22	1.2	3
52	Performance and carcass traits of Santa Inês lambs finished with different sources of forage. <i>Revista Brasileira De Zootecnia</i> , 2013 , 42, 428-437	1.2	7
51	Performance and carcass quality in three genetic groups of sheep in Brazil. <i>Revista Brasileira De Zootecnia</i> , 2013 , 42, 734-742	1.2	8
50	AVALIAÇÃO DO ULTRASONOGRAFIA DA QUALIDADE DE CARCASSA DE OVINOS SANTA INÊS. <i>Ciencia Animal Brasileira</i> , 2013 , 14,	0.8	6
49	Productivity in Ewes of Different Genetic Groups and Body Sizes. <i>Journal of Animal Science Advances</i> , 2013 , 3, 243		9
48	Heat tolerance in three genetic groups of lambs in central Brazil. <i>Small Ruminant Research</i> , 2012 , 104, 70-77	1.7	25
47	In vitro evaluation, in vivo quantification, and microbial diversity studies of nutritional strategies for reducing enteric methane production. <i>Tropical Animal Health and Production</i> , 2012 , 44, 953-64	1.7	30
46	Comparative in vitro evaluation of forage legumes (prosopis, acacia, atriplex, and leucaena) on ruminal fermentation and methanogenesis. <i>Journal of Animal and Feed Sciences</i> , 2012 , 21, 759-772	1.5	48
45	Performance and ruminal protozoa in lambs with chromium supplementation. <i>Research in Veterinary Science</i> , 2011 , 90, 253-6	2.5	6
44	Production indices for dual purpose cattle in central Brazil. <i>Revista Brasileira De Zootecnia</i> , 2011 , 40, 1576-1586	1.0	10
43	Skin and coat traits in sheep in Brazil and their relation with heat tolerance. <i>Tropical Animal Health and Production</i> , 2011 , 43, 121-6	1.7	53
42	Use of multivariate analyses for determining heat tolerance in Brazilian cattle. <i>Tropical Animal Health and Production</i> , 2011 , 43, 623-30	1.7	31
41	Physical, chemical and sensorial parameters for lambs of different groups, slaughtered at different weights. <i>Tropical Animal Health and Production</i> , 2011 , 43, 1089-96	1.7	15
40	Fatty acid profile of hair lambs and their crossbreds slaughtered at different weights. <i>Tropical Animal Health and Production</i> , 2011 , 43, 1561-6	1.7	19
39	Selection objectives and criteria for sheep in Central Brazil. <i>Revista Brasileira De Zootecnia</i> , 2011 , 40, 2713-2720	1.2	13
38	ESTUDO ECONÔMICO DA PRODUÇÃO DE CORDEIROS CRUZADOS CONFINADOS ABATIDOS EM DIFERENTES PESOS. <i>Ciencia Animal Brasileira</i> , 2011 , 12,	0.8	4
37	Avaliação histológica dos testículos de ovinos da raça Santa Inês nascidos em diferentes estações do ano. <i>Ciencia Rural</i> , 2010 , 40, 366-372	1.3	2

36	Phenotypic characterization of naturalized swine breeds in Brazil, Uruguay and Colombia. <i>Brazilian Archives of Biology and Technology</i> , 2010 , 53, 583-591	1.8	4
35	Multivariate analysis for characteristics of heat tolerance in horses in Brazil. <i>Tropical Animal Health and Production</i> , 2010 , 42, 185-91	1.7	9
34	Use of heat tolerance traits in discriminating between groups of sheep in central Brazil. <i>Tropical Animal Health and Production</i> , 2010 , 42, 1821-8	1.7	41
33	Morphological characterization of sheep breeds in Brazil, Uruguay and Colombia. <i>Small Ruminant Research</i> , 2010 , 94, 58-65	1.7	42
32	Heat tolerance in Brazilian sheep: physiological and blood parameters. <i>Tropical Animal Health and Production</i> , 2009 , 41, 95-101	1.7	143
31	Phosphorus kinetics in calves experimentally submitted to a trickle infection with <i>Cooperia punctata</i> . <i>Veterinary Parasitology</i> , 2009 , 163, 47-51	2.8	12
30	Genetic factors of sheep affecting gastrointestinal parasite infections in the Distrito Federal, Brazil. <i>Veterinary Parasitology</i> , 2009 , 166, 308-13	2.8	27
29	Heat tolerance in naturalized Brazilian cattle breeds. <i>Livestock Science</i> , 2009 , 120, 256-264	1.7	90
28	Nematódeos de ruminantes em pastagem com diferentes sistemas de pastejo com ovinos e bovinos. <i>Pesquisa Agropecuaria Brasileira</i> , 2009 , 44, 1191-1197	1.8	7
27	Phosphorus kinetics in growing hair sheep. <i>Small Ruminant Research</i> , 2008 , 76, 183-189	1.7	6
26	A new approach for in vitro bioassay to measure tannin biological effects based on a gas production technique. <i>Animal Feed Science and Technology</i> , 2008 , 141, 153-170	3	22
25	Effect of <i>Acacia molissima</i> tannin extract on the control of gastrointestinal parasites in sheep. <i>Animal Feed Science and Technology</i> , 2008 , 147, 172-181	3	26
24	Características de carne, componentes n-3-carne e composição tecidual e química da 12ª costela de cordeiros Santa Inês terminados em pasto com trêss gramíneas no período seco. <i>Revista Brasileira De Zootecnia</i> , 2008 , 37, 1286-1292	1.2	4
23	The establishment of quality systems in veterinary diagnostic testing laboratories in developing countries: experiences with the FAO/IAEA External Quality Assurance Programme. <i>Accreditation and Quality Assurance</i> , 2008 , 13, 33-45	0.7	1
22	Características produtivas e reprodutivas de vacas Holandesas e mestiças Holandesas x Gir no Planalto Central. <i>Revista Brasileira De Zootecnia</i> , 2008 , 37, 819-823	1.2	15
21	Influência de fatores genéticos e ambientais sobre características reprodutivas do rebanho eqüino do Exército Brasileiro. <i>Revista Brasileira De Zootecnia</i> , 2007 , 36, 16-22	1.2	1
20	Influência de fatores genéticos e ambientais sobre as características produtivas no rebanho eqüino do Exército Brasileiro. <i>Revista Brasileira De Zootecnia</i> , 2007 , 36, 23-31	1.2	4
19	Effects of condensed tannin from <i>Acacia mearnsii</i> on sheep infected naturally with gastrointestinal helminthes. <i>Veterinary Parasitology</i> , 2007 , 144, 132-7	2.8	54

18	Phosphorus kinetics in lambs fed different levels of dicalcium phosphate. <i>Journal of Agricultural Science</i> , 2007 , 145, 509-516	1	7
17	Cin^tica de f^foro com modelos matem^ticos em ovinos adultos. <i>Pesquisa Agropecuaria Brasileira</i> , 2007 , 42, 1467-1472	1.8	4
16	Desempenho, caracter^sticas de carca^ e constituintes corporais de ovinos Santa In^s alimentados com farelo de girassol em substitui^o ao farelo de soja na dieta. <i>Revista Brasileira De Zootecnia</i> , 2007 , 36, 603-609	1.2	15
15	Minimum phosphorus requirement for Santa In^s lambs reared under tropical conditions. <i>Small Ruminant Research</i> , 2006 , 63, 170-176	1.7	9
14	Evaluation of carcass traits, non-carcass components and 12th rib analysis of hair sheep supplemented with phosphorus. <i>Revista Brasileira De Zootecnia</i> , 2006 , 35, 550-554	1.2	10
13	Diagn^stico da defici^ncia de f^foro em ovinos pela t^cnica de incorpora^o de f^foro radioativo nos eritr^citos. <i>Pesquisa Agropecuaria Brasileira</i> , 2006 , 41, 339-345	1.8	2
12	Influence of protein supplementation on the resistance and resilience on young hair sheep naturally infected with gastrointestinal nematodes during rainy and dry seasons. <i>Veterinary Parasitology</i> , 2006 , 137, 103-11	2.8	47
11	Esta^o de nascimento e puberdade em cordeiros Santa In^s. <i>Revista Brasileira De Zootecnia</i> , 2006 , 35, 958-966	1.2	13
10	Influence of inoculum source in a gas production method. <i>Animal Feed Science and Technology</i> , 2005 , 123-124, 95-105	3	62
9	Caracteriza^o morfol^gica de eq^nos da ra^ Campeiro. <i>Revista Brasileira De Zootecnia</i> , 2005 , 34, 1553-1562	4	4
8	Fatores ambientais e par^metros gen^ticos para caracter^sticas produtivas e reprodutivas em um rebanho nelore no estado do Mato Grosso do Sul. <i>Revista Brasileira De Zootecnia</i> , 2004 , 33, 1432-1444	1.2	34
7	Uso da ur^e como suplemento prot^ico na dieta de doadoras e receptoras de embri^es bovinos. <i>Revista Brasileira De Zootecnia</i> , 2003 , 32, 77-84	1.2	1
6	Fatores que influenciam os par^metros das curvas de lacta^o em cabras no Distrito Federal. <i>Revista Brasileira De Zootecnia</i> , 2003 , 32, 1614-1623	1.2	2
5	Effect of dietary protein intake on calf resilience to <i>Haemonchus placei</i> infection. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2002 , 39, 227-232	0.3	4
4	Din^mica populacional de <i>Boophilus microplus</i> (Canestrini, 1887) em bovinos leiteiros mantidos em manejo de pastejo rotativo de capim-elefante. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2000 , 52, 453-458	0.3	11
3	Constraints to milk production in grazing dairy cows in Brazil and management strategies for improving their productivity. <i>Preventive Veterinary Medicine</i> , 1999 , 38, 217-30	3.1	13
2	Efeito de n^veis de c^lio da dieta de filhotes de ema (<i>Rhea americana</i> , Linnaeus, 1758), na preven^o do encurvamento de pernas, em cativo. <i>Revista Brasileira De Zootecnia</i> , 1999 , 28, 86-90	1.2	
1	Phosphorus and calcium utilization in ruminants using isotope dilution technique.45-67		5

