

Melanie Bergmann

List of Publications by Citations

Source: <https://exaly.com/author-pdf/101954/melanie-bergmann-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58

papers

3,845

citations

29

h-index

60

g-index

60

ext. papers

5,021

ext. citations

6.4

avg, IF

5.72

L-index

#	Paper	IF	Citations
58	White and wonderful? Microplastics prevail in snow from the Alps to the Arctic. <i>Science Advances</i> , 2019 , 5, eaax1157	14.3	440
57	High Quantities of Microplastic in Arctic Deep-Sea Sediments from the HAUSGARTEN Observatory. <i>Environmental Science & Technology</i> , 2017 , 51, 11000-11010	10.3	434
56	Arctic sea ice is an important temporal sink and means of transport for microplastic. <i>Nature Communications</i> , 2018 , 9, 1505	17.4	431
55	Marine litter distribution and density in European seas, from the shelves to deep basins. <i>PLoS ONE</i> , 2014 , 9, e95839	3.7	364
54	The physical oceanography of the transport of floating marine debris. <i>Environmental Research Letters</i> , 2020 , 15, 023003	6.2	186
53	Increase of litter at the Arctic deep-sea observatory HAUSGARTEN. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2734-41	6.7	165
52	Marine litter on deep Arctic seafloor continues to increase and spreads to the North at the HAUSGARTEN observatory. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2017 , 120, 88-99	2.5	104
51	Citizen scientists reveal: Marine litter pollutes Arctic beaches and affects wild life. <i>Marine Pollution Bulletin</i> , 2017 , 125, 535-540	6.7	101
50	HAUSGARTEN: Multidisciplinary Investigations at a Deep-Sea, Long-Term Observatory in the Arctic Ocean. <i>Oceanography</i> , 2005 , 18, 46-61	2.3	100
49	Tying up Loose Ends of Microplastic Pollution in the Arctic: Distribution from the Sea Surface through the Water Column to Deep-Sea Sediments at the HAUSGARTEN Observatory. <i>Environmental Science & Technology</i> , 2020 , 54, 4079-4090	10.3	91
48	Marine litter: Sea change for plastic pollution. <i>Nature</i> , 2017 , 544, 297	50.4	86
47	Natural variability or anthropogenically-induced variation? Insights from 15 years of multidisciplinary observations at the arctic marine LTER site HAUSGARTEN. <i>Ecological Indicators</i> , 2016 , 65, 89-102	5.8	85
46	Trophic relationships along a bathymetric gradient at the deep-sea observatory HAUSGARTEN. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009 , 56, 408-424	2.5	73
45	Physiological stress in decapod crustaceans (<i>Munida rugosa</i> and <i>Liocarcinus depurator</i>) discarded in the Clyde Nephrops fishery. <i>Journal of Experimental Marine Biology and Ecology</i> , 2001 , 259, 215-229	2.1	70
44	Semi-automated image analysis for the assessment of megafaunal densities at the Arctic deep-sea observatory HAUSGARTEN. <i>PLoS ONE</i> , 2012 , 7, e38179	3.7	66
43	Diversity of the arctic deep-sea benthos. <i>Marine Biodiversity</i> , 2011 , 41, 87-107	1.4	66
42	Plastic ingestion by juvenile polar cod (<i>Arctic cod</i>) in the Arctic Ocean. <i>Polar Biology</i> , 2018 , 41, 1269-1278	2	61

41	Observations of floating anthropogenic litter in the Barents Sea and Fram Strait, Arctic. <i>Polar Biology</i> , 2016 , 39, 553-560	2	58
40	Assessing resilience in long-term ecological data sets. <i>Ecological Indicators</i> , 2016 , 65, 10-43	5.8	57
39	Bathymetric patterns of megafaunal assemblages from the arctic deep-sea observatory HAUSGARTEN. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009 , 56, 1856-1872	2.5	57
38	Using knowledge from fishers and fisheries scientists to identify possible groundfish essential Fish Habitats. <i>Fisheries Research</i> , 2004 , 66, 373-379	2.3	56
37	Survival of decapod crustaceans discarded in the Nephrops fishery of the Clyde Sea area, Scotland. <i>ICES Journal of Marine Science</i> , 2001 , 58, 163-171	2.7	53
36	Use of machine-learning algorithms for the automated detection of cold-water coral habitats: a pilot study. <i>Marine Ecology - Progress Series</i> , 2009 , 397, 241-251	2.6	51
35	The interannual variability of megafaunal assemblages in the Arctic deep sea: Preliminary results from the HAUSGARTEN observatory (79°N). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2011 , 58, 711-723	2.5	47
34	Colonisation of hard substrata along a channel system in the deep Greenland Sea. <i>Polar Biology</i> , 2010 , 33, 1359-1369	2	38
33	Discard composition of the Nephrops fishery in the Clyde Sea area, Scotland. <i>Fisheries Research</i> , 2002 , 57, 169-183	2.3	37
32	Carbon flows in the benthic food web at the deep-sea observatory HAUSGARTEN (Fram Strait). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2011 , 58, 1069-1083	2.5	34
31	Rocky islands in a sea of mud: biotic and abiotic factors structuring deep-sea dropstone communities. <i>Marine Ecology - Progress Series</i> , 2016 , 556, 45-57	2.6	30
30	Utilisation of invertebrates discarded from the Nephrops fishery by variously selective benthic scavengers in the west of Scotland. <i>Marine Ecology - Progress Series</i> , 2002 , 233, 185-198	2.6	30
29	Current and future trends in marine image annotation software. <i>Progress in Oceanography</i> , 2016 , 149, 106-120	3.8	28
28	Evaluation of habitat use by adult plaice (<i>Pleuronectes platessa</i> L.) using underwater video survey techniques. <i>Journal of Sea Research</i> , 2006 , 56, 317-328	1.9	26
27	Mortality of <i>Asterias rubens</i> and <i>Ophiura ophiura</i> discarded in the Nephrops fishery of the Clyde Sea area, Scotland. <i>ICES Journal of Marine Science</i> , 2001 , 58, 531-542	2.7	25
26	Demersal fish and epifauna associated with sandbank habitats. <i>Estuarine, Coastal and Shelf Science</i> , 2004 , 60, 445-456	2.9	22
25	Interannual variation in the epibenthic megafauna at the shallowest station of the HAUSGARTEN observatory (79°N, 6°E). <i>Biogeosciences</i> , 2013 , 10, 3479-3492	4.6	21
24	Biigle - Web 2.0 enabled labelling and exploring of images from the Arctic deep-sea observatory HAUSGARTEN 2009 ,		21

23	Habitat association of plaice, sole, and lemon sole in the English Channel. <i>ICES Journal of Marine Science</i> , 2006 , 63, 912-927	2.7	20
22	Ecological relevance of temporal stability in regional fish catches. <i>Journal of Fish Biology</i> , 2003 , 63, 1219-1234	1.3	18
21	Dynamic benthic megafaunal communities: Assessing temporal variations in structure, composition and diversity at the Arctic deep-sea observatory HAUSGARTEN between 2004 and 2015. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2017 , 122, 81-94	2.5	17
20	Regional- and local-scale variations in benthic megafaunal composition at the Arctic deep-sea observatory HAUSGARTEN. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016 , 108, 58-72	2.5	17
19	Effects of dropstone-induced habitat heterogeneity on Arctic deep-sea benthos with special reference to nematode communities. <i>Marine Biology Research</i> , 2013 , 9, 229-245	1	16
18	Megafaunal assemblages from two shelf stations west of Svalbard. <i>Marine Biology Research</i> , 2011 , 7, 525-539	1	16
17	Habitat selection in whiting. <i>Journal of Fish Biology</i> , 2004 , 64, 788-793	1.9	15
16	Temporal Trends in Marine Litter at Three Stations of the HAUSGARTEN Observatory in the Arctic Deep Sea. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	14
15	High biodiversity on a deep-water reef in the eastern Fram Strait. <i>PLoS ONE</i> , 2014 , 9, e105424	3.7	13
14	The quest for seafloor macrolitter: a critical review of background knowledge, current methods and future prospects. <i>Environmental Research Letters</i> ,	6.2	11
13	Emerging investigator series: effect-based characterization of mixtures of environmental pollutants in diverse sediments. <i>Environmental Sciences: Processes and Impacts</i> , 2018 , 20, 1667-1679	4.3	11
12	Bioturbation rates in the deep Fram Strait: Results from in situ experiments at the arctic LTER observatory HAUSGARTEN. <i>Journal of Experimental Marine Biology and Ecology</i> , 2019 , 511, 1-9	2.1	10
11	DELPHI: A fast and adaptive computational laser point detection and visual footprint quantification for arbitrary underwater image collections. <i>Frontiers in Marine Science</i> , 2015 , 2,	4.5	9
10	Recruitment of Arctic deep-sea invertebrates: Results from a long-term hard-substrate colonization experiment at the Long-Term Ecological Research observatory HAUSGARTEN. <i>Limnology and Oceanography</i> , 2019 , 64, 1924-1938	4.8	8
9	Longevity and growth efficiency of two deep-dwelling Arctic zoarcids and comparison with eight other zoarcid species from different climatic regions. <i>Polar Biology</i> , 2011 , 34, 1523-1533	2	8
8	Microplastics and nanoplastics in the marine-atmosphere environment. <i>Nature Reviews Earth & Environment</i> ,	30.2	8
7	Plastic pollution in the Arctic. <i>Nature Reviews Earth & Environment</i> ,	30.2	5
6	A global plastic treaty must cap production.. <i>Science</i> , 2022 , 376, 469-470	33.3	4

5	Investigation of hidden parameters influencing the automated object detection in images from the deep seafloor of the HAUSGARTEN observatory 2012 ,		3
4	Microplastic ingestion in zooplankton from the Fram Strait in the Arctic.. <i>Science of the Total Environment</i> , 2022 , 154886	10.2	3
3	Sea-ice derived meltwater stratification slows the biological carbon pump: results from continuous observations.. <i>Nature Communications</i> , 2021 , 12, 7309	17.4	3
2	Ranking Color Correction Algorithms Using Cluster Indices 2014 ,		2
1	Tackling Marine Litterâ€”LITTERBASE. <i>SpringerBriefs in Earth System Sciences</i> , 2018 , 85-92		1