## Petrtyl J

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10199194/publications.pdf

Version: 2024-02-01

794141 686830 21 584 13 19 h-index citations g-index papers 22 22 22 1009 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Ex Vivo Vibration Spectroscopic Analysis of Colorectal Polyps for the Early Diagnosis of Colorectal Carcinoma. Diagnostics, 2021, 11, 2048.	1.3	5
2	Association of Serum Bilirubin and Functional Variants of Heme Oxygenase 1 and Bilirubin UDP-Glucuronosyl Transferase Genes in Czech Adult Patients with Non-Alcoholic Fatty Liver Disease. Antioxidants, 2021, 10, 2000.	2.2	6
3	Rare manifestation of CMV infection - circular stenosis of the stomach. Vnitrni Lekarstvi, 2020, 66, e47-e50.	0.1	O
4	Serum levels of TIMP-1 and MMP-7 as potential biomarkers in patients with metastatic colorectal cancer. International Journal of Biological Markers, 2019, 34, 292-301.	0.7	25
5	Novel serum markers HSP60, CHI3L1, and IGFBP-2 in metastatic colorectal cancer. Oncology Letters, 2019, 18, 6284-6292.	0.8	24
6	Growth/differentiation factor 15 (GDF-15) as new potential serum marker in patients with metastatic colorectal cancer. Cancer Biomarkers, 2018, 21, 869-874.	0.8	30
7	Osteopontin: A non-invasive parameter of portal hypertension and prognostic marker of cirrhosis. World Journal of Gastroenterology, 2016, 22, 3441-3450.	1.4	25
8	Trefoil factor family (TFF) proteins as potential serum biomarkers in patients with metastatic colorectal cancer Neoplasma, 2015, 62, 470-477.	0.7	20
9	The prevalence of nonalcoholic liver steatosis in patients with type 2 diabetes mellitus in the Czech Republic. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2015, 159, 442-448.	0.2	10
10	Functional variants of metalloproteinase MMP 1 and MMP 7 genes have no relationship to the severity of portal hypertension in patients with cirrhosis. Gastroenterologie A Hepatologie, 2015, 69, 116-120.	0.0	0
11	Use of Non-Invasive Parameters of Non-Alcoholic Steatohepatitis and Liver Fibrosis in Daily Practice - An Exploratory Case-Control Study. PLoS ONE, 2014, 9, e111551.	1.1	37
12	Functional variants of <i>eNOS </i> and <i>iNOS </i> genes have no relationship to the portal hypertension in patients with liver cirrhosis. Scandinavian Journal of Gastroenterology, 2013, 48, 592-601.	0.6	2
13	Anemia as a predictor of response to antiviral therapy in chronic hepatitis C. Bratislava Medical Journal, 2013, 114, 213-217.	0.4	1
14	Alcoholic liver disease. World Journal of Hepatology, 2012, 4, 81.	0.8	145
15	Decreased serum antioxidant capacity in patients with Wilson disease is associated with neurological symptoms. Journal of Inherited Metabolic Disease, 2012, 35, 541-548.	1.7	28
16	Endoscopic variceal band ligation compared with propranolol for prophylaxis of first variceal bleeding. Annals of Hepatology, 2011, 10, 142-149.	0.6	20
17	Longâ€term followâ€up of Wilson Disease: natural history, treatment, mutations analysis and phenotypic correlation. Liver International, 2011, 31, 83-91.	1.9	114
18	Management of benign intrahepatic bile duct strictures: initial experience with polydioxanone biodegradable stents. Endoscopy, 2010, 42, E89-E90.	1.0	49

## PETRTYL J

#	Article	IF	CITATIONS
19	Effect of carvedilol on portal hypertension depends on the degree of endothelial activation and inflammatory changes. Scandinavian Journal of Gastroenterology, 2006, 41, 1454-1463.	0.6	16
20	Transjugular Renal Biopsy. Kidney and Blood Pressure Research, 2001, 24, 207-212.	0.9	26
21	Atrial Natriuretic Factor in Liver Cirrhosis - the Relation to Haemodynamic Parameters. Hormone and Metabolic Research, 1990, 22, 400-401.	0.7	1