

Arnaud Magrez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10200353/arnaud-magrez-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

4,683
citations

36
h-index

65
g-index

133
ext. papers

5,172
ext. citations

5.9
avg, IF

5.15
L-index

#	Paper	IF	Citations
122	Direct Visualisation of Skyrmion Lattice Defect Alignment at Grain Boundaries.. <i>Nanoscale Research Letters</i> , 2022 , 17, 20	5	
121	Ba(IO): crystal structure evolution from room temperature to 80 K. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021 , 77, 634-637	0.7	
120	Melting of a skyrmion lattice to a skyrmion liquid via a hexatic phase. <i>Nature Nanotechnology</i> , 2020 , 15, 761-767	28.7	16
119	Effects of composition and pressure on electronic states of iron in bridgmanite. <i>American Mineralogist</i> , 2020 , 105, 1030-1039	2.9	5
118	Large magnetothermopower and anomalous Nernst effect in HfTe5. <i>Physical Review B</i> , 2019 , 100,	3.3	11
117	Chemical exchange at the ferroelectric phase transition of lead germanate revealed by solid state Pb nuclear magnetic resonance. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 1100-1109	3.6	10
116	Electrical transport in onion-like carbon@MMA nanocomposites. <i>Applied Physics Letters</i> , 2019 , 114, 103102	3.4	2
115	New refinement of the crystal structure of Zn(NH)Cl at 100 K. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019 , 75, 1386-1388	0.7	0
114	In Situ Electric Field Skyrmion Creation in Magnetoelectric CuOSeO. <i>Nano Letters</i> , 2018 , 18, 5167-5171	11.5	26
113	Investigating Skyrmions Using Lorentz Transmission Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2018 , 24, 932-933	0.5	0
112	Singlet state formation and its impact on the magnetic structure in the tetramer system SeCuO3. <i>Physical Review B</i> , 2018 , 98,	3.3	3
111	Dirac nodal lines and flat-band surface state in the functional oxide RuO2. <i>Physical Review B</i> , 2018 , 98,	3.3	13
110	Iron-Rich Natural Mineral Gibeon Meteorite Catalyzed N-formylation of Amines using CO2 as the C1 Source. <i>ChemistrySelect</i> , 2018 , 3, 10271-10276	1.8	11
109	Spin-Resolved Electronic Response to the Phase Transition in MoTe ₂ . <i>Physical Review Letters</i> , 2018 , 121, 156401	7.4	14
108	Time-resolved ARPES at LACUS: Band Structure and Ultrafast Electron Dynamics of Solids. <i>Chimia</i> , 2017 , 71, 273-277	1.3	5
107	Morphology Engineering: A Route to Highly Reproducible and High Efficiency Perovskite Solar Cells. <i>ChemSusChem</i> , 2017 , 10, 1624-1630	8.3	40
106	Van der Waals MoS/VO heterostructure junction with tunable rectifier behavior and efficient photoresponse. <i>Scientific Reports</i> , 2017 , 7, 14250	4.9	29

105	Role of the particle size polydispersity in the electrical conductivity of carbon nanotube-epoxy composites. <i>Scientific Reports</i> , 2017 , 7, 12553	4.9	17
104	Elevated transition temperature in Ge doped VO ₂ thin films. <i>Journal of Applied Physics</i> , 2017 , 122, 045304	5	36
103	Cyan titania nanowires: Spectroscopic study of the origin of the self-doping enhanced photocatalytic activity. <i>Catalysis Today</i> , 2017 , 284, 52-58	5.3	10
102	FeOx magnetization enhancing E. coli inactivation by orders of magnitude on Ag-TiO ₂ nanotubes under sunlight. <i>Applied Catalysis B: Environmental</i> , 2017 , 202, 438-445	21.8	49
101	A Gibeon meteorite yields a high-performance water oxidation electrocatalyst. <i>Energy and Environmental Science</i> , 2016 , 9, 3448-3455	35.4	26
100	Probing the coupling between a doublon excitation and the charge-density wave in TaS ₂ by ultrafast optical spectroscopy. <i>Physical Review B</i> , 2016 , 94,	3.3	13
99	2016 ,		1
98	Sub-terahertz spectroscopy of magnetic resonance in BiFeO ₃ using a vector network analyzer. <i>Applied Physics Letters</i> , 2016 , 108, 241109	3.4	15
97	Influence of TiO ₂ phase composition on the photocatalytic activity of TiO ₂ /MWCNT composites prepared by combined sol-gel/hydrothermal method. <i>Journal of Molecular Catalysis A</i> , 2016 , 414, 140-147		29
96	Single potassium niobate nano/microsized particles as local mechano-optical Brownian probes. <i>Nanoscale</i> , 2016 , 8, 6810-9	7.7	6
95	MnO nanoparticles as the cause of ferromagnetism in bulk dilute Mn-doped ZnO. <i>Applied Physics Letters</i> , 2016 , 109, 252405	3.4	2
94	Preparation of titania covered multi-walled carbon nanotube thin films. <i>Materials and Design</i> , 2015 , 86, 198-203	8.1	8
93	Graphene Negative Differential Resistance Circuit With Voltage-Tunable High Performance at Room Temperature. <i>IEEE Electron Device Letters</i> , 2015 , 36, 865-867	4.4	11
92	Crystal Structure, Transport, and Magnetic Properties of an Ir(6+) Compound Ba ₈ Al ₂ IrO ₁₄ . <i>Inorganic Chemistry</i> , 2015 , 54, 4371-6	5.1	4
91	Direct growth of carbon nanotubes on carbon fibers: Effect of the CVD parameters on the degradation of mechanical properties of carbon fibers. <i>Diamond and Related Materials</i> , 2015 , 51, 39-48	3.5	114
90	Photochemical processes developed in composite based on highly separated metallic and semiconducting SWCNTs functionalized with polydiphenylamine. <i>Carbon</i> , 2015 , 81, 426-438	10.4	7
89	Equilibrium concentration of singlet oxygen in photoreaction of reaction center/carbon nanotube bionanocomposites. <i>Physica Status Solidi (B): Basic Research</i> , 2015 , 252, 2479-2484	1.3	3
88	Microengineered CH ₃ NH ₃ PbI ₃ Nanowire/Graphene Phototransistor for Low-Intensity Light Detection at Room Temperature. <i>Small</i> , 2015 , 11, 4824-8	11	135

87	Filming the formation and fluctuation of skyrmion domains by cryo-Lorentz transmission electron microscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 14212-7	11.5	58
86	Anti-Stokes Raman spectroscopy as a method to identify metallic and mixed metallic/semiconducting configurations of multi-walled carbon nanotubes. <i>Analytical Methods</i> , 2015 , 7, 6225-6230	3.2	4
85	Room-temperature negative differential resistance in graphene field effect transistors: experiments and theory. <i>ACS Nano</i> , 2015 , 9, 620-5	16.7	41
84	The Role of Transport Agents in MoS ₂ Single Crystals. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 3918-3922	3.2	40
83	Enhanced low-temperature thermoelectrical properties of BiTeCl grown by topotactic method. <i>Scripta Materialia</i> , 2014 , 76, 69-72	5.6	27
82	Functionalized graphene grown by oxidative dehydrogenation chemistry. <i>Carbon</i> , 2014 , 71, 11-19	10.4	7
81	Probing titanate nanowire surface acidity through methylene blue adsorption in colloidal suspension and on thin films. <i>Journal of Colloid and Interface Science</i> , 2014 , 416, 190-7	9.3	27
80	Nanopore integrated nanogaps for DNA detection. <i>Nano Letters</i> , 2014 , 14, 244-9	11.5	53
79	Sorption kinetics and equilibrium of the herbicide diuron to carbon nanotubes or soot in absence and presence of algae. <i>Environmental Pollution</i> , 2014 , 192, 147-53	9.3	15
78	Optical properties of BiTeBr and BiTeCl. <i>Physical Review B</i> , 2014 , 90,	3.3	26
77	High-performance multipanel biosensors based on a selective integration of nanographite petals. <i>Nano Letters</i> , 2014 , 14, 3180-4	11.5	16
76	Efficient voltammetric discrimination of free bilirubin from uric acid and ascorbic acid by a CVD nanographite-based microelectrode. <i>Talanta</i> , 2014 , 130, 423-6	6.2	18
75	Electrical conduction of photo-patternable SU8/graphene composites. <i>Carbon</i> , 2014 , 80, 364-372	10.4	14
74	Thermal diffusivity measurements of templated nanocomposite using infrared thermography. <i>Materials Letters</i> , 2014 , 115, 106-108	3.3	11
73	Photosynthetic reaction centre/carbon nanotube bundle composites. <i>Physica Status Solidi (B): Basic Research</i> , 2014 , 251, 2366-2371	1.3	3
72	The effect of titania precursor on the morphology of prepared TiO ₂ /MWCNT nanocomposite materials. <i>Physica Status Solidi (B): Basic Research</i> , 2014 , 251, 2384-2388	1.3	4
71	Dispersion Characteristics and Aggregation in Titanate Nanowire Colloids. <i>ChemPlusChem</i> , 2014 , 79, 592-600	2.8	15
70	Chemical challenges during the synthesis of MWCNT-based inorganic nanocomposite materials. <i>Physica Status Solidi (B): Basic Research</i> , 2014 , 251, 2360-2365	1.3	6

69	Evaluation of the toxicity of graphene derivatives on cells of the lung luminal surface. <i>Carbon</i> , 2013 , 64, 45-60	10.4	81
68	Electrical conductivity of multi-walled carbon nanotubes-SU8 epoxy composites. <i>Applied Physics Letters</i> , 2013 , 102, 223114	3.4	32
67	Carbon nanotubes quench singlet oxygen generated by photosynthetic reaction centers. <i>Physica Status Solidi (B): Basic Research</i> , 2013 , 250, 2539-2543	1.3	10
66	Synthesis of Homogeneous Manganese-Doped Titanium Oxide Nanotubes from Titanate Precursors. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 697-702	3.8	34
65	Direct growth of nanotubes and graphene nanoflowers on electrochemical platinum electrodes. <i>Nanoscale</i> , 2013 , 5, 12448-55	7.7	8
64	Reinforcement of CVD grown multi-walled carbon nanotubes by high temperature annealing. <i>AIP Advances</i> , 2013 , 3, 112101	1.5	14
63	Sensing hydrogen peroxide by carbon nanotube/horseradish peroxidase bio-nanocomposite. <i>Physica Status Solidi (B): Basic Research</i> , 2013 , 250, 2559-2563	1.3	12
62	Diuron sorbed to carbon nanotubes exhibits enhanced toxicity to <i>Chlorella vulgaris</i> . <i>Environmental Science & Technology</i> , 2013 , 47, 7012-9	10.3	90
61	Electrical property measurements of Cr-N codoped TiO ₂ epitaxial thin films grown by pulsed laser deposition. <i>Applied Physics Letters</i> , 2013 , 102, 172108	3.4	11
60	Preparation and characterization of multiwalled carbon nanotube/In ₂ O ₃ composites. <i>Carbon</i> , 2013 , 60, 266-272	10.4	22
59	Tunable polaronic conduction in anatase TiO ₂ . <i>Physical Review Letters</i> , 2013 , 110, 196403	7.4	185
58	Tuning the length dispersion of multi-walled carbon nanotubes by ball milling. <i>AIP Advances</i> , 2013 , 3, 092117	1.5	11
57	Long-term colloidal stability of 10 carbon nanotube types in the absence/presence of humic acid and calcium. <i>Environmental Pollution</i> , 2012 , 169, 64-73	9.3	42
56	Manufacturing and investigations of i-butane sensor made of SnO ₂ /multiwall-carbon-nanotube nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 890-896	8.5	16
55	Charge stabilization by reaction center protein immobilized to carbon nanotubes functionalized by amine groups and poly(3-thiophene acetic acid) conducting polymer. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 2386-2389	1.3	4
54	Growth of carbon nanotubes on carbon fibers without strength degradation. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 2420-2423	1.3	22
53	Dye metachromasy on titanate nanowires: sensing humidity with reversible molecular dimerization. <i>Journal of Materials Chemistry</i> , 2012 , 22, 8778		29
52	Magnetism in nanoscale graphite flakes as seen via electron spin resonance. <i>Physical Review B</i> , 2012 , 85,	3.3	9

51	Carbon nanotubes/SU8 composite for flexible conductive inkjet printable applications. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14030		27
50	Photocatalytic and phototoxic properties of TiO ₂ -based nanofilaments: ESR and AFM assays. <i>Nanotoxicology</i> , 2012 , 6, 813-24	5.3	12
49	Are carbon nanotube effects on green algae caused by shading and agglomeration?. <i>Environmental Science & Technology</i> , 2011 , 45, 6136-44	10.3	222
48	Striking influence of the catalyst support and its acid-base properties: new insight into the growth mechanism of carbon nanotubes. <i>ACS Nano</i> , 2011 , 5, 3428-37	16.7	48
47	In vitro investigation of the cellular toxicity of boron nitride nanotubes. <i>ACS Nano</i> , 2011 , 5, 3800-10	16.7	151
46	Fabrication of homogeneous titania/MWNT composite materials. <i>Materials Research Bulletin</i> , 2011 , 46, 1991-1996	5.1	5
45	Influence of the initial state of carbon nanotubes on their colloidal stability under natural conditions. <i>Environmental Pollution</i> , 2011 , 159, 1641-8	9.3	47
44	Photosynthetic reaction center protein in nanostructures. <i>Physica Status Solidi (B): Basic Research</i> , 2011 , 248, 2700-2703	1.3	17
43	Long term stabilization of reaction center protein photochemistry by carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2011 , 248, 2454-2457	1.3	7
42	Photocatalytic activity of TiO ₂ /SWCNT and TiO ₂ /MWCNT nanocomposites with different carbon nanotube content. <i>Physica Status Solidi (B): Basic Research</i> , 2011 , 248, 2496-2499	1.3	23
41	Synthesis, electrical resistivity, thermo-electric power and magnetization of cubic ZnMnO ₃ . <i>Solid State Communications</i> , 2011 , 151, 487-490	1.6	18
40	Toxicity Study of Nanofibers 2011 , 133-149		2
39	High-Pressure Study of Anatase TiO ₂ . <i>Materials</i> , 2010 , 3, 1509-1514	3.5	14
38	Capacitive nanoelectromechanical switch based on suspended carbon nanotube array. <i>Applied Physics Letters</i> , 2010 , 97, 233508	3.4	30
37	Reinforcing multiwall carbon nanotubes by electron beam irradiation. <i>Journal of Applied Physics</i> , 2010 , 108, 084314	2.5	13
36	Catalytic CVD Synthesis of Carbon Nanotubes: Towards High Yield and Low Temperature Growth. <i>Materials</i> , 2010 , 3, 4871-4891	3.5	104
35	Low-temperature, highly efficient growth of carbon nanotubes on functional materials by an oxidative dehydrogenation reaction. <i>ACS Nano</i> , 2010 , 4, 3702-8	16.7	52
34	Synthesis of Nanosized Mn-Doped ZnO by Low Temperature Decomposition of Hydrozincite Precursors. <i>Crystal Growth and Design</i> , 2010 , 10, 4437-4441	3.5	15

33	High-efficiency solid-state dye-sensitized solar cells: fast charge extraction through self-assembled 3D fibrous network of crystalline TiO ₂ nanowires. <i>ACS Nano</i> , 2010 , 4, 7644-50	16.7	99
32	Controlled positioning of carbon nanotubes by dielectrophoresis: insights into the solvent and substrate role. <i>ACS Nano</i> , 2010 , 4, 279-84	16.7	72
31	Doping dependence of the G-band Raman spectra of an individual multiwall carbon nanotube. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 2466-2470	3	10
30	Management of nanomaterials safety in research environment. <i>Particle and Fibre Toxicology</i> , 2010 , 7, 40	8.4	57
29	Cell type dependence of carbon based nanomaterial toxicity. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 3059-3062	1.3	6
28	Study of the mechanical response of carbon nanotubes-SU8 composites by nanoindentation. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 3072-3075	1.3	16
27	Size dependence of the magnetic response of graphite oxide and graphene flakes in an electron spin resonance study. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 2958-2961	1.3	30
26	Lithium niobate nanowires synthesis, optical properties, and manipulation. <i>Applied Physics Letters</i> , 2009 , 95, 143105	3.4	67
25	Preparation and characterization of SU8/carbon nanotube composites. <i>Physica Status Solidi (B): Basic Research</i> , 2009 , 246, 2461-2464	1.3	9
24	Towards electron spin resonance of mechanically exfoliated graphene. <i>Physica Status Solidi (B): Basic Research</i> , 2009 , 246, 2558-2561	1.3	50
23	Cellular toxicity of TiO ₂ -based nanofilaments. <i>ACS Nano</i> , 2009 , 3, 2274-80	16.7	81
22	Materials and Devices for Nanoelectronic Systems Beyond Ultimately Scaled CMOS 2009 , 23-44		3
21	Pressure-Induced Phase Transitions in Micro-, Submicro-, and Nanocrystalline NaNbO ₃ . <i>Journal of Physical Chemistry C</i> , 2008 , 112, 9610-9616	3.8	26
20	Influence of the catalyst drying process and catalyst support particle size on the carbon nanotubes produced by CCVD. <i>Physica Status Solidi (B): Basic Research</i> , 2008 , 245, 1915-1918	1.3	19
19	La@C ₈₂ as a spin-active filling of SWCNTs: ESR study of magnetic and photophysical properties. <i>Physica Status Solidi (B): Basic Research</i> , 2008 , 245, 2042-2046	1.3	8
18	Diameter-dependent elastic modulus supports the metastable-catalyst growth of carbon nanotubes. <i>Nano Letters</i> , 2007 , 7, 1598-602	11.5	40
17	Temperature-induced Phase Transitions in Micro-, Submicro-, and Nanocrystalline NaNbO ₃ . <i>Journal of Physical Chemistry C</i> , 2007 , 111, 18493-18502	3.8	66
16	Evidence of an equimolar C ₂ H ₂ -CO ₂ reaction in the synthesis of carbon nanotubes. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 441-4	16.4	56

15	Evidence of an Equimolar C ₂ H ₂ /O ₂ Reaction in the Synthesis of Carbon Nanotubes. <i>Angewandte Chemie</i> , 2007 , 119, 445-448	3.6	6
14	Uniformly dispersed deposition of colloidal nanoparticles and nanowires by boiling. <i>Applied Physics Letters</i> , 2007 , 91, 173112	3.4	27
13	Multiwalled Carbon Nanotubes Produced by a Continuous CVD Method and Their Use in Melt Mixed Composites with Polycarbonate. <i>Macromolecular Symposia</i> , 2007 , 254, 392-399	0.8	9
12	Growth of single-crystalline KNbO ₃ nanostructures. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 58-61	3.4	140
11	Polymorphism in Micro-, Submicro-, and Nanocrystalline NaNbO ₃ . <i>Journal of Physical Chemistry B</i> , 2006 , 110, 16801-16801	3.4	2
10	Cellular toxicity of carbon-based nanomaterials. <i>Nano Letters</i> , 2006 , 6, 1121-5	11.5	905
9	Consolidation, Microstructure and Crystallography of Dense NaNbO ₃ Ceramics with Ultra-Fine Grain Size. <i>Journal of the Ceramic Society of Japan</i> , 2006 , 114, 995-1000		15
8	Growth of carbon nanotubes with alkaline earth carbonate as support. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 10087-91	3.4	69
7	Polymorphism in micro-, submicro-, and nanocrystalline NaNbO ₃ . <i>Journal of Physical Chemistry B</i> , 2005 , 109, 20122-30	3.4	98
6	Growth kinetics of one-dimensional KNbO ₃ nanostructures by hydrothermal processing routes. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 14331-4	3.4	48
5	Particle size effect on the crystal structure symmetry of K _{0.5} Na _{0.5} NbO ₃ . <i>Journal of the European Ceramic Society</i> , 2005 , 25, 2075-2079	6	49
4	Microemulsion mediated synthesis of nanocrystalline (K _x ,Na _{1-x})NbO ₃ powders. <i>Journal of Crystal Growth</i> , 2005 , 280, 191-200	1.6	40
3	Diameter Dependence of the Elastic Modulus of CVD-Grown Carbon Nanotubes. <i>AIP Conference Proceedings</i> , 2005 ,	0	2
2	Phase transformation of KNaNb ₂ O ₆ induced by size effect. <i>Chemical Physics Letters</i> , 2004 , 391, 288-292	2.5	47
1	Structural and transport properties of a new class of oxide ion conductors: Nd ₄ [Ga ₂ (1-x)M _{2x} O _{7+x}]O ₂ (M=Ti, Ge). <i>Solid State Sciences</i> , 2002 , 4, 1413-1418	3.4	16