

Adrian C Davis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1021665/publications.pdf>

Version: 2024-02-01

182
papers

92,369
citations

31976

53
h-index

4117

175
g-index

189
all docs

189
docs citations

189
times ranked

120803
citing authors

#	ARTICLE	IF	CITATIONS
1	Accelerating progress on early childhood development for children under 5 years with disabilities by 2030. <i>The Lancet Global Health</i> , 2022, 10, e438-e444.	6.3	36
2	Global investment to reduce the burden of hearing loss. <i>The Lancet Global Health</i> , 2022, 10, e4-e5.	6.3	0
3	The conundrum of a global tool for early childhood development to monitor SDG indicator 4.2.1. <i>The Lancet Global Health</i> , 2021, 9, e586-e587.	6.3	13
4	Visual, hearing, and dual sensory impairment are associated with higher depression and anxiety in women. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1378-1385.	2.7	11
5	Hearing loss prevalence and years lived with disability, 1990â€“2019: findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 996-1009.	13.7	358
6	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. <i>European Journal of Public Health</i> , 2021, 31, 835-840.	0.3	4
7	Setting the record straight on measuring SDG 4.2.1 â€“ Authors' reply. <i>The Lancet Global Health</i> , 2021, 9, e912.	6.3	0
8	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 870-905.	13.7	229
9	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	13.7	335
10	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	6.3	23
11	Global Burden of Childhood Epilepsy, Intellectual Disability, and Sensory Impairments. <i>Pediatrics</i> , 2020, 146, e20192623.	2.1	104
12	Global and regional needs, unmet needs and access to hearing aids. <i>International Journal of Audiology</i> , 2020, 59, 166-172.	1.7	59
13	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. <i>Frontiers in Psychology</i> , 2020, 11, 627980.	2.1	8
14	Poor data produce poor models: children with developmental disabilities deserve better â€“ Authors' reply. <i>The Lancet Global Health</i> , 2019, 7, e189.	6.3	2
15	A simple method to estimate noise levels in the workplace based on self-reported speech communication effort in noise. <i>International Journal of Audiology</i> , 2019, 58, 450-453.	1.7	8
16	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2019, 19, 427.	2.9	11
17	Sudden infant death syndrome (SIDS) and the routine otoacoustic emission infant hearing screening test: an epidemiological retrospective caseâ€“control study. <i>BMJ Open</i> , 2019, 9, e030026.	1.9	3
18	Hearing in Adults: A Digital Reprint of the Main Report From the MRC National Study of Hearing. <i>Trends in Hearing</i> , 2019, 23, 233121651988761.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Hearing loss: rising prevalence and impact. Bulletin of the World Health Organization, 2019, 97, 646-646A.	3.3	135
20	Hearing loss grades and the <i>International classification of functioning, disability and health</i>. Bulletin of the World Health Organization, 2019, 97, 725-728.	3.3	227
21	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. Public Health Research, 2019, 7, 1-128.	1.3	6
22	Socioeconomic differences in hearing among middle-aged and older adults: cross-sectional analyses using the Health Survey for England. BMJ Open, 2018, 8, e019615.	1.9	44
23	Results From England's 2018 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2018, 15, S347-S349.	2.0	9
24	Reliability of the Home Hearing Test: Implications for Public Health. Journal of the American Academy of Audiology, 2018, 30, 208-216.	0.7	16
25	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
26	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
27	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
28	Changes in health in the countries of the UK and 150 English Local Authority areas 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1647-1661.	13.7	192
29	Developmental disabilities among children younger than 5 years in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. The Lancet Global Health, 2018, 6, e1100-e1121.	6.3	384
30	A Life Course Approach to Hearing Health. , 2018, , 349-373.		9
31	Results From England's 2016 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2016, 13, S143-S149.	2.0	24
32	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
33	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
34	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
35	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
36	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571

#	ARTICLE	IF	CITATIONS
37	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	13.7	413
38	Vicious or virtuous circles? Exploring the vulnerability of drivers to break low urban speed limits. <i>Transportation Research, Part A: Policy and Practice</i> , 2016, 91, 195-212.	4.2	5
39	Evidence for Health III: Making evidence-informed decisions that integrate values and context. <i>Health Research Policy and Systems</i> , 2016, 14, 16.	2.8	12
40	Evidence for Health II: Overcoming barriers to using evidence in policy and practice. <i>Health Research Policy and Systems</i> , 2016, 14, 17.	2.8	48
41	Evidence for Health I: Producing evidence for improving health and reducing inequities. <i>Health Research Policy and Systems</i> , 2016, 14, 18.	2.8	22
42	Ageing and Hearing Health: The Life-course Approach. <i>Gerontologist, The</i> , 2016, 56, S256-S267.	3.9	249
43	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800.	13.7	4,951
44	Disability weights for the Global Burden of Disease 2013 study. <i>The Lancet Global Health</i> , 2015, 3, e712-e723.	6.3	783
45	Support and compliance with 20mph speed limits in Great Britain. <i>Transportation Research Part F: Traffic Psychology and Behaviour</i> , 2015, 31, 36-53.	3.7	15
46	Performance and characteristics of the Newborn Hearing Screening Programme in England: The first seven years. <i>International Journal of Audiology</i> , 2015, 54, 353-358.	1.7	88
47	The Effect of Childhood Infection on Hearing Function at Age 61 to 63 Years in the Newcastle Thousand Families Study. <i>Ear and Hearing</i> , 2015, 36, 185-190.	2.1	6
48	Evaluating the feasibility of integrating salivary testing for congenital CMV into the Newborn Hearing Screening Programme in the UK. <i>European Journal of Pediatrics</i> , 2015, 174, 1117-1121.	2.7	21
49	Changes in health in England, with analysis by English regions and areas of deprivation, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2257-2274.	13.7	279
50	Genome-wide association analysis on normal hearing function identifies <i>PCDH20</i> and <i>SLC28A3</i> as candidates for hearing function and loss. <i>Human Molecular Genetics</i> , 2015, 24, 5655-5664.	2.9	37
51	First estimates of the potential cost and cost saving of protecting childhood hearing from damage caused by congenital CMV infection. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F501-F506.	2.8	47
52	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	13.7	1,544
53	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	13.7	2,184
54	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 385, 117-171.	13.7	5,847

#	ARTICLE	IF	CITATIONS
55	NHS Health Check programme: too early to conclude. <i>BMJ, The</i> , 2014, 349, g4785-g4785.	6.0	3
56	Feasibility and acceptability of targeted screening for congenital CMV-related hearing loss. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, F230-F236.	2.8	55
57	The benefits of using bluetooth accessories with hearing aids. <i>International Journal of Audiology</i> , 2014, 53, 770-773.	1.7	12
58	Hearing in Middle Age. <i>Ear and Hearing</i> , 2014, 35, e44-e51.	2.1	135
59	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 957-979.	13.7	609
60	Auditory and non-auditory effects of noise on health. <i>Lancet, The</i> , 2014, 383, 1325-1332.	13.7	1,418
61	Can social marketing make 20mph the new norm?. <i>Journal of Transport and Health</i> , 2014, 1, 165-173.	2.2	22
62	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	13.7	1,230
63	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 766-781.	13.7	9,122
64	Estrogen-related receptor gamma and hearing function: evidence of a role in humans and mice. <i>Neurobiology of Aging</i> , 2013, 34, 2077.e1-2077.e9.	3.1	53
65	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013, 381, 997-1020.	13.7	479
66	Clinically targeted screening for congenital CMV - potential for integration into the National Hearing Screening Programme. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, 928-933.	1.5	13
67	Effectiveness of targeted surveillance to identify moderate to profound permanent childhood hearing impairment in babies with risk factors who pass newborn screening. <i>International Journal of Audiology</i> , 2013, 52, 394-399.	1.7	23
68	The future role of genetic screening to detect newborns at risk of childhood-onset hearing loss. <i>International Journal of Audiology</i> , 2013, 52, 124-133.	1.7	23
69	Letter of Response to Chan et al.â€™s paper regarding Rhode Island Newborn Hearing screening finding and the Sudden Infant Death Syndrome. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 613-614.	1.0	1
70	Adult Hearing Screening: Follow-Up and Outcomes1. <i>American Journal of Audiology</i> , 2013, 22, 183-185.	1.2	12
71	Adult Hearing Screening: Health Policy Issuesâ€“What Happens Next?1. <i>American Journal of Audiology</i> , 2013, 22, 167-170.	1.2	32
72	Global and regional hearing impairment prevalence: an analysis of 42 studies in 29 countries. <i>European Journal of Public Health</i> , 2013, 23, 146-152.	0.3	494

#	ARTICLE	IF	CITATIONS
73	Noise-induced hearing loss. <i>Noise and Health</i> , 2012, 14, 274.	0.5	144
74	Hearing in 44-45 year olds with m.1555A>G, a genetic mutation predisposing to aminoglycoside-induced deafness: a population based cohort study. <i>BMJ Open</i> , 2012, 2, e000411.	1.9	40
75	Diagnosing Patients with Age-Related Hearing Loss and Tinnitus: Supporting GP Clinical Engagement through Innovation and Pathway Redesign in Audiology Services. <i>International Journal of Otolaryngology</i> , 2012, 2012, 1-5.	0.9	12
76	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2129-2143.	13.7	1,013
77	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2197-2223.	13.7	7,061
78	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2163-2196.	13.7	6,376
79	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2224-2260.	13.7	9,397
80	Targeted salivary screening for congenital CMV in the UK is feasible, acceptable and may improve hearing outcomes. <i>Archives of Disease in Childhood</i> , 2012, 97, A31.1-A31.	1.9	3
81	Interventions following hearing screening in adults: A systematic descriptive review. <i>International Journal of Audiology</i> , 2011, 50, 594-609.	1.7	28
82	Adult Hearing Screening: What comes next?. <i>International Journal of Audiology</i> , 2011, 50, 610-612.	1.7	17
83	Adult Hearing Screening: The Cyprus Pilot Program. <i>Audiology Research</i> , 2011, 1, 69-70.	1.8	4
84	BMI over the lifecourse and hearing ability at age 45 years: a population based study. <i>Longitudinal and Life Course Studies</i> , 2011, 2, .	0.6	1
85	Multiple work-related accidents: tracing the role of hearing status and noise exposure. <i>Occupational and Environmental Medicine</i> , 2009, 66, 319-324.	2.8	53
86	Hearing loss and paid employment: Australian population survey findings. <i>International Journal of Audiology</i> , 2009, 48, 117-122.	1.7	59
87	Is the relation of social class to change in hearing threshold levels from childhood to middle age explained by noise, smoking, and drinking behaviour?. <i>International Journal of Audiology</i> , 2008, 47, 100-108.	1.7	19
88	Evaluation of a hearing screener. <i>Audiological Medicine</i> , 2008, 6, 115-119.	0.4	13
89	A Multicenter Trial of an Assess-and-Fit Hearing Aid Service Using Open Canal Fittings and Comply Ear Tips. <i>Trends in Amplification</i> , 2008, 12, 121-136.	2.4	15
90	Study finds compliant eartips can be used instead of custom earmolds. <i>Hearing Journal</i> , 2008, 61, 27-28.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Patient Preferences for Direct Hearing Aid Provision by a Private Dispenser. A Discrete Choice Experiment. <i>Ear and Hearing</i> , 2008, 29, 557-564.	2.1	10
92	Universal Hearing Health Care: China. <i>ASHA Leader</i> , 2008, 13, 14-14.	0.1	22
93	Universal Hearing Health Care: United Kingdom. <i>ASHA Leader</i> , 2008, 13, 16-16.	0.1	1
94	Universal Hearing Health Care: Where Do Audiology and Hearing Aids Fit?. <i>ASHA Leader</i> , 2008, 13, 14-15.	0.1	7
95	Lifecourse influences on health among British adults: Effects of region of residence in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007, 36, 522-531.	1.9	61
96	Life-course influences on health in British adults: effects of socio-economic position in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007, 36, 532-539.	1.9	157
97	Current practice, accuracy, effectiveness and cost-effectiveness of the school entry hearing screen. <i>Health Technology Assessment</i> , 2007, 11, 1-168, iii-iv.	2.8	109
98	Acceptability, benefit and costs of early screening for hearing disability: a study of potential screening tests and models. <i>Health Technology Assessment</i> , 2007, 11, 1-294.	2.8	1,026
99	Bilateral or unilateral amplification: Is there a difference? A brief tutorial. <i>International Journal of Audiology</i> , 2006, 45, 3-11.	1.7	23
100	The prevalence of ear, nose and throat problems in the community: results from a national cross-sectional postal survey in Scotland. <i>Family Practice</i> , 2005, 22, 227-233.	1.9	215
101	Screening for hearing loss in childhood: issues, evidence and current approaches in the UK. <i>Journal of Medical Screening</i> , 2005, 12, 119-124.	2.3	51
102	A comparison of the quality of life of hearing-impaired people as estimated by three different utility measures Un comparaci3n de la calidad de vida de personas con trastornos auditivos estimada por tres diferentes medidas de utilidad. <i>International Journal of Audiology</i> , 2005, 44, 157-163.	1.7	55
103	Elements of statistical treatment of speech and hearing science data. <i>Stammering Research: an on-line Journal Published By the British Stammering Association</i> , 2005, 1, 333-343.	0.8	0
104	A questionnaire study of the quality of life and quality of family life of individuals complaining of tinnitus pre- and postattendance at a tinnitus clinic. <i>International Journal of Audiology</i> , 2004, 43, 410-416.	1.7	51
105	Comparing Utility Scores Before and After Hearing-Aid Provision. <i>Applied Health Economics and Health Policy</i> , 2004, 3, 103-105.	2.1	93
106	The epidemiology of hearing problems: how should we investigate it?. <i>Acta Oto-Laryngologica</i> , 2004, 124, 11-15.	0.9	1
107	The newborn hearing screening programme in England. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2003, 67, S193-S196.	1.0	33
108	The newborn hearing screening programme in England. <i>International Congress Series</i> , 2003, 1254, 335-339.	0.2	1

#	ARTICLE	IF	CITATIONS
109	The influence of a perceived family history of hearing difficulties in an epidemiological study of hearing problems. <i>Audiological Medicine</i> , 2003, 1, 228-231.	0.4	6
110	Survey of Adult Hearing Aid Service Expenditure and Provision in Denmark, Finland and the UK. <i>Audiological Medicine</i> , 2003, 1, 107-114.	0.4	8
111	Population study of the ability to benefit from amplification and the provision of a hearing aid in 55-74-year-old first-time hearing aid users. <i>International Journal of Audiology</i> , 2003, 42, 39-52.	1.7	40
112	Follow up of people fitted with hearing aids after adult hearing screening: the need for support after fitting. <i>BMJ: British Medical Journal</i> , 2002, 325, 471-471.	2.3	36
113	The epidemiology of hearing and balance disorders. , 2002, , 89-99.		10
114	Systematic review of the clinical and cost effectiveness of digital hearing aids. <i>International Journal of Audiology</i> , 2001, 35, 271-288.	0.7	25
115	Universal Neonatal Hearing Screening. <i>American Journal of Audiology</i> , 2001, 10, 3-12.	1.2	32
116	Assessing service quality in paediatric audiology and early deaf education. <i>International Journal of Audiology</i> , 2001, 35, 329-338.	0.7	6
117	Performance of neonatal and infant hearing screens: sensitivity and specificity. <i>International Journal of Audiology</i> , 2001, 35, 3-15.	0.7	26
118	A prospective case-control study of 50 consecutive patients presenting with hyperlipidaemia. <i>Clinical Otolaryngology</i> , 2001, 26, 189-196.	0.0	13
119	Hearing impairment among adults - extent of the problem and scientific evidence on the outcome of hearing aid rehabilitation. <i>Scandinavian Audiology</i> , 2001, 30, 8-15.	0.5	14
120	Provision of hearing aid services: a comparison between the Nordic countries and the United Kingdom. <i>Scandinavian Audiology</i> , 2001, 30, 16-20.	0.5	11
121	Prevalence of permanent childhood hearing impairment in the United Kingdom and implications for universal neonatal hearing screening: questionnaire based ascertainment study Commentary: Universal newborn hearing screening: implications for coordinating and developing services for deaf and hearing impaired children. <i>BMJ: British Medical Journal</i> . 2001. 323. 536-536.	2.3	404
122	Hearing Aid Possession in the Population: Lessons from a Small Country: Posesi ³ n de auxiliares auditivos en la poblaci ³ n: Lecciones de un peque [±] o pais. <i>International Journal of Audiology</i> , 2001, 40, 104-111.	1.7	28
123	A retrospective case-controlled study of 1490 consecutive patients presenting to a Neuro-Otology Clinic to examine the relationship between blood lipid levels and sensorineural hearing loss. <i>Clinical Otolaryngology</i> , 2000, 25, 511-517.	0.0	30
124	Study finds insufficient evidence regarding community provision of hearing aids. <i>Evidence-Based Healthcare and Public Health</i> , 2000, 4, 80.	0.0	0
125	A novel mutation in the mitochondrial tRNASer(UCN) gene in a family with non-syndromic sensorineural hearing impairment. <i>Journal of Medical Genetics</i> , 2000, 37, 692-694.	3.2	102
126	Epidemiology of Permanent Childhood Hearing Impairment in Estonia, 1985-1990: Epidemiologia de los trastornos auditivos permanentes de la infancia en Estonia (1985-1990). <i>International Journal of Audiology</i> , 2000, 39, 192-197.	1.7	19

#	ARTICLE	IF	CITATIONS
127	Transient-Evoked Otoacoustic Emissions in a Representative Population Sample Aged 18 to 25 Years: Emisiones otoacústicas evocadas por transitorios en una muestra representativa de población con edades entre 18 y 25 años. <i>International Journal of Audiology</i> , 2000, 39, 125-134.	1.7	14
128	Population-Based Genetic Study of Childhood Hearing Impairment in the Trent Region of the United Kingdom: Estudio Genético Sobre Sordera Infantil en una Población de la Región de Trent en el Reino Unido. <i>International Journal of Audiology</i> , 2000, 39, 226-231.	1.7	9
129	Genetics and deafness: what do families want?. <i>Journal of Medical Genetics</i> , 2000, 37, 26e-26.	3.2	15
130	False positives in universal neonatal screening for permanent childhood hearing impairment. <i>Lancet, The</i> , 2000, 356, 1903-1904.	13.7	44
131	The prevalence and type of social noise exposure in young adults in England. <i>Noise and Health</i> , 2000, 2, 41-56.	0.5	43
132	The epidemiology of hearing impairment in an Australian adult population. <i>International Journal of Epidemiology</i> , 1999, 28, 247-252.	1.9	149
133	A prospective case-controlled study of 197 men, 50-60 years old, selected at random from a population at risk from hyperlipidaemia to examine the relationship between hyperlipidaemia and sensorineural hearing loss I. <i>Clinical Otolaryngology</i> , 1999, 24, 449-456.	0.0	8
134	A prospective case-controlled study of patients presenting with idiopathic sensorineural hearing loss to examine the relationship between hyperlipidaemia and sensorineural hearing loss I. <i>Clinical Otolaryngology</i> , 1999, 24, 531-536.	0.0	16
135	EPIDEMIOLOGY OF BACTERIAL MENINGITIS. <i>Infectious Disease Clinics of North America</i> , 1999, 13, 515-525.	5.1	48
136	The impact of hearing impairment: a global health problem. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1999, 49, S51-S54.	1.0	48
137	Congenital non-syndromal sensorineural hearing impairment due to connexin 26 gene mutations: molecular and audiological findings. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1999, 50, 3-13.	1.0	57
138	Social noise and hearing loss. <i>Lancet, The</i> , 1999, 353, 1185.	13.7	7
139	Preschool hearing, speech, language, and vision screening. <i>Quality and Safety in Health Care</i> , 1998, 7, 240-247.	2.5	13
140	Screening for congenital hearing impairment: time for a change. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1998, 79, F73-F76.	2.8	8
141	The costs of early hearing screening in England and Wales. <i>Archives of Disease in Childhood</i> , 1998, 78, 14-19.	1.9	35
142	Anomalous Screening Outcomes from Click-Evoked Otoacoustic Emissions and Auditory Brainstem Response Tests. <i>International Journal of Audiology</i> , 1998, 32, 399-410.	0.7	3
143	Neonatal Hearing Screening: A Step Towards Better Services for Children and Families. <i>International Journal of Audiology</i> , 1998, 32, 1-6.	0.7	8
144	Field Sensitivity of Targeted Neonatal Hearing Screening using the Nottingham ABR Screener. <i>Ear and Hearing</i> , 1998, 19, 91-102.	2.1	32

#	ARTICLE	IF	CITATIONS
145	Epidemiology of Permanent Childhood Hearing Impairment in Trent Region, 1985â€“1993. International Journal of Audiology, 1997, 31, 409-446.	0.7	191
146	Changing Performance of the Health Visitor Distraction Test When Targeted Neonatal Screening is Introduced into a Health District. International Journal of Audiology, 1997, 31, 55-61.	0.7	12
147	Behavioural and Autonomic Responses to Sound in Pre-Term and Full-Term Babies. International Journal of Audiology, 1997, 31, 315-329.	0.7	31
148	Field Sensitivity of Targeted Neonatal Hearing Screening by Transient-Evoked Otoacoustic Emissions. Ear and Hearing, 1997, 18, 265-276.	2.1	55
149	An Australian Community Study of Parkinson's Disease: 1. Disease Severity and Functional Disability.. Australian Journal on Ageing, 1996, 15, 22-26.	0.3	2
150	Hearing Impairment and the Log-Normal Distribution. Journal of the Royal Statistical Society Series C: Applied Statistics, 1996, 45, 203.	1.0	13
151	Hearing loss and motorcyclists. Journal of Laryngology and Otology, 1995, 109, 599-604.	0.8	17
152	Deafness, Children and the Family. A Guide to Professional Practice. Archives of Disease in Childhood, 1995, 73, 383-384.	1.9	0
153	Children who could benefit from a cochlear implant: a European estimate of projected numbers, cost and relevant characteristics. International Journal of Pediatric Otorhinolaryngology, 1995, 31, 221-233.	1.0	12
154	The Distribution of Hearing Threshold Levels in the General Population Aged 18â€“30 Years. International Journal of Audiology, 1994, 33, 327-350.	1.7	46
155	Handedness as a Function of Twinning, Age and Sex. Cortex, 1994, 30, 105-111.	2.4	72
156	Epidemiology of bacterial meningitis.. Archives of Disease in Childhood, 1993, 68, 763-767.	1.9	52
157	The impact of hearing impairment on television viewing in the UK. International Journal of Audiology, 1993, 27, 163-173.	0.7	4
158	Routine ultrasound scanning in pregnancy: Link with left handedness not established. BMJ: British Medical Journal, 1993, 307, 1562-1562.	2.3	3
159	The feasibility of evoked otoacoustic emissions as an in-patient hearing check after meningitis. International Journal of Audiology, 1993, 27, 227-231.	0.7	9
160	Hearing impairment in children after bacterial meningitis: Incidence and resource implications. International Journal of Audiology, 1993, 27, 43-52.	0.7	68
161	The effects of hearing loss and age of intervention on some language metrics in young hearing-impaired children. International Journal of Audiology, 1992, 26, 97-107.	0.7	102
162	The epidemiology of childhood hearing impairment: Factors relevant to planning of services. International Journal of Audiology, 1992, 26, 77-90.	0.7	164

#	ARTICLE	IF	CITATIONS
163	Clinical Pure-Tone versus Three-Interval Forced-Choice Thresholds: Effects of Hearing Level and Age. <i>International Journal of Audiology</i> , 1992, 31, 31-44.	1.7	9
164	Hearing impairments in middle age: The acceptability, benefit and cost of detection (ABCD). <i>International Journal of Audiology</i> , 1992, 26, 1-14.	0.7	39
165	Acceptability of Binaural Hearing Aids: A Cross-Over Study. <i>Journal of the Royal Society of Medicine</i> , 1991, 84, 267-269.	2.0	22
166	Early Detection of Hearing Impairment: What Role Is There for Behavioural Methods in the Neonatal Period?. <i>Acta Oto-Laryngologica</i> , 1991, 111, 103-110.	0.9	13
167	Epidemiological profile of hearing impairments: The scale and nature of the problem with special reference to the elderly. <i>Acta Oto-Laryngologica</i> , 1991, 111, 23-31.	0.9	39
168	Longitudinal study of hearing. <i>Acta Oto-Laryngologica</i> , 1991, 111, 12-22.	0.9	46
169	Magnitude of diotic summation in speech-in-noise tasks: Performance region and appropriate baseline. <i>International Journal of Audiology</i> , 1990, 24, 11-16.	0.7	20
170	Hearing disability in people aged 50-65: effectiveness and acceptability of rehabilitative intervention.. <i>BMJ: British Medical Journal</i> , 1990, 300, 508-511.	2.3	47
171	“Clustering” Real or Apparent?: Probability Maps of Childhood Cancer in the West Midlands Health Authority Region. <i>International Journal of Epidemiology</i> , 1990, 19, 853-859.	1.9	6
172	The Prevalence of Hearing Impairment and Reported Hearing Disability among Adults in Great Britain. <i>International Journal of Epidemiology</i> , 1989, 18, 911-917.	1.9	452
173	Frequency-resolving ability in systemic lupus erythematosus. <i>International Journal of Audiology</i> , 1989, 23, 69-72.	0.7	4
174	Spectro-temporal analysis in normal hearing and cochlear impaired listeners. <i>Journal of the Acoustical Society of America</i> , 1988, 84, 1325-1331.	1.1	30
175	Reaction time as an indicator of access to frequency-resolved information. <i>International Journal of Audiology</i> , 1988, 22, 305-308.	0.7	2
176	Hair Cell Distributions in the Normal Human Cochlea: A Report of a European Working Group. <i>Acta Oto-Laryngologica</i> , 1987, 104, 15-24.	0.9	37
177	Detecting hearing-impairment in neonates -the statistical decision criterion for the Auditory Response Cradle. <i>International Journal of Audiology</i> , 1984, 18, 163-168.	0.7	7
178	Hearing loss in patients with diabetic retinopathy. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 1983, 4, 342-346.	1.3	31
179	Hearing Disorders in the Population: First Phase Findings of the MRC National Study of Hearing. , 1983, , 35-60.		48
180	Clinical Characterization of the Hearing of the Adult British Population1. <i>Advances in Oto-Rhino-Laryngology</i> , 1983, 31, 217-223.	1.6	17

#	ARTICLE	IF	CITATIONS
181	The High Prevalence of Hearing Disorders and its Implications for Services in the UK. International Journal of Audiology, 1981, 15, 241-251.	0.7	47
182	The Epidemology of Hearing in Aging Population. , 0, , 1211-1218.		0