

Claude Knauf

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/102228/claude-knauf-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68
papers

11,304
citations

33
h-index

72
g-index

72
ext. papers

13,041
ext. citations

9.2
avg, IF

5.83
L-index

#	Paper	IF	Citations
68	High Hydrostatic Pressure Processing of Human Milk Increases Apelin and GLP-1 Contents to Modulate Gut Contraction and Glucose Metabolism in Mice Compared to Holder Pasteurization.. <i>Nutrients</i> , 2022 , 14,	6.7	1
67	5/6 nephrectomy affects enteric glial cells and promotes impaired antioxidant defense in the colonic neuromuscular layer.. <i>Life Sciences</i> , 2022 , 298, 120494	6.8	
66	In Vivo Assessment of Antioxidant Potential of Human Milk Treated by Holder Pasteurization or High Hydrostatic Pressure Processing: A Preliminary Study on Intestinal and Hepatic Markers in Adult Mice. <i>Antioxidants</i> , 2022 , 11, 1091	7.1	
65	Glucose Stimulates Gut Motility in Fasted and Fed Conditions: Potential Involvement of a Nitric Oxide Pathway. <i>Nutrients</i> , 2022 , 14, 2176	6.7	1
64	Reactive Oxygen Species / Reactive Nitrogen Species as Messengers in the Gut: Impact on Physiology and Metabolic Disorders. <i>Antioxidants and Redox Signaling</i> , 2021 ,	8.4	2
63	A newly identified protein from <i>Akkermansia muciniphila</i> stimulates GLP-1 secretion. <i>Cell Metabolism</i> , 2021 , 33, 1073-1075	24.6	8
62	Identification of new enterosynes using prebiotics: roles of bioactive lipids and mu-opioid receptor signalling in humans and mice. <i>Gut</i> , 2021 , 70, 1078-1087	19.2	11
61	Bacteria-derived long chain fatty acid exhibits anti-inflammatory properties in colitis. <i>Gut</i> , 2021 , 70, 1088-1097	19.2	24
60	Endothelin-1 Exhibiting Pro-Nociceptive and Pro-Peristaltic Activities Is Increased in Peritoneal Carcinomatosis.. <i>Frontiers in Pain Research</i> , 2021 , 2, 613187	1.4	
59	Gut microbiome, endocrine control of gut barrier function and metabolic diseases. <i>Journal of Endocrinology</i> , 2021 , 248, R67-R82	4.7	27
58	Interactions between the microbiota and enteric nervous system during gut-brain disorders. <i>Neuropharmacology</i> , 2021 , 197, 108721	5.5	6
57	Targeting the Enteric Nervous System to Treat Metabolic Disorders? "Enterosynes" as Therapeutic Gut Factors. <i>Neuroendocrinology</i> , 2020 , 110, 139-146	5.6	19
56	Pharmacological inhibition of the F -ATPase/P2Y pathway suppresses the effect of apolipoprotein A1 on endothelial nitric oxide synthesis and vasorelaxation. <i>Acta Physiologica</i> , 2019 , 226, e13268	5.6	5
55	Elabela and Apelin actions in healthy and pathological pregnancies. <i>Cytokine and Growth Factor Reviews</i> , 2019 , 46, 45-53	17.9	18
54	Central Effects of Beta-Blockers May Be Due to Nitric Oxide and Hydrogen Peroxide Release Independently of Their Ability to Cross the Blood-Brain Barrier. <i>Frontiers in Neuroscience</i> , 2019 , 13, 33	5.1	11
53	The Gut Microbiome Influences Host Endocrine Functions. <i>Endocrine Reviews</i> , 2019 , 40, 1271-1284	27.2	85
52	Mitochondrial Dynamin-Related Protein 1 (DRP1) translocation in response to cerebral glucose is impaired in a rat model of early alteration in hypothalamic glucose sensing. <i>Molecular Metabolism</i> , 2019 , 20, 166-177	8.8	9

51	Bisphenol S exposure affects gene expression related to intestinal glucose absorption and glucose metabolism in mice. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 3636-3642	5.1	12
50	Gut Microbes and Health: A Focus on the Mechanisms Linking Microbes, Obesity, and Related Disorders. <i>Obesity</i> , 2018 , 26, 792-800	8	94
49	Galanin enhances systemic glucose metabolism through enteric Nitric Oxide Synthase-expressed neurons. <i>Molecular Metabolism</i> , 2018 , 10, 100-108	8.8	33
48	Axe intestin-cerveau et contrôle du métabolisme glucidique. <i>Cahiers De Nutrition Et De Dietetique</i> , 2018 , 53, 53-61	0.2	
47	Effects of Bisphenol S on hypothalamic neuropeptides regulating feeding behavior and apelin/APJ system in mice. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 161, 459-466	7	24
46	Impact of Intestinal Peptides on the Enteric Nervous System: Novel Approaches to Control Glucose Metabolism and Food Intake. <i>Frontiers in Endocrinology</i> , 2018 , 9, 328	5.7	20
45	Inflammation and Gut-Brain Axis During Type 2 Diabetes: Focus on the Crosstalk Between Intestinal Immune Cells and Enteric Nervous System. <i>Frontiers in Neuroscience</i> , 2018 , 12, 725	5.1	23
44	Apelin targets gut contraction to control glucose metabolism via the brain. <i>Gut</i> , 2017 , 66, 258-269	19.2	58
43	Transfer of dysbiotic gut microbiota has beneficial effects on host liver metabolism. <i>Molecular Systems Biology</i> , 2017 , 13, 921	12.2	32
42	Hepatocyte Nuclear Factor-1 Controls Mitochondrial Respiration in Renal Tubular Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3205-3217	12.7	28
41	Identification of an analgesic lipopeptide produced by the probiotic Escherichia coli strain Nissle 1917. <i>Nature Communications</i> , 2017 , 8, 1314	17.4	55
40	Central chronic apelin infusion decreases energy expenditure and thermogenesis in mice. <i>Scientific Reports</i> , 2016 , 6, 31849	4.9	13
39	How gut microbes talk to organs: The role of endocrine and nervous routes. <i>Molecular Metabolism</i> , 2016 , 5, 743-52	8.8	159
38	Apelin Controls Fetal and Neonatal Glucose Homeostasis and Is Altered by Maternal Undernutrition. <i>Diabetes</i> , 2016 , 65, 554-60	0.9	23
37	Glucosensing in the gastrointestinal tract: Impact on glucose metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, G645-58	5.1	26
36	Apelin regulates FoxO3 translocation to mediate cardioprotective responses to myocardial injury and obesity. <i>Scientific Reports</i> , 2015 , 5, 16104	4.9	27
35	Impact of hypothalamic reactive oxygen species in the regulation of energy metabolism and food intake. <i>Frontiers in Neuroscience</i> , 2015 , 9, 56	5.1	46
34	Hypothalamic apelin/reactive oxygen species signaling controls hepatic glucose metabolism in the onset of diabetes. <i>Antioxidants and Redox Signaling</i> , 2014 , 20, 557-73	8.4	32

33	The apelinergic system: sexual dimorphism and tissue-specific modulations by obesity and insulin resistance in female mice. <i>Peptides</i> , 2013 , 46, 94-101	3.8	18
32	Apelin stimulates both cholecystokinin and glucagon-like peptide 1 secretions in vitro and in vivo in rodents. <i>Peptides</i> , 2013 , 48, 134-6	3.8	24
31	Apelin Metabolic Functions 2013 , 201-211		
30	p53-PGC-1 β pathway mediates oxidative mitochondrial damage and cardiomyocyte necrosis induced by monoamine oxidase-A upregulation: role in chronic left ventricular dysfunction in mice. <i>Antioxidants and Redox Signaling</i> , 2013 , 18, 5-18	8.4	91
29	Hedgehog partial agonism drives Warburg-like metabolism in muscle and brown fat. <i>Cell</i> , 2012 , 151, 414-26	5.6	191
28	Maternal hypertension induces tissue-specific modulations of the apelinergic system in the fetoplacental unit in rat. <i>Peptides</i> , 2012 , 35, 136-8	3.8	6
27	Apelin, a promising target for type 2 diabetes treatment?. <i>Trends in Endocrinology and Metabolism</i> , 2012 , 23, 234-41	8.8	108
26	Apelin, diabetes, and obesity. <i>Endocrine</i> , 2011 , 40, 1-9	4	196
25	Jejunum inflammation in obese and diabetic mice impairs enteric glucose detection and modifies nitric oxide release in the hypothalamus. <i>Antioxidants and Redox Signaling</i> , 2011 , 14, 415-23	8.4	34
24	Deletion of Lkb1 in pro-opiomelanocortin neurons impairs peripheral glucose homeostasis in mice. <i>Diabetes</i> , 2011 , 60, 735-45	0.9	41
23	Altered gut microbiota and endocannabinoid system tone in obese and diabetic leptin-resistant mice: impact on apelin regulation in adipose tissue. <i>Frontiers in Microbiology</i> , 2011 , 2, 149	5.7	220
22	Central apelin controls glucose homeostasis via a nitric oxide-dependent pathway in mice. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 1477-96	8.4	52
21	Apelin and the proopiomelanocortin system: a new regulatory pathway of hypothalamic GSH release. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E955-66	6	50
20	Ventromedial hypothalamic nitric oxide production is necessary for hypoglycemia detection and counterregulation. <i>Diabetes</i> , 2010 , 59, 519-28	0.9	71
19	Drosophila genome-wide obesity screen reveals hedgehog as a determinant of brown versus white adipose cell fate. <i>Cell</i> , 2010 , 140, 148-60	56.2	283
18	Cannabinoid CB2 receptor potentiates obesity-associated inflammation, insulin resistance and hepatic steatosis. <i>PLoS ONE</i> , 2009 , 4, e5844	3.7	158
17	Brain glucagon-like peptide 1 signaling controls the onset of high-fat diet-induced insulin resistance and reduces energy expenditure. <i>Endocrinology</i> , 2008 , 149, 4768-77	4.8	86
16	Role of central nervous system glucagon-like Peptide-1 receptors in enteric glucose sensing. <i>Diabetes</i> , 2008 , 57, 2603-12	0.9	106

15	Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. <i>Diabetes</i> , 2008 , 57, 1470-81	0.9	3072
14	Apelin stimulates glucose utilization in normal and obese insulin-resistant mice. <i>Cell Metabolism</i> , 2008 , 8, 437-45	24.6	350
13	Prebiotics and Modulation of Gastrointestinal Peptides 2008 , 247-262		
12	Central insulin regulates heart rate and arterial blood flow: an endothelial nitric oxide synthase-dependent mechanism altered during diabetes. <i>Diabetes</i> , 2007 , 56, 2872-7	0.9	40
11	Glucagon-like peptide-1 and energy homeostasis. <i>Journal of Nutrition</i> , 2007 , 137, 2534S-2538S	4.1	40
10	Metabolic endotoxemia initiates obesity and insulin resistance. <i>Diabetes</i> , 2007 , 56, 1761-72	0.9	3888
9	Targeted deletion of AIF decreases mitochondrial oxidative phosphorylation and protects from obesity and diabetes. <i>Cell</i> , 2007 , 131, 476-91	56.2	332
8	GLUT2 and the incretin receptors are involved in glucose-induced incretin secretion. <i>Molecular and Cellular Endocrinology</i> , 2007 , 276, 18-23	4.4	80
7	Peroxisome proliferator-activated receptor-alpha-null mice have increased white adipose tissue glucose utilization, GLUT4, and fat mass: Role in liver and brain. <i>Endocrinology</i> , 2006 , 147, 4067-78	4.8	68
6	Improvement of glucose tolerance and hepatic insulin sensitivity by oligofructose requires a functional glucagon-like peptide 1 receptor. <i>Diabetes</i> , 2006 , 55, 1484-90	0.9	314
5	Relation between colonic proglucagon expression and metabolic response to oligofructose in high fat diet-fed mice. <i>Life Sciences</i> , 2006 , 79, 1007-13	6.8	88
4	Brain glucagon-like peptide-1 increases insulin secretion and muscle insulin resistance to favor hepatic glycogen storage. <i>Journal of Clinical Investigation</i> , 2005 , 115, 3554-63	15.9	230
3	Intracerebroventricular infusion of glucose, insulin, and the adenosine monophosphate-activated kinase activator, 5-aminoimidazole-4-carboxamide-1-beta-D-ribofuranoside, controls muscle glycogen synthesis. <i>Endocrinology</i> , 2004 , 145, 4025-33	4.8	66
2	Evidence for a spontaneous nitric oxide release from the rat median eminence: influence on gonadotropin-releasing hormone release. <i>Endocrinology</i> , 2001 , 142, 2343-50	4.8	45
1	Evidence for a Spontaneous Nitric Oxide Release from the Rat Median Eminence: Influence on Gonadotropin-Releasing Hormone Release		18