Fernando César Wehrmeister

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1022824/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Short-term effect of physical activity on sleep health: A population-based study using accelerometry. Journal of Sport and Health Science, 2022, 11, 630-638.	3.3	10
2	Wheezing trajectories from childhood to adulthood in a population-based cohort. Allergology International, 2022, 71, 200-206.	1.4	3
3	Ethnic inequalities in health intervention coverage among Mexican women at the individual and municipality levels. EClinicalMedicine, 2022, 43, 101228.	3.2	3
4	Multimorbidity and simultaneity of health risk factors, from adolescence to early adulthood: 1993 Pelotas Birth Cohort. Preventive Medicine, 2022, 155, 106932.	1.6	2
5	Maternal smoking during pregnancy and children's mental health at age 22 years: Results of a birth cohort study. Journal of Affective Disorders, 2022, 300, 203-208.	2.0	2
6	Maternal smoking during pregnancy and intelligence quotient of offspring aged 18 and 30Âyears: Evidence from two birth cohorts in southern Brazil. Preventive Medicine, 2022, 156, 106983.	1.6	1
7	Decline in attention-deficit hyperactivity disorder traits over the life course in the general population: trajectories across five population birth cohorts spanning ages 3 to 45 years. International Journal of Epidemiology, 2022, 51, 919-930.	0.9	11
8	ADHD in childhood predicts BMI and body composition measurements over time in a population-based birth cohort. International Journal of Obesity, 2022, 46, 1204-1211.	1.6	2
9	Association between preterm infant size at 1Âyear and ADHD later in life: data from 1993 and 2004 Pelotas Birth Cohorts. European Child and Adolescent Psychiatry, 2022, , 1.	2.8	2
10	Ideal cardiovascular health, inflammation, and arterial stiffness in the transition to adulthood. International Journal of Cardiology, 2022, 355, 45-51.	0.8	4
11	Youth depression and inflammation: Cross-sectional network analyses of C-Reactive protein, interleukin-6 and symptoms in a population-based sample. Journal of Psychiatric Research, 2022, 150, 197-201.	1.5	6
12	Exploring the potential for a new measure of socioeconomic deprivation status to monitor health inequality. International Journal for Equity in Health, 2022, 21, 56.	1.5	6
13	Prospective association between ultra-processed food consumption and incidence of elevated symptoms of common mental disorders. Journal of Affective Disorders, 2022, 312, 78-85.	2.0	5
14	Iniquidades e Doenças Crônicas Não TransmissÃveis no Brasil. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2022, 31, .	0.3	4
15	Longitudinal change in physical activity and adiposity in the transition from adolescence to early adulthood: the 1993 Pelotas cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, .	2.0	4
16	Child maltreatment and substances use throughout adolescence and adulthood: Data from a Brazilian Birth Cohort. Child Abuse and Neglect, 2022, 131, 105766.	1.3	8
17	Consumption of ultra-processed foods at 11, 22 and 30 years at the 2004, 1993 and 1982 Pelotas Birth Cohorts. Public Health Nutrition, 2021, 24, 299-308.	1.1	8
18	Identifying Adolescents at Risk for Depression: AÂPrediction Score Performance in Cohorts Based inÂ3ÂDifferent Continents. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 262-273.	0.3	43

		TED	
#	Article	IF	CITATIONS
19	Patterns in Wealth-related Inequalities in 86 Low- and Middle-Income Countries: Global Evidence on the Emergence of Vaccine Hesitancy. American Journal of Preventive Medicine, 2021, 60, S24-S33.	1.6	21
20	Sleep duration trajectories from adolescence to emerging adulthood: Findings from a populationâ€based birth cohort. Journal of Sleep Research, 2021, 30, e13155.	1.7	6
21	Excess weight and obesity prevalence in the RPS Brazilian Birth Cohort Consortium (Ribeirão Preto,) Tj ETQq1	1 0.784314 0.4	1 rgBT /Over
22	Gestational weight gain and childhood body mass index across three generations: Results from the 1993 Pelotas (Brazil) Birth Cohort. Pediatric Obesity, 2021, 16, e12760.	1.4	5
23	Association between cesarean section and human capital in adulthood: 1982 and 1993 Pelotas birth cohorts, Rio Grande do Sul State, Brazil. Cadernos De Saude Publica, 2021, 37, e00235520.	0.4	1
24	ls Screen Time Throughout Adolescence Related to ADHD? Findings from 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Attention Disorders, 2021, , 108705472199755.	1.5	6
25	Is women's empowerment associated with coverage of RMNCH interventions in low- and middle-income countries? An analysis using a survey-based empowerment indicator, the SWPER. Journal of Global Health, 2021, 11, 04015.	1.2	8
26	Associations between Device-measured Physical Activity and Cardiometabolic Health in the Transition to Early Adulthood. Medicine and Science in Sports and Exercise, 2021, 53, 2076-2085.	0.2	7
27	Screen time and working memory in adolescents: A longitudinal study. Journal of Psychiatric Research, 2021, 137, 266-272.	1.5	11
28	Association between maternal prepregnancy body mass index with offspring cardiometabolic risk factors: analysis of three Brazilian birth cohorts. Journal of Developmental Origins of Health and Disease, 2021, , 1-7.	0.7	2
29	Prevalence of ideal cardiovascular health in young adults: A birth cohort from southern Brazil. American Heart Journal, 2021, 235, 65-73.	1.2	8
30	Patterns of Growth in Childhood in Relation to Adult Schooling Attainment and Intelligence Quotient in 6 Birth Cohorts in Low- and Middle-Income Countries: Evidence from the Consortium of Health-Oriented Research in Transitioning Societies (COHORTS). Journal of Nutrition, 2021, 151, 2342-2352.	1.3	9
31	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. Scientific Reports, 2021, 11, 13279.	1.6	10
32	Association of the length of time using computers and mobile devices with low back, neck and mid-back pains: findings from a birth cohort. Public Health, 2021, 195, 1-6.	1.4	4
33	Physical Activity Levels and Associated Factors in a Latin American COPD Population of Patients. The LASSYC Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2021, 18, 393-400.	0.7	5
34	Maternal smoking during pregnancy and intelligence quotient in offspring: A systematic review and meta-analysis. NeuroToxicology, 2021, 85, 99-114.	1.4	3
35	Effect modification of cardiorespiratory fitness, obesity, and physical activity in adults. International Journal of Sports Medicine, 2021, 0, .	0.8	1
36	402Measles vaccine coverage: The rise of vaccine hesitancy in upper-middle income countries. International Journal of Epidemiology, 2021, 50, .	0.9	0

#	Article	IF	CITATIONS
37	Depression in a youth population-based sample from Brazil: Prevalence and symptom structure. Journal of Affective Disorders, 2021, 292, 633-641.	2.0	7
38	Occurrence and inequalities by education in multimorbidity in Brazilian adults between 2013 and 2019: evidence from the National Health Survey. Revista Brasileira De Epidemiologia, 2021, 24, e210016.	0.3	4
39	Influence of parental physical activity on offspring's nutritional status: an intergenerational study in the 1993 Pelotas birth cohort. Public Health Nutrition, 2021, , 1-20.	1.1	0
40	Associations between sleep duration trajectories from adolescence to early adulthood and working memory, schooling and income: a prospective birth cohort study from Brazil. Sleep Medicine, 2021, 86, 40-47.	0.8	3
41	Attention-deficit/hyperactivity disorder has a state-dependent association with asthma: The role of systemic inflammation in a population-based birth cohort followed from childhood to adulthood. Brain, Behavior, and Immunity, 2021, 97, 239-249.	2.0	8
42	Influence of maternal pre-pregnancy nutritional status on offspring anthropometric measurements and body composition in three Brazilian Birth Cohorts. Public Health Nutrition, 2021, 24, 882-894.	1.1	6
43	Quality of antenatal care and its sociodemographic determinants: results of the 2015 Pelotas birth cohort, Brazil. BMC Health Services Research, 2021, 21, 1070.	0.9	9
44	Social protection and the level and inequality of child mortality in 101 low- and middle-income countries: A statistical modelling analysis. Journal of Global Health, 2021, 11, 04067.	1.2	0
45	Are elevated plasma fibrinogen associated with lung function? An 8-year follow-up of the ELSA study. PLoS ONE, 2021, 16, e0259498.	1.1	2
46	Socioeconomic status and body mass index life course models: the 1993 Pelotas (Brazil) birth cohort. Cadernos De Saude Publica, 2021, 37, e00260820.	0.4	1
47	Does IQ Influence Association Between Working Memory and ADHD Symptoms in Young Adults?. Journal of Attention Disorders, 2021, , 108705472110588.	1.5	2
48	Respiratory symptoms (COPD Assessment Test and modified Medical Research Council dyspnea scores) and GOLD-ABCD COPD classification: the LASSYC study. Jornal Brasileiro De Pneumologia, 2021, 47, e20210156.	0.4	2
49	Changes in asset-based wealth across the life course in birth cohorts from five low- and middle-income countries. SSM - Population Health, 2021, 16, 100976.	1.3	6
50	Prevalence, mortality and risk factors associated with very low birth weight preterm infants: an analysis of 33 years. Jornal De Pediatria, 2020, 96, 327-332.	0.9	28
51	A risk calculator to predict adult attention-deficit/hyperactivity disorder: generation and external validation in three birth cohorts and one clinical sample. Epidemiology and Psychiatric Sciences, 2020, 29, e37.	1.8	22
52	Growth from birth to adolescence and bone mineral density in young adults: The 1993 Pelotas birth cohort. Bone, 2020, 130, 115088.	1.4	2
53	Number of days required to estimate physical activity constructs objectively measured in different age groups: Findings from three Brazilian (Pelotas) population-based birth cohorts. PLoS ONE, 2020, 15, e0216017.	1.1	39
54	The Intersectionality of Gender and Wealth in Adolescent Health and Behavioral Outcomes in Brazil: The 1993 Pelotas Birth Cohort. Journal of Adolescent Health, 2020, 66, S51-S57.	1.2	10

#	Article	IF	CITATIONS
55	Parent-Related Normative Perceptions of Adolescents and Later Weight Control Behavior: Longitudinal Analysis of Cohort Data From Brazil. Journal of Adolescent Health, 2020, 66, S9-S16.	1.2	20
56	Sleep parameters measured by accelerometry: descriptive analyses from the 22-year follow-up of the Pelotas 1993 birth cohort. Sleep Medicine, 2020, 67, 83-90.	0.8	10
57	Short and long sleep duration and associated factors in pre-adolescence and early adulthood: evidence from the 1993 Pelotas birth cohort study. Sleep Medicine, 2020, 75, 477-483.	0.8	3
58	Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. International Journal of Public Health, 2020, 65, 1635-1645.	1.0	7
59	Large and persistent subnational inequalities in reproductive, maternal, newborn and child health intervention coverage in sub-Saharan Africa. BMJ Global Health, 2020, 5, e002232.	2.0	33
60	Early identification of bipolar disorder among young adults – a 22â€year community birth cohort. Acta Psychiatrica Scandinavica, 2020, 142, 476-485.	2.2	16
61	Second generation of the 1993 birth cohort, Pelotas (Brazil): Aims, design, preliminary results. Health Science Reports, 2020, 3, e199.	0.6	1
62	<p>Longitudinal Association Between Diet Quality and Asthma Symptoms in Early Adult Life in a Brazilian Birth Cohort</p> . Journal of Asthma and Allergy, 2020, Volume 13, 493-503.	1.5	7
63	Characterisation of pulmonary function trajectories: results from a Brazilian cohort. ERJ Open Research, 2020, 6, 00065-2020.	1.1	8
64	Associations between growth from birth to 18 years, intelligence, and schooling in a Brazilian cohort. American Journal of Clinical Nutrition, 2020, 112, 187-194.	2.2	15
65	Are the poorest poor being left behind? Estimating global inequalities in reproductive, maternal, newborn and child health. BMJ Global Health, 2020, 5, e002229.	2.0	24
66	Transtornos mentais em adolescentes, jovens e adultos do Consórcio de Coortes de Nascimento brasileiras RPS (Ribeirão Preto, Pelotas e São LuÃs). Cadernos De Saude Publica, 2020, 36, e00154319.	0.4	21
67	Prevalence, mortality and risk factors associated with very low birth weight preterm infants: an analysis of 33 years. Jornal De Pediatria (Versão Em Português), 2020, 96, 327-332.	0.2	1
68	Female infants are more susceptible to the effects of maternal antenatal depression; findings from the Pelotas (Brazil) Birth Cohort Study. Journal of Affective Disorders, 2020, 267, 315-324.	2.0	2
69	Association between ethnicity and under-5 mortality: analysis of data from demographic surveys from 36 low-income and middle-income countries. The Lancet Global Health, 2020, 8, e352-e361.	2.9	33
70	Prenatal and birth predictors of objectively measured physical activity and sedentary time in three population-based birth cohorts in Brazil. Scientific Reports, 2020, 10, 786.	1.6	6
71	Measuring universal health coverage in reproductive, maternal, newborn and child health: An update of the composite coverage index. PLoS ONE, 2020, 15, e0232350.	1.1	16
72	Uric acid is independent and inversely associated to glomerular filtration rate in young adult Brazilian individuals. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1289-1298.	1.1	8

#	Article	IF	CITATIONS
73	Wealth-related inequalities in the coverage of reproductive, maternal, newborn and child health interventions in 36 countries in the African Region. Bulletin of the World Health Organization, 2020, 98, 394-405.	1.5	14
74	Symptom variability over the course of the day in patients with stable COPD in Brazil: a real-world observational study. Jornal Brasileiro De Pneumologia, 2020, 46, e20190223-e20190223.	0.4	4
75	Simultaneidade de fatores de risco para doenças crônicas não transmissÃveis em população rural de um municÃpio no sul do Brasil. Revista Brasileira De Epidemiologia, 2020, 23, e200066.	0.3	5
76	Maternal and child health inequalities among migrants: the case of Haiti and the Dominican Republic. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2020, 44, 1.	0.6	8
77	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i46-i53.	0.9	38
78	Temporal evolution of and factors associated with asthma and wheezing in schoolchildren in Brazil. Jornal Brasileiro De Pneumologia, 2019, 45, e20180138.	0.4	1
79	Low Maternal Capital Predicts Life History Trade-Offs in Daughters: Why Adverse Outcomes Cluster in Individuals. Frontiers in Public Health, 2019, 7, 206.	1.3	27
80	Associations between body mass index, body composition and bone density in young adults: findings from a southern Brazilian cohort. BMC Musculoskeletal Disorders, 2019, 20, 322.	0.8	25
81	Maternal smoking during pregnancy and offspring body composition in adulthood: Results from two birth cohort studies. BMJ Open, 2019, 9, e023852.	0.8	6
82	Body composition from 18 to 22 years and pulmonary function at 22 years—1993 Pelotas Birth Cohort. PLoS ONE, 2019, 14, e0219077.	1.1	7
83	External validation of the PUMA COPD diagnostic questionnaire in a general practice sample and the PLATINO study population. International Journal of COPD, 2019, Volume 14, 1901-1911.	0.9	8
84	Trends in socioeconomic inequalities in stunting prevalence in Latin America and the Caribbean countries: differences between quintiles and deciles. International Journal for Equity in Health, 2019, 18, 156.	1.5	24
85	Agreement of antenatal care indicators from self-reported questionnaire and the antenatal care card of women in the 2015 Pelotas birth cohort, Rio Grande do Sul, Brazil. BMC Pregnancy and Childbirth, 2019, 19, 410.	0.9	6
86	Childhood Behavioural Problems and Adverse Outcomes in Early Adulthood: a Comparison of Brazilian and British Birth Cohorts. Journal of Developmental and Life-Course Criminology, 2019, 5, 517-535.	0.8	19
87	Milk consumption, dietary calcium intake and nutrient patterns from adolescence to early adulthood and its effect on bone mass: the 1993 Pelotas (Brazil) birth cohort. Cadernos De Saude Publica, 2019, 35, e00192418.	0.4	2
88	Early Emotional Symptoms Predicting Carotid Atherosclerosis in Youth: Results From a Birth Cohort in Latin America. Journal of the American Heart Association, 2019, 8, e011011.	1.6	8
89	How different online recruitment methods impact on recruitment rates for the web-based coortesnaweb project: a randomised trial. BMC Medical Research Methodology, 2019, 19, 127.	1.4	16
90	The role of questionnaire length and reminders frequency on response rates to a web-based epidemiologic study: a randomised trial. International Journal of Social Research Methodology: Theory and Practice, 2019, 22, 625-635.	2.3	25

#	Article	IF	CITATIONS
91	Maternal depression symptoms and use of child health-care services at The Pelotas 2004 Birth Cohort. Journal of Affective Disorders, 2019, 253, 303-307.	2.0	6
92	Association of modifiable risk factors and IL-6, CRP, and adiponectin: Findings from the 1993 Birth Cohort, Southern Brazil. PLoS ONE, 2019, 14, e0216202.	1.1	7
93	Sleep disturbances and daytime fatigue: data from the Brazilian National Health Survey, 2013. Cadernos De Saude Publica, 2019, 35, e00086918.	0.4	14
94	Breastfeeding exclusivity and duration: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i72-i79.	0.9	25
95	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i54-i62.	0.9	17
96	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982–2015. International Journal of Epidemiology, 2019, 48, i4-i15.	0.9	32
97	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i80-i88.	0.9	23
98	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i37-i45.	0.9	25
99	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. International Journal of Epidemiology, 2019, 48, i63-i71.	0.9	6
100	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i16-i25.	0.9	10
101	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i26-i36.	0.9	22
102	Evolution of total body and regional adiposity from late adolescence to early adulthood in a birth cohort study. Nutrition and Metabolism, 2019, 16, 21.	1.3	1
103	Is vigorous-intensity physical activity required for improving bone mass in adolescence? Findings from a Brazilian birth cohort. Osteoporosis International, 2019, 30, 1307-1315.	1.3	6
104	Equitable coverage? The roles of the private and public sectors in providing maternal, newborn and child health interventions in South Asia. BMJ Global Health, 2019, 4, e001495.	2.0	5
105	Objectively measured physical activity in one-year-old children from a Brazilian cohort: levels, patterns and determinants. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 131.	2.0	9
106	Adiposity, depression and anxiety: interrelationship and possible mediators. Revista De Saude Publica, 2019, 53, 103.	0.7	21
107	Associations between self-reported physical activity and screen time with cardiometabolic risk factors in adolescents: Findings from the 1993 Pelotas (Brazil) Birth Cohort Study. Preventive Medicine, 2019, 119, 31-36.	1.6	17
108	Socioeconomic status throughout life and body mass index: a systematic review and meta-analysis. Cadernos De Saude Publica, 2019, 35, e00125518.	0.4	13

#	Article	IF	CITATIONS
109	Evaluating the effectiveness of an educative workshop for pregnant women using pre and post intervention surveys. Cadernos De Saude Publica, 2019, 35, e00155018.	0.4	5
110	Evaluation Of 24-Hour Day Respiratory Symptoms And GOLD Classification System In COPD Patients From Seven Latin America Countries: The LASSYC Study. , 2019, , .		0
111	Daily symptom variability in patients with stable COPD in Brazil. , 2019, , .		0
112	Inappropriate sleep time trajectories from adolescence to early adulthood: an analysis from a Brazilian birth cohort. , 2019, , .		0
113	Associations between growth and lung function in a birth cohort in Brazil. , 2019, , .		0
114	Agreement Between COPD Assessment Test (CAT) And Modified Medical Research Council (mMRC) Dyspnea Scores For GOLD COPD Classification: A Cross-Sectional Analyses. , 2019, , .		1
115	Lifelong robbery victimisation and mental disorders at age 18 years: Brazilian population-based study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 487-496.	1.6	6
116	Cohort Profile Update: The 1993 Pelotas (Brazil) Birth Cohort follow-up at 22 years. International Journal of Epidemiology, 2018, 47, 1389-1390e.	0.9	87
117	Countdown to 2030: tracking progress towards universal coverage for reproductive, maternal, newborn, and child health. Lancet, The, 2018, 391, 1538-1548.	6.3	309
118	Protocol for Objective Measurement of Infants' Physical Activity using Accelerometry. Medicine and Science in Sports and Exercise, 2018, 50, 1084-1092.	0.2	17
119	Socioeconomic position and sedentary behavior in Brazilian adolescents: A life-course approach. Preventive Medicine, 2018, 107, 29-35.	1.6	13
120	Association between interleukin-6, C-reactive protein and adiponectin with adiposity: Findings from the 1993 pelotas (Brazil) birth cohort at 18 and 22â€years. Cytokine, 2018, 110, 44-51.	1.4	15
121	Correlates of accelerometerâ€assessed physical activity in pregnancy—The 2015 Pelotas (Brazil) Birth Cohort Study. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 1934-1945.	1.3	12
122	Prevalence and impact of respiratory symptoms in a population of patients with COPD in Latin America: The LASSYC observational study. Respiratory Medicine, 2018, 134, 62-69.	1.3	13
123	Adverse Childhood Experiences (ACEs) and Adiposity in Adolescents: A Crossâ€Cohort Comparison. Obesity, 2018, 26, 150-159.	1.5	18
124	Association between leisure-time activities and school failure in adolescents: The 1993 Birth Cohort. PLoS ONE, 2018, 13, e0205793.	1.1	1
125	Outcomes for symptomatic non-obstructed individuals and individuals with mild (GOLD stage 1) COPD in a population based cohort. International Journal of COPD, 2018, Volume 13, 3549-3561.	0.9	10
126	Future directions for reducing inequity and maximising impact of child health strategies. BMJ: British Medical Journal, 2018, 362, k2684.	2.4	7

#	Article	IF	CITATIONS
127	Longitudinal association of adiposity with wheezing and atopy at 22 years: the 1993 Birth Cohort, Pelotas, Brazil. Journal of Asthma and Allergy, 2018, Volume 11, 283-291.	1.5	3
128	Are cytokines (IL-6, CRP and adiponectin) associated with bone mineral density in a young adult birth cohort?. BMC Musculoskeletal Disorders, 2018, 19, 427.	0.8	6
129	Respiratory medication used in COPD patients from seven Latin American countries: the LASSYC study. International Journal of COPD, 2018, Volume 13, 1545-1556.	0.9	29
130	Ethnic group inequalities in coverage with reproductive, maternal and child health interventions: cross-sectional analyses of national surveys in 16 Latin American and Caribbean countries. The Lancet Global Health, 2018, 6, e902-e913.	2.9	61
131	Income trajectories affect treatment of dental caries from childhood to young adulthood: a birth cohort study. Brazilian Oral Research, 2018, 32, e36.	0.6	11
132	Multiethnic meta-analysis identifies ancestry-specific and cross-ancestry loci for pulmonary function. Nature Communications, 2018, 9, 2976.	5.8	85
133	Social inequalities in care for the elderly with diabetes in Brazil. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2018, 42, e88.	0.6	5
134	Longitudinal association between adiposity and wheezing and atopy at 22 years: The 1993 Pelotas Birth Cohort, Brazil , 2018, , .		0
135	Parental Separation and Cardiometabolic Risk Factors in Late Adolescence: A Cross-Cohort Comparison. American Journal of Epidemiology, 2017, 185, 898-906.	1.6	10
136	Antenatal depressive symptoms among pregnant women: Evidence from a Southern Brazilian population-based cohort study. Journal of Affective Disorders, 2017, 209, 140-146.	2.0	59
137	Childhood maltreatment preceding depressive disorder at age 18 years: A prospective Brazilian birth cohort study. Journal of Affective Disorders, 2017, 217, 218-224.	2.0	48
138	Physical Activity Throughout Adolescence and Hba1c in Early Adulthood: Birth Cohort Study. Journal of Physical Activity and Health, 2017, 14, 375-381.	1.0	2
139	Caesarean section and adiposity at 6, 18 and 30Âyears of age: results from three Pelotas (Brazil) birth cohorts. BMC Public Health, 2017, 17, 256.	1.2	22
140	Bronchodilator Response in FVC Is Larger and More Relevant Than in FEV 1 in Severe Airflow Obstruction. Chest, 2017, 151, 1088-1098.	0.4	47
141	Age of sexual initiation and depression in adolescents: Data from the 1993 Pelotas (Brazil) Birth Cohort. Journal of Affective Disorders, 2017, 221, 259-266.	2.0	15
142	Physical activity levels objectively measured among older adults: a population-based study in a Southern city of Brazil. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 13.	2.0	39
143	Screen-based sedentary behavior during adolescence and pulmonary function in a birth cohort. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 82.	2.0	10
144	Is governance, gross domestic product, inequality, population size or country surface area associated with coverage and equity of health interventions? Ecological analyses of cross-sectional surveys from 80 countries. BMJ Global Health, 2017, 2, e000437.	2.0	13

#	Article	IF	CITATIONS
145	The PLATINO study: description of the distribution, stability, and mortality according to the Global Initiative for Chronic Obstructive Lung Disease classification from 2007 to 2017. International Journal of COPD, 2017, Volume 12, 1491-1501.	0.9	37
146	Violence against women, EspÃrito Santo, Brazil. Revista De Saude Publica, 2017, 51, 33.	0.7	33
147	Adherence to inhaled therapies of COPD patients from seven Latin American countries: The LASSYC study. PLoS ONE, 2017, 12, e0186777.	1.1	43
148	Visceral and subcutaneous abdominal adiposity and pulmonary function in 30-year-old adults: a cross-sectional analysis nested in a birth cohort. BMC Pulmonary Medicine, 2017, 17, 157.	0.8	13
149	Gender bias in careseeking practices in 57 low– and middle–income countries. Journal of Global Health, 2017, 7, 010418.	1.2	26
150	As coortes e as análises de ciclo vital, qual é a sua importância?. Cadernos De Saude Publica, 2017, 33, e00035717.	0.4	6
151	Validation of the PUMA score for detecting COPD in a primary care population at the Hospital Maciel, Montevideo. , 2017, , .		0
152	COPD incidence in subjects with risk factors, chronic respiratory symptoms and normal spirometry: The PLATINO study>. , 2017, , .		0
153	Body adiposity at 18 and 22 years and lung function at 22 years old. , 2017, , .		0
154	Summary indices for monitoring universal coverage in maternal and child health care. Bulletin of the World Health Organization, 2016, 94, 903-912.	1.5	52
155	Vitimização por crime na infância e adolescência segundo registros oficiais: coorte de nascimentos de Pelotas, Rio Grande do Sul, Brasil. Cadernos De Saude Publica, 2016, 32, e00072915.	0.4	2
156	Adverse childhood experiences and consumption of alcohol, tobacco and illicit drugs among adolescents of a Brazilian birth cohort. Cadernos De Saude Publica, 2016, 32, e00085815.	0.4	23
157	COMT and DAT1 genes are associated with hyperactivity and inattention traits in the 1993 Pelotas Birth Cohort: evidence of sex-specific combined effect. Journal of Psychiatry and Neuroscience, 2016, 41, 405-412.	1.4	17
158	Exame clÃnico das mamas e mamografia: desigualdades nas regiões Sul e Nordeste do Brasil. Revista Brasileira De Epidemiologia, 2016, 19, 1-13.	0.3	14
159	Physical activity throughout adolescence and body composition at 18Âyears: 1993 Pelotas (Brazil) birth cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 105.	2.0	29
160	Sleep Duration Trajectories and Body Composition in Adolescents: Prospective Birth Cohort Study. PLoS ONE, 2016, 11, e0152348.	1.1	18
161	Relationship between Body Composition and Pulmonary Function in Early Adult Life: A Cross-Sectional Analysis Nested in Two Birth Cohort Studies. PLoS ONE, 2016, 11, e0163428.	1.1	12
162	Missed opportunities in full immunization coverage: findings from low- and lower-middle-income countries. Global Health Action, 2016, 9, 30963.	0.7	62

#	Article	IF	CITATIONS
163	COMT and prenatal maternal smoking in associations with conduct problems and crime: the Pelotas 1993 birth cohort study. Scientific Reports, 2016, 6, 29900.	1.6	11
164	Attention-Deficit/Hyperactivity Disorder Trajectories From Childhood to Young Adulthood. JAMA Psychiatry, 2016, 73, 705.	6.0	265
165	Multimorbidity in adults from a southern Brazilian city: occurrence and patterns. International Journal of Public Health, 2016, 61, 1013-1020.	1.0	29
166	Correlates of self-reported weekday sleep duration in adolescents: the 18-year follow-up of the 1993 Pelotas (Brazil) Birth Cohort Study. Sleep Medicine, 2016, 23, 81-88.	0.8	18
167	Social Support and Leisure-Time Physical Activity Among the Elderly: A Population-Based Study. Journal of Physical Activity and Health, 2016, 13, 599-605.	1.0	49
168	Physical Activity in Early Adolescence and Pulmonary Function Gain From 15 to 18 Years of Age in a Birth Cohort in Brazil. Journal of Physical Activity and Health, 2016, 13, 1164-1173.	1.0	8
169	Heart rate reactivity and antisocial behaviour: Table 1 International Journal of Epidemiology, 2016, 45, 1687-1689.	0.9	1
170	Impact of the age at menarche on body composition in adulthood: results from two birth cohort studies. BMC Public Health, 2016, 16, 1007.	1.2	16
171	Adiposity during adolescence and carotid intima-media thickness in adulthood: Results from the 1993 Pelotas Birth Cohort. Atherosclerosis, 2016, 255, 25-30.	0.4	9
172	Inequalities in the coverage of place of delivery and skilled birth attendance: analyses of cross-sectional surveys in 80 low and middle-income countries. Reproductive Health, 2016, 13, 77.	1.2	53
173	Adverse childhood experiences: Prevalence and related factors in adolescents of a Brazilian birth cohort. Child Abuse and Neglect, 2016, 51, 21-30.	1.3	124
174	Low resting heart rate is associated with violence in late adolescence: a prospective birth cohort study in Brazil. International Journal of Epidemiology, 2016, 45, 491-500.	0.9	31
175	A nationwide population-based study of depression in Brazil. Journal of Affective Disorders, 2016, 192, 226-233.	2.0	80
176	Inequalities in full immunization coverage: trends in low- and middle-income countries. Bulletin of the World Health Organization, 2016, 94, 794-805A.	1.5	120
177	Physical Activity During Adolescence and Lung Function Gain from 15 to 18 Years of Age. Medicine and Science in Sports and Exercise, 2016, 48, 241.	0.2	Ο
178	Abdominal adiposity measured by ultrasound and pulmonary function: A cross-sectional analysis nested in a birth cohort. , 2016, , .		0
179	Is there a direct effect of physical activity on lung function gain in adolescents? The 1993 Pelotas (Brazil) birth cohort. , 2016, , .		0
180	Intrauterine exposure to smoking and wheezing in adolescence: the 1993 Pelotas Birth Cohort. Journal of Developmental Origins of Health and Disease, 2015, 6, 217-224.	0.7	3

#	Article	IF	CITATIONS
181	Effect of breastfeeding on bone mass from childhood to adulthood: a systematic review of the literature. International Breastfeeding Journal, 2015, 10, 31.	0.9	14
182	Physical Activity throughout Adolescence and Cognitive Performance at 18 Years of Age. Medicine and Science in Sports and Exercise, 2015, 47, 2552-2557.	0.2	16
183	Frequência do uso de narguilé em adultos e sua distribuição conforme caracterÃsticas sociodemográficas, moradia urbana ou rural e unidades federativas: Pesquisa Nacional de Saúde (PNS), 2013. Revista Brasileira De Epidemiologia, 2015, 18, 57-67.	0.3	9
184	Prevalência de diagnóstico médico de asma em adultos brasileiros: Pesquisa Nacional de Saúde, 2013. Revista Brasileira De Epidemiologia, 2015, 18, 204-213.	0.3	26
185	Instability in the COPD Diagnosis upon Repeat Testing Vary with the Definition of COPD. PLoS ONE, 2015, 10, e0121832.	1.1	19
186	Body mass index at 11Âyears and bone mass at age 18: path analysis within the 1993 Pelotas (Brazil) birth cohort study. BMC Musculoskeletal Disorders, 2015, 16, 71.	0.8	7
187	African ancestry, lung function and the effect of genetics. European Respiratory Journal, 2015, 45, 1582-1589.	3.1	39
188	Gene-Environment Interaction in Youth Depression: Replication of the 5-HTTLPR Moderation in a Diverse Setting. American Journal of Psychiatry, 2015, 172, 978-985.	4.0	22
189	Breastfeeding and Bone Mass at the Ages of 18 and 30: Prospective Analysis of Live Births from the Pelotas (Brazil) 1982 and 1993 Cohorts. PLoS ONE, 2015, 10, e0122759.	1.1	1
190	Trends in prevalence and inequalities in wheezing and medical diagnosis of asthma during adolescence: The Pelotas 1993 birth cohort, Brazil. , 2015, , .		0
191	Body composition and pulmonary function at 18 years old: Findings from a birth cohort in southern Brazil. , 2015, , .		0
192	Inequalities in smoking prevalence during pregnancy: Comparing results from 53 low and middle income countries. , 2015, , .		0
193	Inequalities on medical diagnosis and underdiagnosis of COPD: The PLATINO study. , 2015, , .		Ο
194	Progress in reducing inequalities in reproductive, maternal, newborn,' and child health in Latin America and the Caribbean: an unfinished agenda. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 9-16.	0.6	36
195	Assessment of inhaler techniques employed by patients with respiratory diseases in southern Brazil: a population-based study. Jornal Brasileiro De Pneumologia, 2014, 40, 513-520.	0.4	18
196	Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18 years old. The 1993 Pelotas Birth Cohort. Early Human Development, 2014, 90, 901-906.	0.8	8
197	Increased Risk of Exacerbation and Hospitalization in Subjects With an Overlap Phenotype. Chest, 2014, 145, 297-304.	0.4	320
198	Cohort Profile update: The 1993 Pelotas (Brazil) Birth Cohort follow-up visits in adolescence. International Journal of Epidemiology, 2014, 43, 1082-1088.	0.9	117

#	Article	IF	CITATIONS
199	A Population-Based Cohort Study on Chronic Obstructive Pulmonary Disease in Latin America: Methods and Preliminary Results. The PLATINO Study Phase II. Archivos De Bronconeumologia, 2014, 50, 10-17.	0.4	10
200	Estudio de cohorte de base poblacional sobre la enfermedad pulmonar obstructiva crónica en Latinoamérica: métodos y resultados preliminares. Fase II del estudio PLATINO. Archivos De Bronconeumologia, 2014, 50, 10-17.	0.4	13
201	FEV1 Is a Better Predictor of Mortality than FVC: The PLATINO Cohort Study. PLoS ONE, 2014, 9, e109732.	1.1	58
202	Life-course evidence of birth weight effects on bone mass: systematic review and meta-analysis. Osteoporosis International, 2013, 24, 7-18.	1.3	57
203	Inequalities in Pap smear screening for cervical cancer in Brazil. Preventive Medicine, 2013, 57, 366-371.	1.6	19
204	Inhaler use in adolescents and adults with self-reported physician-diagnosed asthma, bronchitis, or emphysema in the city of Pelotas, Brazil. Jornal Brasileiro De Pneumologia, 2013, 39, 287-295.	0.4	4
205	Reliability of FEV1/FEV6 to Diagnose Airflow Obstruction Compared with FEV1/FVC: The PLATINO Longitudinal Study. PLoS ONE, 2013, 8, e67960.	1.1	24
206	Happiness and Depression in Adolescence after Maternal Smoking during Pregnancy: Birth Cohort Study. PLoS ONE, 2013, 8, e80370.	1.1	37
207	Physical Activity and Lung Function in Adolescents: The 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S27-S31.	1.2	23
208	Socioeconomic Changes and Adolescent Psychopathology in a Brazilian Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S5-S10.	1.2	21
209	Waist circumference and pulmonary function: a systematic review and meta-analysis. Systematic Reviews, 2012, 1, 55.	2.5	58
210	Tendência temporal de asma em crianças e adolescentes no Brasil no perÃodo de 1998 a 2008. Revista De Saude Publica, 2012, 46, 242-250.	0.7	26
211	Trends in self-reported arterial hypertension in Brazilian adults: an analysis of data from the Brazilian National Household Sample Survey, 1998-2008. Cadernos De Saude Publica, 2012, 28, 1599-1607.	0.4	6
212	Consumo de carnes por adolescentes do Sul do Brasil. Revista De Nutricao, 2012, 25, 463-472.	0.4	4
213	Programas de reabilitação pulmonar em pacientes com DPOC. Jornal Brasileiro De Pneumologia, 2011, 37, 544-555.	0.4	15
214	SP3-37 Tobacco smoking in Brazil: regional inequalities and prevalence according to occupational characteristics. Journal of Epidemiology and Community Health, 2011, 65, A418-A418.	2.0	1
215	SP6-55 Sexual development and lung function in adolescents aged 15 years old: the 1993 pelotas birth cohort. Journal of Epidemiology and Community Health, 2011, 65, A469-A469.	2.0	0
216	P2-320 Asthma trends in Brazilian children and adolescents: results from the Brazilian National Survey (PNAD/IBGE) 1998-2008. Journal of Epidemiology and Community Health, 2011, 65, A311-A311.	2.0	0

#	Article	IF	CITATIONS
217	Socioeconomic trajectory from birth to adolescence and lung function: prospective birth cohort study. BMC Public Health, 2011, 11, 596.	1.2	17
218	Sleep problems and associated factors in a rural population of a Southern Brazilian city. Revista De Saude Publica, 0, 52, 5s.	0.7	16
219	Multiple imputation to deal with missing objectively-measured physical activity data: findings from two cohorts. Revista Brasileira De Atividade FÃsica E Saúde, 0, 26, 1-8.	0.1	0
220	Association of physical activity with sleep health: A systematic review. Revista Brasileira De Atividade FÃsica E Saúde, O, 23, 1-26.	0.1	4
221	Objectively measured physical activity according to the periods of the day in the Pelotas Cohort. Revista Brasileira De Atividade FÃsica E Saúde, 0, 25, 1-10.	0.1	2
222	Early Detection of Bipolar Disorder Four Years Before Onset in a 22-Year Population-Based Birth Cohort Using Advanced Machine Learning Techniques. SSRN Electronic Journal, 0, , .	0.4	1