## Xiumei Lu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10237404/publications.pdf

Version: 2024-02-01

1307594 1058476 22 233 7 14 citations h-index g-index papers 22 22 22 131 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	A new antlion genus (Neuroptera: Myrmeleontidae) from mid-Cretaceous amber of northern Myanmar. Cretaceous Research, 2022, , 105162.	1.4	O
2	New Cretaceous Lacewings in a Transitional Lineage of Myrmeleontoidea and Their Phylogenetic Implications. Insects, 2022, 13, 429.	2.2	0
3	The Neuropterida from the mid-Cretaceous of Myanmar: A spectacular palaeodiversity bridging the Mesozoic and present faunas. Cretaceous Research, 2021, 121, 104727.	1.4	16
4	New Cretaceous antlion-like lacewings promote a phylogenetic reappraisal of the extinct myrmeleontoid family Babinskaiidae. Scientific Reports, 2021, 11, 16431.	3.3	4
5	A new and diverse paleofauna of the extinct snakefly family Baissopteridae from the mid-Cretaceous of Myanmar (Raphidioptera). Organisms Diversity and Evolution, 2020, 20, 565-595.	1.6	6
6	Cretaceous diversity and disparity in a lacewing lineage of predators (Neuroptera: Mantispidae). Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20200629.	2.6	11
7	New antlions (Insecta: Neuroptera: Myrmeleontidae) from the mid-Cretaceous of Myanmar and their phylogenetic implications. Journal of Systematic Palaeontology, 2019, 17, 1215-1232.	1.5	8
8	Taxonomic notes on dustywings of Aleuropteryginae (Insecta,ÂNeuroptera, Coniopterygidae) from the mid-Cretaceous Burmese amber. Cretaceous Research, 2019, 98, 122-135.	1.4	7
9	Early evolution of Nemopteridae illuminated with the first and oldest threadâ€winged lacewing in Cretaceous amber. Systematic Entomology, 2019, 44, 262-272.	3.9	5
10	Liverwort Mimesis in a Cretaceous Lacewing Larva. Current Biology, 2018, 28, 1475-1481.e1.	3.9	53
11	High niche diversity in Mesozoic pollinating lacewings. Nature Communications, 2018, 9, 3793.	12.8	26
12	Taxonomic notes on Cretarophalis patrickmuelleri Wichard, 2017 (Insecta: Neuroptera: Nevrorthidae) from the mid-Cretaceous of Myanmar, and its phylogenetic significance. Zootaxa, 2018, 4370, 591-600.	0.5	7
13	The first green lacewing (Insecta: Neuroptera: Chrysopidae) from the mid-Cretaceous amber of Myanmar. Zootaxa, 2018, 4399, 563-570.	0.5	7
14	Taxonomic notes on Babinskaiidae from the Cretaceous Burmese amber, with the description of a new species (Insecta, Neuroptera). ZooKeys, 2018, 748, 31-46.	1.1	10
15	Phylogenetic position of Corydasialidae (Insecta: Neuropterida) revisited based on a significant new fossil in Cretaceous amber of Myanmar. Journal of Systematic Palaeontology, 2017, 15, 571-581.	1.5	9
16	First description of female of Haplosialodes liui Huang et al., 2016 (Megaloptera: Sialidae) from Cretaceous Burmese amber. Zootaxa, 2017, 4258, 172.	0.5	4
17	The first moth lacewing (Insecta: Neuroptera: Ithonidae) from the mid-Cretaceous amber of Myanmar. Cretaceous Research, 2017, 78, 78-83.	1.4	8
18	New genera and species of the family Dipteromantispidae (Insecta: Neuroptera) from the Cretaceous amber of Myanmar and New Jersey. Cretaceous Research, 2017, 72, 18-25.	1.4	9

## Хіимеі Lu

#	Article	IF	CITATION
19	Discovery of the family Babinskaiidae (Insecta: Neuroptera) in mid-Cretaceous amber from Myanmar. Cretaceous Research, 2017, 71, 14-23.	1.4	16
20	New genus and species of silky lacewing (Insecta: Neuroptera: Psychopsidae) from the mid-Cretaceous Burmese amber. Zootaxa, 2017, 4291, .	0.5	6
21	New genera and species of the minute snakeflies (Raphidioptera:ÂMesoraphidiidae: Nanoraphidiini) from the mid Cretaceous of Myanmar. Zootaxa, 2016, 4103, 301-24.	0.5	16
22	Discovery of the twisted-wing parasite family Myrmecolacidae (Insecta: Strepsiptera) from China, with description of two new species of the genus Myrmecolax Westwood, 1861. Zootaxa, 2014, 3881, 385-95.	0.5	5