

Henryk SkarÅ^{1/4}yÅ,,ski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1025120/publications.pdf>

Version: 2024-02-01

294
papers

5,780
citations

109321
35
h-index

118850
62
g-index

314
all docs

314
docs citations

314
times ranked

3646
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Factors Affecting Auditory Performance of Postlinguistically Deaf Adults Using Cochlear Implants: An Update with 2251 Patients. <i>Audiology and Neuro-Otology</i> , 2013, 18, 36-47. | 1.3 | 477 |
| 2 | Pre-, Per- and Postoperative Factors Affecting Performance of Postlinguistically Deaf Adults Using Cochlear Implants: A New Conceptual Model over Time. <i>PLoS ONE</i> , 2012, 7, e48739. | 2.5 | 347 |
| 3 | Cochlear Implantation With Hearing Preservation Yields Significant Benefit for Speech Recognition in Complex Listening Environments. <i>Ear and Hearing</i> , 2013, 34, 413-425. | 2.1 | 189 |
| 4 | Preservation of low frequency hearing in partial deafness cochlear implantation (PDCI) using the round window surgical approach. <i>Acta Oto-Laryngologica</i> , 2007, 127, 41-48. | 0.9 | 170 |
| 5 | Towards a consensus on a hearing preservation classification system. <i>Acta Oto-Laryngologica</i> , 2013, 133, 3-13. | 0.9 | 155 |
| 6 | Partial deafness cochlear implantation provides benefit to a new population of individuals with hearing loss. <i>Acta Oto-Laryngologica</i> , 2006, 126, 934-940. | 0.9 | 103 |
| 7 | Evaluation of Performance with the COMBI 40 Cochlear Implant in Adults: A Multicentric Clinical Study. <i>Orl</i> , 1997, 59, 23-35. | 1.1 | 102 |
| 8 | Preservation of Residual Hearing in Children and Post-Lingually Deafened Adults after Cochlear Implantation: An Initial Study. <i>Orl</i> , 2002, 64, 247-253. | 1.1 | 97 |
| 9 | M34T and V37I mutations in <i>GJB2</i> associated hearing impairment: Evidence for pathogenicity and reduced penetrance. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 2534-2543. | 1.2 | 92 |
| 10 | Outcomes of Treatment of Partial Deafness With Cochlear Implantation: A DUET Study. <i>Laryngoscope</i> , 2008, 118, 288-294. | 2.0 | 91 |
| 11 | Partial Deafness Treatment with the Nucleus Straight Research Array Cochlear Implant. <i>Audiology and Neuro-Otology</i> , 2012, 17, 82-91. | 1.3 | 88 |
| 12 | Partial deafness cochlear implantation in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2007, 71, 1407-1413. | 1.0 | 81 |
| 13 | A Retrospective Multicenter Study Comparing Speech Perception Outcomes for Bilateral Implantation and Bimodal Rehabilitation. <i>Ear and Hearing</i> , 2015, 36, 408-416. | 2.1 | 70 |
| 14 | Screening for pre-school and school-age hearing problems: European Consensus Statement. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2012, 76, 120-121. | 1.0 | 69 |
| 15 | Cochlear Implantation With the Nucleus Slim Straight Electrode in Subjects With Residual Low-Frequency Hearing. <i>Ear and Hearing</i> , 2014, 35, e33-e43. | 2.1 | 65 |
| 16 | Results of Partial Deafness Cochlear Implantation Using Various Electrode Designs. <i>Audiology and Neuro-Otology</i> , 2009, 14, 39-45. | 1.3 | 64 |
| 17 | Remote fitting in Nucleus cochlear implant recipients. <i>Acta Oto-Laryngologica</i> , 2010, 130, 1379-1388. | 0.9 | 63 |
| 18 | Atraumatic round window deep insertion of cochlear electrodes. <i>Acta Oto-Laryngologica</i> , 2011, 131, 740-749. | 0.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The relationship between distortion product otoacoustic emissions and extended high-frequency audiometry in tinnitus patients. Part 1: Normally hearing patients with unilateral tinnitus. Medical Science Monitor, 2012, 18, CR765-CR770. | 1.1 | 57 |
| 20 | Music Perception in Electric Acoustic Stimulation Users as Assessed by the Mu.S.I.C. Test. Advances in Oto-Rhino-Laryngology, 2010, 67, 70-80. | 1.6 | 55 |
| 21 | Direct round window stimulation with the Med-El Vibrant Soundbridge: 5Âyears of experience using a technique without interposed fascia. European Archives of Oto-Rhino-Laryngology, 2014, 271, 477-482. | 1.6 | 55 |
| 22 | Complications in septoplasty based on a large group of 5639 patients. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1789-1794. | 1.6 | 55 |
| 23 | Mutation analysis of mitochondrial 12S rRNA gene in Polish patients with non-syndromic and aminoglycoside-induced hearing loss. Biochemical and Biophysical Research Communications, 2010, 395, 116-121. | 2.1 | 47 |
| 24 | New Outcomes With Auditory Brainstem Implants in NF2 Patients. Otology and Neurotology, 2014, 35, 1844-1851. | 1.3 | 46 |
| 25 | A new method of partial deafness treatment. Medical Science Monitor, 2003, 9, CS20-4. | 1.1 | 46 |
| 26 | Correlation between Ki-67 index and some clinical aspects of acoustic neuromas (vestibular) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 T | 1.9 | 45 |
| 27 | Evoked Stapedius Reflex and Compound Action Potential Thresholds versus Most Comfortable Loudness Level: Assessment of Their Relation for Charge-Based Fitting Strategies in Implant Users. Orl, 2011, 73, 189-195. | 1.1 | 45 |
| 28 | A new cochlear implant electrode design for preservation of residual hearing: a temporal bone study. Acta Oto-Laryngologica, 2010, 130, 435-442. | 0.9 | 43 |
| 29 | Hearing preservation cochlear implantation in children: The HEARRING Group consensus and practice guide. Cochlear Implants International, 2018, 19, 1-13. | 1.2 | 43 |
| 30 | Partial Deafness Treatment. Cochlear Implants International, 2010, 11, 29-41. | 1.2 | 42 |
| 31 | Preservation of Hearing Following Cochlear Implantation Using Different Steroid Therapy Regimens: A Prospective Clinical Study. Medical Science Monitor, 2018, 24, 2437-2445. | 1.1 | 42 |
| 32 | A modified oddball paradigm for investigation of neural correlates of attention: a simultaneous ERP&€fMRI study. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2013, 26, 511-526. | 2.0 | 41 |
| 33 | Cognitive Improvement After Cochlear Implantation in Older Adults With Severe or Profound Hearing Impairment: A Prospective, Longitudinal, Controlled, Multicenter Study. Ear and Hearing, 2021, 42, 606-614. | 2.1 | 41 |
| 34 | Hearing preservation surgery: Psychophysical estimates of cochlear damage in recipients of a short electrode array. Journal of the Acoustical Society of America, 2008, 124, 2164-2173. | 1.1 | 40 |
| 35 | Electric Acoustic Stimulation in Children. Advances in Oto-Rhino-Laryngology, 2009, 67, 135-143. | 1.6 | 39 |
| 36 | Adaptation of the Tinnitus Handicap Inventory into Polish and its testing on a clinical population of tinnitus sufferers. International Journal of Audiology, 2017, 56, 711-715. | 1.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The growth of acoustic neuromas in volumetric radiologic assessment. The American Journal of Otology, 1999, 20, 244-8. | 0.4 | 38 |
| 38 | Fine Structure Processing improves speech perception as well as objective and subjective benefits in pediatric MED-EL COMBI 40+ users. International Journal of Pediatric Otorhinolaryngology, 2010, 74, 1372-1378. | 1.0 | 37 |
| 39 | Processing load during listening: The influence of task characteristics on the pupil response. Language and Cognitive Processes, 2013, 28, 426-442. | 2.2 | 37 |
| 40 | Novel neuro-audiological findings and further evidence for TWNK involvement in Perrault syndrome. Journal of Translational Medicine, 2017, 15, 25. | 4.4 | 36 |
| 41 | Distances between the cochlea and adjacent structures related to cochlear implant surgery. Surgical and Radiologic Anatomy, 1998, 20, 267-271. | 1.2 | 35 |
| 42 | Dose-dependent protection on cisplatin-induced ototoxicity – an electrophysiological study on the effect of three antioxidants in the Sprague-Dawley rat animal model. Medical Science Monitor, 2011, 17, BR179-BR186. | 1.1 | 34 |
| 43 | Satisfaction With Cochlear Implants in Postlingually Deaf Adults and Its Nonaudiological Predictors. Ear and Hearing, 2015, 36, 605-618. | 2.1 | 34 |
| 44 | Electrically evoked compound action potentials are different depending on the site of cochlear stimulation. Cochlear Implants International, 2016, 17, 251-262. | 1.2 | 34 |
| 45 | Central auditory processing disorder (CAPD) tests in a school-age hearing screening programme – analysis of 76,429 children. Annals of Agricultural and Environmental Medicine, 2015, 22, 90-95. | 1.0 | 33 |
| 46 | Hearing preservation in partial deafness treatment. Medical Science Monitor, 2010, 16, CR555-62. | 1.1 | 33 |
| 47 | Synchronized spontaneous otoacoustic emissions analyzed in a time-frequency domain. Journal of the Acoustical Society of America, 2008, 124, 3720-3729. | 1.1 | 32 |
| 48 | Health-related quality of life and mental distress in patients with partial deafness: preliminary findings. European Archives of Oto-Rhino-Laryngology, 2016, 273, 767-776. | 1.6 | 30 |
| 49 | Prevention of communication disorders – screening pre-school and school-age children for problems with hearing, vision and speech: European Consensus Statement. Medical Science Monitor, 2012, 18, SR17-SR21. | 1.1 | 29 |
| 50 | Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. Journal of Laryngology and Otology, 2016, 130, 332-339. | 0.8 | 29 |
| 51 | Electric stimulation complements functional residual hearing in partial deafness. Acta Oto-Laryngologica, 2010, 130, 888-896. | 0.9 | 28 |
| 52 | Production and evaluation of a Polish version of the LittleEars questionnaire for the assessment of auditory development in infants. International Journal of Pediatric Otorhinolaryngology, 2009, 73, 1035-1042. | 1.0 | 27 |
| 53 | Troublesome Tinnitus in Children: Epidemiology, Audiological Profile, and Preliminary Results of Treatment. International Journal of Pediatrics (United Kingdom), 2012, 2012, 1-5. | 0.8 | 27 |
| 54 | Auditory Brainstem Implantation Improves Speech Recognition in Neurofibromatosis Type II Patients. Orl, 2013, 75, 282-295. | 1.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Comparative Study on Speech in Noise Understanding with a Direct Acoustic Cochlear Implant in Subjects with Severe to Profound Mixed Hearing Loss. <i>Audiology and Neuro-Otology</i> , 2014, 19, 164-174. | 1.3 | 27 |
| 56 | Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 1896-1900. | 1.0 | 27 |
| 57 | Laser and chemical surface modifications of titanium grade 2 for medical application. <i>Applied Surface Science</i> , 2015, 336, 267-273. | 6.1 | 27 |
| 58 | Visual Analogue Scales as a Tool for Initial Assessment of Tinnitus Severity: Psychometric Evaluation in a Clinical Population. <i>Audiology and Neuro-Otology</i> , 2018, 23, 229-237. | 1.3 | 27 |
| 59 | ESRT and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , 2004, 5, 28-37. | 1.2 | 26 |
| 60 | Tinnitus reported by children aged 7 and 12 years. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 1346-1350. | 1.0 | 25 |
| 61 | ESRT, ART, and MCL Correlations in Experienced Paediatric Cochlear Implant Users. <i>Cochlear Implants International</i> , 2010, 11, 482-484. | 1.2 | 24 |
| 62 | A revised grading system for the Tinnitus Handicap Inventory based on a large clinical population. <i>International Journal of Audiology</i> , 2020, 59, 61-67. | 1.7 | 24 |
| 63 | C113 Skarzyski PDT (Partial Deafness Treatment) classification. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011, 75, 53-54. | 1.0 | 23 |
| 64 | Quality standards for bone conduction implants. <i>Acta Oto-Laryngologica</i> , 2015, 135, 1277-1285. | 0.9 | 23 |
| 65 | Assessment of Auditory Skills in 140 Cochlear Implant Children Using the EARS Protocol. <i>Orl</i> , 2003, 65, 91-96. | 1.1 | 22 |
| 66 | Cochlear Implants in Subjects Over Age 65: Quality of Life and Audiological Outcomes. <i>Medical Science Monitor</i> , 2016, 22, 3035-3042. | 1.1 | 22 |
| 67 | Tinnitus and Hearing Survey: A Polish Study of Validity and Reliability in a Clinical Population. <i>Audiology and Neuro-Otology</i> , 2017, 22, 197-204. | 1.3 | 22 |
| 68 | Quality of the voice after injection of hyaluronic acid into the vocal fold. <i>Medical Science Monitor</i> , 2013, 19, 276-282. | 1.1 | 22 |
| 69 | Consensus Statement on Bone Conduction Devices and Active Middle Ear Implants in Conductive and Mixed Hearing Loss. <i>Otology and Neurotology</i> , 2022, 43, 513-529. | 1.3 | 22 |
| 70 | Genetics of presbycusis and presbystasis. <i>International Journal of Immunopathology and Pharmacology</i> , 2015, 28, 29-35. | 2.1 | 21 |
| 71 | The Bonebridge implant in older children and adolescents with mixed or conductive hearing loss: Audiological outcomes. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019, 118, 97-102. | 1.0 | 21 |
| 72 | Validation of the LittleEARS Auditory Questionnaire in cochlear implanted infants and toddlers. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 93, 107-116. | 1.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. <i>Restorative Neurology and Neuroscience</i> , 2019, 37, 155-166. | 0.7 | 20 |
| 74 | Prevalence of hearing loss among polish school-age children from rural areas â€“ Results of hearing screening program in the sample of 67 416 children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 128, 109676. | 1.0 | 20 |
| 75 | Novel and De Novo Mutations Extend Association of POU3F4 with Distinct Clinical and Radiological Phenotype of Hearing Loss. <i>PLoS ONE</i> , 2016, 11, e0166618. | 2.5 | 20 |
| 76 | Tone-Burst and Click-Evoked Otoacoustic Emissions in Subjects With Hearing Loss Above 0.25, 0.5, and 1 kHz. <i>Ear and Hearing</i> , 2012, 33, 757-767. | 2.1 | 19 |
| 77 | Postlingual Hearing Loss as a Mitochondrial 3243A>G Mutation Phenotype. <i>PLoS ONE</i> , 2012, 7, e44054. | 2.5 | 19 |
| 78 | The Bonebridge in Adults with Mixed and Conductive Hearing Loss: Audiological and Quality of Life Outcomes. <i>Audiology and Neuro-Otology</i> , 2019, 24, 90-99. | 1.3 | 19 |
| 79 | Binaural advantages in using a cochlear implant for adults with profound unilateral hearing loss. <i>Acta Oto-Laryngologica</i> , 2019, 139, 153-161. | 0.9 | 19 |
| 80 | Treatment of otological features of the oculoauriculovertebral dysplasia (Goldenhar syndrome). <i>International Journal of Pediatric Otorhinolaryngology</i> , 2009, 73, 915-921. | 1.0 | 18 |
| 81 | A connection between the Efferent Auditory System and Noise-Induced Tinnitus Generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. <i>Medical Science Monitor</i> , 2011, 17, MT56-MT62. | 1.1 | 18 |
| 82 | Timeâ€“frequency analysis of linear and nonlinear otoacoustic emissions and removal of a short-latency stimulus artifact. <i>Journal of the Acoustical Society of America</i> , 2012, 131, 2200-2208. | 1.1 | 18 |
| 83 | Self-esteem in the deaf who have become cochlear implant users as adults. <i>PLoS ONE</i> , 2018, 13, e0203680. | 2.5 | 18 |
| 84 | Altered Functional Connectivity in Patients With Sloping Sensorineural Hearing Loss. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 284. | 2.0 | 18 |
| 85 | A Comparative Study of a Novel Adhesive Bone Conduction Device and Conventional Treatment Options for Conductive Hearing Loss. <i>Otology and Neurotology</i> , 2019, 40, 858-864. | 1.3 | 18 |
| 86 | Use of the matching pursuit algorithm with a dictionary of asymmetric waveforms in the analysis of transient evoked otoacoustic emissions. <i>Journal of the Acoustical Society of America</i> , 2009, 126, 3137-3146. | 1.1 | 17 |
| 87 | The hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. <i>Acta Oto-Laryngologica</i> , 2017, 137, 723-729. | 0.9 | 17 |
| 88 | A new oral otoprotective agent. Part 1: Electrophysiology data from protection against noise-induced hearing loss. <i>Medical Science Monitor</i> , 2012, 18, BR1-BR8. | 1.1 | 17 |
| 89 | CJB2 and hearing impairment: promoter defects do not explain the excess of monoallelic mutations. <i>Journal of Medical Genetics</i> , 2008, 45, 607-608. | 3.2 | 16 |
| 90 | Organization of the Hearing Screening Examinations in Polish Schools in Rural Areas and Small Towns. <i>Cochlear Implants International</i> , 2010, 11, 143-147. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Reduced resting-state brain activity in the default mode network in children with (central) auditory processing disorders. Behavioral and Brain Functions, 2014, 10, 33. | 3.3 | 16 |
| 92 | Tonotopic organisation of the auditory cortex in sloping sensorineural hearing loss. Hearing Research, 2017, 355, 81-96. | 2.0 | 16 |
| 93 | Two Novel Pathogenic Variants Confirm RMND1 Causative Role in Perrault Syndrome with Renal Involvement. Genes, 2020, 11, 1060. | 2.4 | 16 |
| 94 | Heightened visual attention does not affect inner ear function as measured by otoacoustic emissions. PeerJ, 2017, 5, e4199. | 2.0 | 16 |
| 95 | Project of the countrywide data collecting system for neonatal hearing screening programme in Poland. Scandinavian Audiology, 2001, 30, 197-198. | 0.5 | 15 |
| 96 | Otoacoustic emissions evoked by 0.5 kHz tone bursts. Journal of the Acoustical Society of America, 2009, 125, 3158. | 1.1 | 15 |
| 97 | Molecular signaling of the HMGB1/RAGE axis contributes to cholesteatoma pathogenesis. Journal of Molecular Medicine, 2015, 93, 305-314. | 3.9 | 15 |
| 98 | Whole exome sequencing identifies TRIOBP pathogenic variants as a cause of post-lingual bilateral moderate-to-severe sensorineural hearing loss. BMC Medical Genetics, 2017, 18, 142. | 2.1 | 15 |
| 99 | Relationship Between Tinnitus Loudness Measure by Visual Analogue Scale and Psychoacoustic Matching of Tinnitus Loudness. Otology and Neurotology, 2019, 40, 16-21. | 1.3 | 15 |
| 100 | Effects of training and using an audio-tactile sensory substitution device on speech-in-noise understanding. Scientific Reports, 2022, 12, 3206. | 3.3 | 15 |
| 101 | Towards neural correlates of auditory stimulus processing: A simultaneous auditory evoked potentials and functional magnetic resonance study using an odd-ball paradigm. Medical Science Monitor, 2014, 20, 35-46. | 1.1 | 14 |
| 102 | Effectiveness of tinnitus therapy using a mobile application. European Archives of Oto-Rhino-Laryngology, 2022, 279, 1257-1267. | 1.6 | 14 |
| 103 | Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input/output-functions and auditory steady state responses. International Journal of Audiology, 2009, 48, 625-631. | 1.7 | 13 |
| 104 | A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. Acta Oto-Laryngologica, 2012, 132, 739-750. | 0.9 | 13 |
| 105 | Attention Dysfunction Subtypes of Developmental Dyslexia. Medical Science Monitor, 2014, 20, 2256-2268. | 1.1 | 13 |
| 106 | Sudden sensorineural hearing loss: Is there a connection with inner ear electrolytic disorders? A literature review. International Journal of Immunopathology and Pharmacology, 2016, 29, 595-602. | 2.1 | 13 |
| 107 | Round window stimulation with the Vibrant Soundbridge: Comparison of direct and indirect coupling. Laryngoscope, 2017, 127, 2843-2849. | 2.0 | 13 |
| 108 | Clinically important change in tinnitus sensation after stapedotomy. Health and Quality of Life Outcomes, 2018, 16, 208. | 2.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The contribution of the mitochondrial COI/tRNASer(UCN) gene mutations to non-syndromic and aminoglycoside-induced hearing loss in Polish patients. <i>Molecular Genetics and Metabolism</i> , 2011, 104, 153-159. | 1.1 | 12 |
| 110 | Otoacoustic Emissions before and after Listening to Music on a Personal Player. <i>Medical Science Monitor</i> , 2014, 20, 1426-1431. | 1.1 | 12 |
| 111 | Otoacoustic Emissions in Smoking and Nonsmoking Young Adults. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015, 8, 303. | 2.1 | 12 |
| 112 | Neurophysiological maturation in adolescence â€“ vulnerability and counteracting addiction to alcohol. <i>Annals of Agricultural and Environmental Medicine</i> , 2017, 24, 19-25. | 1.0 | 12 |
| 113 | Effect of yoga training on the tinnitus induced distress. <i>Complementary Therapies in Clinical Practice</i> , 2019, 36, 7-11. | 1.7 | 12 |
| 114 | Diagnosis of laryngopharyngeal reflux in children with voice disorders using 24-hour pharyngeal pH monitoring. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019, 121, 188-196. | 1.0 | 12 |
| 115 | Hearing Preservation With the Use of Flex20 and Flex24 Electrodes in Patients With Partial Deafness. <i>Otology and Neurotology</i> , 2019, 40, 1153-1159. | 1.3 | 12 |
| 116 | ESRT and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , 2004, 5, 28-37. | 1.2 | 12 |
| 117 | Audio Profiles in Mitochondrial Deafness m.1555A>G and m.3243A>G Show Distinct Differences. <i>Medical Science Monitor</i> , 2015, 21, 694-700. | 1.1 | 12 |
| 118 | Evaluation of the Bonebridge BCI 602 active bone conductive implant in adults: efficacy and stability of audiological, surgical, and functional outcomes. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3525-3534. | 1.6 | 12 |
| 119 | Standards of practice in the field of hearing implants. <i>Cochlear Implants International</i> , 2013, 14, S1-S5. | 1.2 | 11 |
| 120 | Long-term results of partial deafness treatment. <i>Cochlear Implants International</i> , 2014, 15, S21-S23. | 1.2 | 11 |
| 121 | Skarzynski Tinnitus Scale: validation of a brief and robust tool for assessing tinnitus in a clinical population. <i>European Journal of Medical Research</i> , 2018, 23, 54. | 2.2 | 11 |
| 122 | Overinterpretation of high throughput sequencing data in medical genetics: first evidence against TMPRSS3/GJB2 digenic inheritance of hearing loss. <i>Journal of Translational Medicine</i> , 2019, 17, 269. | 4.4 | 11 |
| 123 | Results of hearing screening of school-age children in Bishkek, Kyrgyzstan. <i>Primary Health Care Research and Development</i> , 2020, 21, e18. | 1.2 | 11 |
| 124 | The accuracy of parental suspicion of hearing loss in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021, 141, 110552. | 1.0 | 11 |
| 125 | Cochlear Microphonics in Hearing Preservation Cochlear Implantees. <i>Journal of International Advanced Otology</i> , 2019, 15, 345-351. | 1.0 | 11 |
| 126 | Open-set speech perception in adult cochlear implant users with ossified cochleae. <i>Cochlear Implants International</i> , 2003, 4, 55-72. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Slow Cortical Potential Neurofeedback in Chronic Tinnitus Therapy: A Case Report. Applied Psychophysiology Biofeedback, 2016, 41, 225-249. | 1.7 | 10 |
| 128 | Iterative Sequencing and Variant Screening (ISVS) as a novel pathogenic mutations search strategy - application for TMPRSS3 mutations screen. Scientific Reports, 2017, 7, 2543. | 3.3 | 10 |
| 129 | Electroglottography in the diagnosis of functional dysphonia. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2523-2528. | 1.6 | 10 |
| 130 | First confirmatory study on PTPRQ as an autosomal dominant non-syndromic hearing loss gene. Journal of Translational Medicine, 2019, 17, 351. | 4.4 | 10 |
| 131 | Electro-natural Stimulation (ENS) in Partial Deafness Treatment: Pediatric Case Series. Otology and Neurotology, 2019, 40, 171-176. | 1.3 | 10 |
| 132 | No Change in Medial Olivocochlear Efferent Activity during an Auditory or Visual Task: Dual Evidence from Otoacoustic Emissions and Event-Related Potentials. Brain Sciences, 2020, 10, 894. | 2.3 | 10 |
| 133 | Contralateral suppression of otoacoustic emissions in pre-school children. International Journal of Pediatric Otorhinolaryngology, 2020, 132, 109915. | 1.0 | 10 |
| 134 | HIV and age underlie specific patterns of brain abnormalities and cognitive changes in high functioning patients.. Neuropsychology, 2019, 33, 358-369. | 1.3 | 10 |
| 135 | Prevalence and Severity of Tinnitus in Otosclerosis: Preliminary Findings from Validated Questionnaires. Journal of International Advanced Otology, 2019, 15, 277-282. | 1.0 | 10 |
| 136 | Systematic Literature Review of Hearing Preservation Rates in Cochlear Implantation Associated With Medium- and Longer-Length Flexible Lateral Wall Electrode Arrays. Frontiers in Surgery, 0, 9, . | 1.4 | 10 |
| 137 | Long-term data on children implanted with a short electrode array. International Journal of Pediatric Otorhinolaryngology, 2005, 69, 157-164. | 1.0 | 9 |
| 138 | Treatment of otorhinolaryngological manifestations of three rare genetic syndromes: Branchio-Oculo-Facial (BOF), Ectrodactyly Ectodermal dysplasia Clefting (EEC) and focal dermal hypoplasia (Goltz syndrome). International Journal of Pediatric Otorhinolaryngology, 2009, 73, 143-151. | 1.0 | 9 |
| 139 | Otoacoustic emissions in neonates measured with different acquisition protocols. International Journal of Pediatric Otorhinolaryngology, 2012, 76, 382-387. | 1.0 | 9 |
| 140 | Effect on vestibular function of cochlear implantation by partial deafness treatmentâ€“electro acoustic stimulation (PDTâ€“EAS). European Archives of Oto-Rhino-Laryngology, 2019, 276, 1951-1959. | 1.6 | 9 |
| 141 | Electrophysiological correlates of focused attention on low- and high-distressed tinnitus. PLoS ONE, 2020, 15, e0236521. | 2.5 | 9 |
| 142 | Improved measurement of tinnitus severity: Study of the dimensionality and reliability of the Tinnitus Handicap Inventory. PLoS ONE, 2020, 15, e0237778. | 2.5 | 9 |
| 143 | Decreased Sound Tolerance in Tinnitus Patients. Life, 2021, 11, 87. | 2.4 | 9 |
| 144 | Vestibular Function After Cochlear Implantation in Partial Deafness Treatment. Frontiers in Neurology, 2021, 12, 667055. | 2.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | How to Interpret Tinnitus Functional Index Scores: A Proposal for a Grading System Based on a Large Sample of Tinnitus Patients. Ear and Hearing, 2021, 42, 654-661. | 2.1 | 9 |
| 146 | Rates of Vaccination against Streptococcus Pneumoniae in Cochlear Implant Patients. Medical Science Monitor, 2017, 23, 4567-4573. | 1.1 | 9 |
| 147 | QTc prolongation in patients with hearing loss: Electrocardiographic and genetic study. Cardiology Journal, 2016, 23, 34-41. | 1.2 | 9 |
| 148 | Results of surgical treatment in patients with sulcus vocalis. Otolaryngologia Polska, 2015, 69, 11-15. | 0.6 | 9 |
| 149 | Preservation of low-frequency hearing in partial deafness cochlear implantation. International Congress Series, 2004, 1273, 239-242. | 0.2 | 8 |
| 150 | Comparison of round-window membrane mechanics before and after experimental stapedotomy. Laryngoscope, 2011, 121, 1958-1964. | 2.0 | 8 |
| 151 | Tinnitus in patients with hearing loss due to mitochondrial DNA pathogenic variants. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1979-1985. | 1.6 | 8 |
| 152 | Abnormal Resting-State Quantitative Electroencephalogram in Children With Central Auditory Processing Disorder: A Pilot Study. Frontiers in Neuroscience, 2018, 12, 292. | 2.8 | 8 |
| 153 | Changes in Hearing Threshold and Tinnitus Severity after Stapes Surgery: Which Is More Important to the Patientâ€™s Quality of Life?. Orl, 2019, 81, 224-233. | 1.1 | 8 |
| 154 | Electro-Natural Stimulation in Partial Deafness Treatment of Adult Cochlear Implant Users: Long-Term Hearing Preservation Results. Orl, 2019, 81, 63-72. | 1.1 | 8 |
| 155 | Cochlear Implantation Outcome in Children with DFNB1 locus Pathogenic Variants. Journal of Clinical Medicine, 2020, 9, 228. | 2.4 | 8 |
| 156 | Approximations to the Voice of a Cochlear Implant: Explorations With Single-Sided Deaf Listeners. Trends in Hearing, 2020, 24, 233121652092007. | 1.3 | 8 |
| 157 | Does the Presence of Spontaneous Components Affect the Reliability of Contralateral Suppression of Evoked Otoacoustic Emissions?. Ear and Hearing, 2021, 42, 990-1005. | 2.1 | 8 |
| 158 | Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part 1: Audera and CHARTR EP devices. Medical Science Monitor, 2012, 18, MT47-MT53. | 1.1 | 8 |
| 159 | Bilateral electric stimulation from auditory brainstem implants in a patient with neurofibromatosis type 2. Medical Science Monitor, 2009, 15, CS100-4. | 1.1 | 8 |
| 160 | The Bonebridge BCI 602 Active Transcutaneous Bone Conduction Implant in Children: Objective and Subjective Benefits. Journal of Clinical Medicine, 2021, 10, 5916. | 2.4 | 8 |
| 161 | First auditory brainstem implantation in Poland: auditory perception results over 12 months. Journal of Laryngology and Otology, 2000, 114, 44-5. | 0.8 | 7 |
| 162 | Spread of Excitation (SoE) â€“ A Non-Invasive Assessment of Cochlear Implant Electrode Placement. Cochlear Implants International, 2010, 11, 479-481. | 1.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | <i>MTHFR</i> 677T Is a Strong Determinant of the Degree of Hearing Loss Among Polish Males with Postlingual Sensorineural Hearing Impairment. DNA and Cell Biology, 2012, 31, 1267-1273. | 1.9 | 7 |
| 164 | Immediate speech fluency improvement after application of the Digital Speech Aid in stuttering patients. Medical Science Monitor, 2012, 18, CR9-CR12. | 1.1 | 7 |
| 165 | Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 1724-1728. | 1.0 | 7 |
| 166 | Criteria for detection of transiently evoked otoacoustic emissions in schoolchildren. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1455-1461. | 1.0 | 7 |
| 167 | Clinical Evaluation of a Polish Translation and Cross-Cultural Adaptation of the Nasal Obstruction Symptom Evaluation (NOSE) Scale. Medical Science Monitor, 2018, 24, 7958-7964. | 1.1 | 7 |
| 168 | Tinnitus Severity Change Following Stapedotomy in Patients With Otosclerosis. Otology and Neurotology, 2019, 40, 578-583. | 1.3 | 7 |
| 169 | Alteration of distortion product otoacoustic emission input/output functions in subjects with a previous history of middle ear dysfunction. Medical Science Monitor, 2012, 18, MT27-MT31. | 1.1 | 7 |
| 170 | Assessment of acoustic characteristics of voice in patients after injection laryngoplasty with hyaluronan. Otolaryngologia Polska, 2016, 70, 15-23. | 0.6 | 7 |
| 171 | Chirp-evoked otoacoustic emissions in children. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 101-106. | 1.0 | 6 |
| 172 | Deep insertion "round window approach by using SRA electrode. Cochlear Implants International, 2014, 15, S4-S7. | 1.2 | 6 |
| 173 | Characteristics of Euphony in Direct and Indirect Mucosal Wave Imaging Techniques. Journal of Voice, 2017, 31, 383.e13-383.e18. | 1.5 | 6 |
| 174 | Personal Music Players Use and Other Noise Hazards among Children 11 to 12 Years Old. International Journal of Environmental Research and Public Health, 2020, 17, 6934. | 2.6 | 6 |
| 175 | Prevalence of tinnitus in a sample of 43,064 children in Warsaw, Poland. International Journal of Audiology, 2021, 60, 614-620. | 1.7 | 6 |
| 176 | Measurement of Wideband Absorbance as a Test for Otosclerosis. Journal of Clinical Medicine, 2020, 9, 1908. | 2.4 | 6 |
| 177 | Reliability of contralateral suppression of otoacoustic emissions in children. International Journal of Audiology, 2021, 60, 438-445. | 1.7 | 6 |
| 178 | Quality of Life in Patients with Nasal Obstruction after Septoplasty: A Single Institution Prospective Observational Study. International Archives of Otorhinolaryngology, 2021, 25, e575-e579. | 0.8 | 6 |
| 179 | Otoacoustic emissions from ears with spontaneous activity behave differently to those without: Stronger responses to tone bursts as well as to clicks. PLoS ONE, 2018, 13, e0192930. | 2.5 | 6 |
| 180 | Ultra-High Frequency Distortion Product Otoacoustic Emissions for Detection of Hearing Loss and Tinnitus. International Journal of Environmental Research and Public Health, 2022, 19, 2123. | 2.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Update on CD164 and LMX1A genes to strengthen their causative role in autosomal dominant hearing loss. <i>Human Genetics</i> , 2022, 141, 445-453. | 3.8 | 6 |
| 182 | Suitable Electrode Choice for Robotic-Assisted Cochlear Implant Surgery: A Systematic Literature Review of Manual Electrode Insertion Adverse Events. <i>Frontiers in Surgery</i> , 2022, 9, 823219. | 1.4 | 6 |
| 183 | Validation of Results of the Polish Version of the LittleEARS Questionnaire. <i>Cochlear Implants International</i> , 2010, 11, 346-350. | 1.2 | 5 |
| 184 | Automatic removal of sonomotor waves from auditory brainstem responses. <i>Computers in Biology and Medicine</i> , 2013, 43, 524-532. | 7.0 | 5 |
| 185 | Cochlear Implantation in the Elderly. <i>Audiology and Neuro-Otology</i> , 2014, 19, 33-35. | 1.3 | 5 |
| 186 | Objectification of the severity of Reinke's edema. <i>Otolaryngologia Polska</i> , 2014, 68, 287-292. | 0.6 | 5 |
| 187 | Otoacoustic emissions in newborns evoked by 0.5kHz tone bursts. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 1522-1526. | 1.0 | 5 |
| 188 | Radiologic measurement of cochlea and hearing preservation rate using slim straight electrode (CI422) and round window approach. <i>Acta Otorhinolaryngologica Italica</i> , 2018, 38, 468-475. | 1.5 | 5 |
| 189 | Does cochlear implantation influence postural stability in patients with hearing loss?. <i>Gait and Posture</i> , 2019, 74, 40-44. | 1.4 | 5 |
| 190 | Reference values for psychoacoustic tests on Polish school children 7â€“10 years old. <i>PLoS ONE</i> , 2019, 14, e0221689. | 2.5 | 5 |
| 191 | Audiological and psychological profiles of children with tinnitus. <i>Hearing, Balance and Communication</i> , 2020, 18, 90-97. | 0.4 | 5 |
| 192 | Health-related quality of life in adults with profound postlingual hearing loss before and after cochlear implantation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3393-3399. | 1.6 | 5 |
| 193 | Auditory processing in normally hearing individuals with and without tinnitus: assessment with four psychoacoustic tests. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 275-283. | 1.6 | 5 |
| 194 | Functional Polymorphism of<i>MMP9</i>and<i>BDNF</i>as Potential Biomarker of Auditory Neuroplasticity in Prelingual Deafness Treatment With Cochlear Implantationâ€”A Retrospective Cohort Analysis. <i>Trends in Hearing</i> , 2021, 25, 233121652110021. | 1.3 | 5 |
| 195 | Hearing Loss and Auditory Processing Disorders: Clinical and Experimental Perspectives. <i>On Thinking</i> , 2011,, 153-168. | 0.5 | 5 |
| 196 | The application of 24-hour pharyngeal pH-monitoring and Reflux Finding Score and Reflux Symptom Index questionnaires in the diagnostics of laryngopharyngeal reflux. <i>Przegląd Gastroenterologiczny</i> , 2019, 14, 274-282. | 0.7 | 5 |
| 197 | Identifying congenital hearing impairment: preliminary results from a comparative study using objective and subjective audiometric protocols. <i>Acta Otorhinolaryngologica Italica</i> , 2013, 33, 29-35. | 1.5 | 5 |
| 198 | In Vivo Basilar Membrane Time Delays in Humans. <i>Brain Sciences</i> , 2022, 12, 400. | 2.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Hearing Loss as the Main Clinical Presentation in NLRP3-Associated Autoinflammatory Disease. <i>Frontiers in Immunology</i> , 0, 13, . | 4.8 | 5 |
| 200 | Objective methods of postoperative tests in cochlear implant patients. <i>International Congress Series</i> , 2003, 1240, 379-383. | 0.2 | 4 |
| 201 | A Universal Computer Audiometer for Objective Hearing Testing and Screening. , 2007, , . | | 4 |
| 202 | Influence of Non-Optimal Levels of Electrical Stimulation in Cochlear Implants on Hearing Benefits. <i>Cochlear Implants International</i> , 2010, 11, 485-488. | 1.2 | 4 |
| 203 | Patient management for cochlear implant recipients in audiology departments: A practice review. <i>Cochlear Implants International</i> , 2016, 17, 123-128. | 1.2 | 4 |
| 204 | Results of stapedotomy in otosurgical treatment of adult patients with osteogenesis imperfecta. <i>Auris Nasus Larynx</i> , 2019, 46, 853-858. | 1.2 | 4 |
| 205 | Prevalence and severity of tinnitus in Polish otosclerosis patients qualified for stapes surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1585-1590. | 1.6 | 4 |
| 206 | Assessing Gait Stability before and after Cochlear Implantation. <i>BioMed Research International</i> , 2019, 2019, 1-8. | 1.9 | 4 |
| 207 | Polish version of the pediatric Voice Handicap Index (pVHI). <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 138, 110278. | 1.0 | 4 |
| 208 | Role of personal resources from the perspective of experiencing tinnitus annoyance in adults. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 1617-1623. | 1.6 | 4 |
| 209 | Cochlear implants in adults with partial deafness: subjective benefits but associated psychological distress. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1387-1394. | 1.6 | 4 |
| 210 | Cost-Utility Analysis of Bilateral Cochlear Implantation in Adults With Severe to Profound Sensorineural Hearing Loss in Poland. <i>Otology and Neurotology</i> , 2021, 42, 706-712. | 1.3 | 4 |
| 211 | TBC1D24 emerges as an important contributor to progressive postlingual dominant hearing loss. <i>Scientific Reports</i> , 2021, 11, 10300. | 3.3 | 4 |
| 212 | Posttraumatic Growth in Postlingually Deaf Patients With Cochlear Implants: The Effect of Stress-Coping Strategies, Sociodemographics, and Deafness-Related Factors. <i>Frontiers in Psychology</i> , 2021, 12, 546896. | 2.1 | 4 |
| 213 | Evaluation of central auditory processing in children with Specific Language Impairment. <i>Otolaryngologia Polska</i> , 2015, 69, 22-28. | 0.6 | 4 |
| 214 | The use of RSI and RFS questionnaires in the Polish language version. <i>Otolaryngologia Polska</i> , 2018, 72, 1-5. | 0.6 | 4 |
| 215 | Self-Rated Benefits of Auditory Performance after Bonebridge Implantation in Patients with Conductive or Mixed Hearing Loss, or Single-Sided Deafness. <i>Life</i> , 2022, 12, 137. | 2.4 | 4 |
| 216 | Prospective cohort study reveals MMP-9, a neuroplasticity regulator, as a prediction marker of cochlear implantation outcome in prelingual deafness treatment. <i>Molecular Neurobiology</i> , 2022, 59, 2190-2203. | 4.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | A pilot study on assessing hearing threshold using the Cochlea-Scan. Medical Science Monitor, 2008, 14, MT7-11. | 1.1 | 4 |
| 218 | Application of electric-acoustic stimulation in patients with profound hearing loss—case study. International Congress Series, 2003, 1240, 291-295. | 0.2 | 3 |
| 219 | Tinnitus as a symptom of acoustic neuroma. International Congress Series, 2003, 1240, 313-315. | 0.2 | 3 |
| 220 | Can we hear? a system for universal hearing screening in school age children. Organization and first results. International Congress Series, 2003, 1240, 325-327. | 0.2 | 3 |
| 221 | Bilateral Auditory Brainstem Implantation in a Patient with Neurofibromatosis Type II. Cochlear Implants International, 2010, 11, 88-93. | 1.2 | 3 |
| 222 | Analysis of Factors Affecting Hearing Preservation after Cochlear Implantation. Cochlear Implants International, 2010, 11, 114-116. | 1.2 | 3 |
| 223 | Musical Ratios in Sounds from the Human Cochlea. PLoS ONE, 2012, 7, e37988. | 2.5 | 3 |
| 224 | Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. Cochlear Implants International, 2014, 15, S24-S26. | 1.2 | 3 |
| 225 | Influence of Acoustic Overstimulation on the Central Auditory System: An Functional Magnetic Resonance Imaging (fMRI) Study. Medical Science Monitor, 2016, 22, 4623-4635. | 1.1 | 3 |
| 226 | Spontaneous otoacoustic emissions in schoolchildren. International Journal of Pediatric Otorhinolaryngology, 2016, 89, 67-71. | 1.0 | 3 |
| 227 | Evaluation of electrocardiographic parameters in patients with hearing loss genotyped for the connexin 26 gene (GJB2) mutations. Brazilian Journal of Otorhinolaryngology, 2017, 83, 176-182. | 1.0 | 3 |
| 228 | Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. Molecular Medicine Reports, 2017, 17, 1782-1790. | 2.4 | 3 |
| 229 | Objective measurement of mucosal wave parameters in diagnosing benign lesions of the vocal folds. Logopedics Phoniatrics Vocology, 2019, 44, 73-78. | 1.0 | 3 |
| 230 | Electrode estimation in the acoustic region of the human Cochlea. Acta Oto-Laryngologica, 2020, 140, 487-496. | 0.9 | 3 |
| 231 | Validation of AQuL-8D: a health-related quality of life questionnaire for adult patients referred for otolaryngology. European Archives of Oto-Rhino-Laryngology, 2022, 279, 653-662. | 1.6 | 3 |
| 232 | Benefits of Binaural Integration in Cochlear Implant Patients with Single-Sided Deafness and Residual Hearing in the Implanted Ear. Life, 2021, 11, 265. | 2.4 | 3 |
| 233 | Pitfalls in the Detection of Hearing Loss via Otoacoustic Emissions. Applied Sciences (Switzerland), 2021, 11, 2184. | 2.5 | 3 |
| 234 | Implantation of the Vibrant Soundbridge in a Case of Bilateral Malformation of the Middle and External Ear. American Journal of Case Reports, 2021, 22, e929933. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Organizational Aspects and Outcomes of a Hearing Screening Program Among First-Grade Children in the Mazovian Region of Poland. Language, Speech, and Hearing Services in Schools, 2021, 52, 856-867. | 1.6 | 3 |
| 236 | Comparison of tympanometry results for probe tones of 226ÅHz and 1000ÅHz in newborns. International Journal of Pediatric Otorhinolaryngology, 2021, 147, 110804. | 1.0 | 3 |
| 237 | Cross-Cultural Adaptation of the Scale of Auditory Behaviors Questionnaire. Language, Speech, and Hearing Services in Schools, 2019, 50, 683-692. | 1.6 | 3 |
| 238 | Comparison of 3 ABR Methods for Diagnosis of Retrocochlear Hearing Impairment. Medical Science Monitor, 2015, 21, 3814-3824. | 1.1 | 3 |
| 239 | Comprehensive approach to the National Network of Teleaudiology in World Hearing Center in Kajetany, Poland. Finnish Journal of EHealth and EWelfare, 2018, 10, . | 0.1 | 3 |
| 240 | Assessment of cortical auditory evoked potentials in children with specific language impairment. Otolaryngologia Polska, 2018, 72, 16-22. | 0.6 | 3 |
| 241 | The Reliability of Contralateral Suppression of Otoacoustic Emissions Is Greater in Women than in Men. Audiology Research, 2022, 12, 79-86. | 1.8 | 3 |
| 242 | Threshold estimation in adult normal- and impaired-hearing subjects using auditory steady-state responses. Medical Science Monitor, 2010, 16, CR21-7. | 1.1 | 3 |
| 243 | Laryngeal Electromyography in the Therapeutic Process of Patients with Vocal Fold Immobility or Dysmobility. Life, 2022, 12, 390. | 2.4 | 3 |
| 244 | Speech Perception and Subjective Benefit in Paediatric C40+ Users after the Upgrade to Fine Structure Processing (FSP). Cochlear Implants International, 2010, 11, 444-448. | 1.2 | 2 |
| 245 | Home Rehabilitation Clinic as a Form of Support for Parents of Implanted Children. Cochlear Implants International, 2010, 11, 360-363. | 1.2 | 2 |
| 246 | Translation of the LittleEARS Questionnaire into Polish. Cochlear Implants International, 2010, 11, 340-345. | 1.2 | 2 |
| 247 | E050 Home rehabilitation clinic (HRC) â€“ the proposition of solution of organizing rehabilitation close to patient's home. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 70. | 1.0 | 2 |
| 248 | Time-Frequency Properties of Neonatal Transiently Evoked Otoacoustic Emissions Measured in Three Different Acquisition Modes. Journal of International Advanced Otology, 2014, 10, 52-55. | 1.0 | 2 |
| 249 | Tone burst evoked otoacoustic emissions in different age-groups of schoolchildren. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1310-1315. | 1.0 | 2 |
| 250 | Relationship Between Distortion Product â€“ Otoacoustic Emissions (DPOAEs) and High-Frequency Acoustic Immittance Measures. Medical Science Monitor, 2016, 22, 2028-2034. | 1.1 | 2 |
| 251 | Speech Perception Changes in the Acoustically Aided, Nonimplanted Ear after Cochlear Implantation: A Multicenter Study. Journal of Clinical Medicine, 2020, 9, 1758. | 2.4 | 2 |
| 252 | Psychomotor development of 4-year-old deaf children with cochlear implants: Three case studies. International Journal of Pediatric Otorhinolaryngology, 2021, 141, 110570. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | The role of next generation sequencing in predicting hearing loss. Expert Review of Molecular Diagnostics, 2021, 21, 347-348. | 3.1 | 2 |
| 254 | Diagnosis in Muscle Tension Dysphagia. Otolaryngologia Polska, 2020, 74, 1-5. | 0.6 | 2 |
| 255 | The COVID-19 pandemic and upgrades of CI speech processors for children: part IIâ€“hearing outcomes. European Archives of Oto-Rhino-Laryngology, 2022, , 1. | 1.6 | 2 |
| 256 | Program of early identification of hearing loss in newborns in Poland. International Congress Series, 2003, 1240, 269-271. | 0.2 | 1 |
| 257 | Stability of electrically elicited stapedius reflex threshold in implanted children over time. International Congress Series, 2004, 1273, 84-86. | 0.2 | 1 |
| 258 | Pitch perception and the number of electrodes vs. long-term development of speech perception ability in auditory brainstem implants. International Congress Series, 2004, 1273, 429-432. | 0.2 | 1 |
| 259 | Assessment of Benefit after Bilateral Cochlear Implantation in Children. Cochlear Implants International, 2010, 11, 79-82. | 1.2 | 1 |
| 260 | The Evaluation of Patients with Partial Deafness by Transiently Evoked Otoacoustic Emissions. Cochlear Implants International, 2010, 11, 110-113. | 1.2 | 1 |
| 261 | Improving Central Auditory Processing in Children with Cochlear Implants â€” Challenges and New Possibilities. Cochlear Implants International, 2010, 11, 379-381. | 1.2 | 1 |
| 262 | Contralateral suppression of otoacoustic emissions: Input-Output functions in neonates. Medical Science Monitor, 2011, 17, CR557-CR562. | 1.1 | 1 |
| 263 | Vestibular status in partial deafness. Brazilian Journal of Otorhinolaryngology, 2021, 87, 379-388. | 1.0 | 1 |
| 264 | Three-year audiological outcomes of the latest generation middle ear transducer (MET) implant. European Archives of Oto-Rhino-Laryngology, 2020, 277, 3013-3019. | 1.6 | 1 |
| 265 | Developmental outcomes of young deaf children and the self-perceived parental role of their hearing mothers. International Journal of Pediatric Otorhinolaryngology, 2021, 141, 110517. | 1.0 | 1 |
| 266 | Development of central auditory processes in Polish children and adolescents at the age from 7 to 16Åyears. Current Psychology, 2023, 42, 1789-1806. | 2.8 | 1 |
| 267 | A simple qualitative scale for diagnosis of laryngopharyngeal reflux: high correlations with pH measurements and disease severity. The usefulness of the Warsaw Scale in LPR diagnostics compared to other diagnostic tools. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4883-4892. | 1.6 | 1 |
| 268 | Resumption of Cochlear Implant Surgery under COVID-19 Pandemic Conditions. Life, 2021, 11, 929. | 2.4 | 1 |
| 269 | Electrically Elicited Stapedius Muscle Reflex in Cochlear Implant System fitting. , 2007, , 940-942. | | 1 |
| 270 | The Role of Religiosity and Spirituality in Helping Polish Subjects Adapt to Their Tinnitus. Journal of Religion and Health, 2022, , . | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Multi-Frequency Intraoperative Monitoring of Hearing Preservation during Cochlear Implantation. Life, 2022, 12, 636. | 2.4 | 1 |
| 272 | Searching for the Molecular Basis of Partial Deafness. International Journal of Molecular Sciences, 2022, 23, 6029. | 4.1 | 1 |
| 273 | Strukturierung und Ablauf der Rehabilitation von Patienten mit Kochleaimplantaten. Oto-rhino-laryngologia Nova, 1994, 4, 203-208. | 0.0 | 0 |
| 274 | Frequency-specificity of auditory brainstem responses elicited by 500 Hz tone-pip with Gaussian envelope in normal hearing and sensorineural hearing loss. International Congress Series, 2003, 1240, 257-261. | 0.2 | 0 |
| 275 | Application of bone anchored hearing aids in different acquired and congenital ear malformations. International Congress Series, 2003, 1240, 321-323. | 0.2 | 0 |
| 276 | Three-year experience in the rehabilitation of brainstem implant patients. International Congress Series, 2003, 1240, 429-432. | 0.2 | 0 |
| 277 | Analysis of epidemiological and otological aspects of surgical treatment performed in the Institute of Physiology and Pathology of Hearing in the year 2001. International Congress Series, 2003, 1240, 1417-1420. | 0.2 | 0 |
| 278 | Sprawozdanie naukowe z 27th Politzer Society Meeting, Londyn 3â€“5.09.09. Otolaryngologia Polska, 2009, 63, 455-456. | 0.6 | 0 |
| 279 | Sprawozdanie z Kongresu â€“10th Asia Pacific Congress on Deafness (APCD)â€“w Bangkoku. Otolaryngologia Polska, 2009, 63, 457-458. | 0.6 | 0 |
| 280 | Preliminary Results of Duet to Duet 2 Upgrade. Cochlear Implants International, 2010, 11, 75-78. | 1.2 | 0 |
| 281 | Subjective Benefit after Partial Deafness Cochlear Implantation. Cochlear Implants International, 2010, 11, 122-124. | 1.2 | 0 |
| 282 | A Computer-Based, Word-Free Phoneme Identification Test Teetahtoo â€” Adaptation into Polish. Cochlear Implants International, 2010, 11, 403-405. | 1.2 | 0 |
| 283 | Masking level difference in an adaptive procedure for clinical investigation. International Journal of Audiology, 2011, 50, 613-620. | 1.7 | 0 |
| 284 | B037 Cochlear implantation in cases with congenital deformations and rare genetic syndromes: Goldenhar and Branchio-Oculo-Facial. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 17. | 1.0 | 0 |
| 285 | B111 Cochlear implantation in congenital middle and inner ear malformations in children. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 30. | 1.0 | 0 |
| 286 | D009 fMRI as diagnostic tool for patients with indications to partial deafness treatment (PDT). International Journal of Pediatric Otorhinolaryngology, 2011, 75, 59. | 1.0 | 0 |
| 287 | E095 Patients qualified into Partial Deafness Treatment (PDT) after hearing screening program in schoolchildren in Poland. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 78. | 1.0 | 0 |
| 288 | FS4 for partial deafness treatment. Cochlear Implants International, 2014, 15, S78-S80. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Technological Advances in Universal Neonatal Hearing Screening (UNHS). , 0, , . | | 0 |
| 290 | Management of non-organic hearing loss in children â€“ A case study. International Journal of Pediatric Otorhinolaryngology, 2017, 97, 223-227. | 1.0 | 0 |
| 291 | Assessment of the Hearing Status of School-Age Children from Rural and Urban Areas of Mid-Eastern Poland. International Journal of Environmental Research and Public Health, 2021, 18, 4299. | 2.6 | 0 |
| 292 | Developmental outcomes of deaf preschool-aged children with cochlear implants. International Journal of Disability Development and Education, 0, , 1-15. | 1.1 | 0 |
| 293 | The COVID-19 pandemic and upgrades of CI speech processors for children: part lâ€™procedure of speech processor upgrade. European Archives of Oto-Rhino-Laryngology, 2022, , 1. | 1.6 | 0 |
| 294 | Easy and hard auditory tasks distinguished by otoacoustic emissions and event-related potentials: insights into efferent system activity. Neuroscience, 2022, , . | 2.3 | 0 |