List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1025120/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Development of central auditory processes in Polish children and adolescents at the age from 7 to 16Âyears. Current Psychology, 2023, 42, 1789-1806.	1.7	1
2	Validation of AQoL-8D: a health-related quality of life questionnaire for adult patients referred for otolaryngology. European Archives of Oto-Rhino-Laryngology, 2022, 279, 653-662.	0.8	3
3	Effectiveness of tinnitus therapy using a mobile application. European Archives of Oto-Rhino-Laryngology, 2022, 279, 1257-1267.	0.8	14
4	Auditory processing in normally hearing individuals with and without tinnitus: assessment with four psychoacoustic tests. European Archives of Oto-Rhino-Laryngology, 2022, 279, 275-283.	0.8	5
5	Self-Rated Benefits of Auditory Performance after Bonebridge Implantation in Patients with Conductive or Mixed Hearing Loss, or Single-Sided Deafness. Life, 2022, 12, 137.	1.1	4
6	The Reliability of Contralateral Suppression of Otoacoustic Emissions Is Greater in Women than in Men. Audiology Research, 2022, 12, 79-86.	0.8	3
7	Prospective cohort study reveals MMP-9, a neuroplasticity regulator, as a prediction marker of cochlear implantation outcome in prelingual deafness treatment. Molecular Neurobiology, 2022, 59, 2190-2203.	1.9	4
8	Effects of training and using an audio-tactile sensory substitution device on speech-in-noise understanding. Scientific Reports, 2022, 12, 3206.	1.6	15
9	Ultra-High Frequency Distortion Product Otoacoustic Emissions for Detection of Hearing Loss and Tinnitus. International Journal of Environmental Research and Public Health, 2022, 19, 2123.	1.2	6
10	The Role of Religiosity and Spirituality in Helping Polish Subjects Adapt to Their Tinnitus. Journal of Religion and Health, 2022, , .	0.8	1
11	The COVID-19 pandemic and upgrades of CI speech processors for children: part l—procedure of speech processor upgrade. European Archives of Oto-Rhino-Laryngology, 2022, , 1.	0.8	0
12	Evaluation of the Bonebridge BCI 602 active bone conductive implant in adults: efficacy and stability of audiological, surgical, and functional outcomes. European Archives of Oto-Rhino-Laryngology, 2022, 279, 3525-3534.	0.8	12
13	In Vivo Basilar Membrane Time Delays in Humans. Brain Sciences, 2022, 12, 400.	1.1	5
14	The COVID-19 pandemic and upgrades of CI speech processors for children: part II–hearing outcomes. European Archives of Oto-Rhino-Laryngology, 2022, , 1.	0.8	2
15	Update on CD164 and LMX1A genes to strengthen their causative role in autosomal dominant hearing loss. Human Genetics, 2022, 141, 445-453.	1.8	6
16	Suitable Electrode Choice for Robotic-Assisted Cochlear Implant Surgery: A Systematic Literature Review of Manual Electrode Insertion Adverse Events. Frontiers in Surgery, 2022, 9, 823219.	0.6	6
17	Laryngeal Electromyography in the Therapeutic Process of Patients with Vocal Fold Immobility or Dysmobility. Life, 2022, 12, 390.	1.1	3
18	Consensus Statement on Bone Conduction Devices and Active Middle Ear Implants in Conductive and Mixed Hearing Loss. Otology and Neurotology, 2022, 43, 513-529.	0.7	22

#	Article	IF	CITATIONS
19	Easy and hard auditory tasks distinguished by otoacoustic emissions and event-related potentials: insights into efferent system activity. Neuroscience, 2022, , .	1.1	0
20	Multi-Frequency Intraoperative Monitoring of Hearing Preservation during Cochlear Implantation. Life, 2022, 12, 636.	1.1	1
21	Searching for the Molecular Basis of Partial Deafness. International Journal of Molecular Sciences, 2022, 23, 6029.	1.8	1
22	Vestibular status in partial deafness. Brazilian Journal of Otorhinolaryngology, 2021, 87, 379-388.	0.4	1
23	Prevalence of tinnitus in a sample of 43,064 children in Warsaw, Poland. International Journal of Audiology, 2021, 60, 614-620.	0.9	6
24	Cochlear implants in adults with partial deafness: subjective benefits but associated psychological distress. European Archives of Oto-Rhino-Laryngology, 2021, 278, 1387-1394.	0.8	4
25	Developmental outcomes of young deaf children and the self-perceived parental role of their hearing mothers. International Journal of Pediatric Otorhinolaryngology, 2021, 141, 110517.	0.4	1
26	Reliability of contralateral suppression of otoacoustic emissions in children. International Journal of Audiology, 2021, 60, 438-445.	0.9	6
27	Does the Presence of Spontaneous Components Affect the Reliability of Contralateral Suppression of Evoked Otoacoustic Emissions?. Ear and Hearing, 2021, 42, 990-1005.	1.0	8
28	Cost-Utility Analysis of Bilateral Cochlear Implantation in Adults With Severe to Profound Sensorineural Hearing Loss in Poland. Otology and Neurotology, 2021, 42, 706-712.	0.7	4
29	Decreased Sound Tolerance in Tinnitus Patients. Life, 2021, 11, 87.	1.1	9
30	The accuracy of parental suspicion of hearing loss in children. International Journal of Pediatric Otorhinolaryngology, 2021, 141, 110552.	0.4	11
31	Psychomotor development of 4-year-old deaf children with cochlear implants: Three case studies. International Journal of Pediatric Otorhinolaryngology, 2021, 141, 110570.	0.4	2
32	Quality of Life in Patients with Nasal Obstruction after Septoplasty: A Single Institution Prospective Observational Study. International Archives of Otorhinolaryngology, 2021, 25, e575-e579.	0.3	6
33	The role of next generation sequencing in predicting hearing loss. Expert Review of Molecular Diagnostics, 2021, 21, 347-348.	1.5	2
34	Benefits of Binaural Integration in Cochlear Implant Patients with Single-Sided Deafness and Residual Hearing in the Implanted Ear. Life, 2021, 11, 265.	1.1	3
35	Pitfalls in the Detection of Hearing Loss via Otoacoustic Emissions. Applied Sciences (Switzerland), 2021, 11, 2184.	1.3	3
36	Implantation of the Vibrant Soundbridge in a Case of Bilateral Malformation of the Middle and External Ear. American Journal of Case Reports, 2021, 22, e929933.	0.3	3

#	Article	IF	CITATIONS
37	Assessment of the Hearing Status of School-Age Children from Rural and Urban Areas of Mid-Eastern Poland. International Journal of Environmental Research and Public Health, 2021, 18, 4299.	1.2	0
38	Vestibular Function After Cochlear Implantation in Partial Deafness Treatment. Frontiers in Neurology, 2021, 12, 667055.	1.1	9
39	TBC1D24 emerges as an important contributor to progressive postlingual dominant hearing loss. Scientific Reports, 2021, 11, 10300.	1.6	4
40	Health-related quality of life in adults with profound postlingual hearing loss before and after cochlear implantation. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3393-3399.	0.8	5
41	Organizational Aspects and Outcomes of a Hearing Screening Program Among First-Grade Children in the Mazovian Region of Poland. Language, Speech, and Hearing Services in Schools, 2021, 52, 856-867.	0.7	3
42	Comparison of tympanometry results for probe tones of 226ÂHz and 1000ÂHz in newborns. International Journal of Pediatric Otorhinolaryngology, 2021, 147, 110804.	0.4	3
43	A simple qualitative scale for diagnosis of laryngopharyngeal reflux: high correlations with pH measurements and disease severity. The usefulness of the Warsaw Scale in LPR diagnostics compared to other diagnostic tools. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4883-4892.	0.8	1
44	Posttraumatic Growth in Postlingually Deaf Patients With Cochlear Implants: The Effect of Stress-Coping Strategies, Sociodemographics, and Deafness-Related Factors. Frontiers in Psychology, 2021, 12, 546896.	1.1	4
45	Resumption of Cochlear Implant Surgery under COVID-19 Pandemic Conditions. Life, 2021, 11, 929.	1.1	1
46	Functional Polymorphism of <i>MMP9</i> and <i>BDNF</i> as Potential Biomarker of Auditory Neuroplasticity in Prelingual Deafness Treatment With Cochlear Implantation—A Retrospective Cohort Analysis. Trends in Hearing, 2021, 25, 233121652110021.	0.7	5
47	Cognitive Improvement After Cochlear Implantation in Older Adults With Severe or Profound Hearing Impairment: A Prospective, Longitudinal, Controlled, Multicenter Study. Ear and Hearing, 2021, 42, 606-614.	1.0	41
48	How to Interpret Tinnitus Functional Index Scores: A Proposal for a Grading System Based on a Large Sample of Tinnitus Patients. Ear and Hearing, 2021, 42, 654-661.	1.0	9
49	The Bonebridge BCI 602 Active Transcutaneous Bone Conduction Implant in Children: Objective and Subjective Benefits. Journal of Clinical Medicine, 2021, 10, 5916.	1.0	8
50	A revised grading system for the Tinnitus Handicap Inventory based on a large clinical population. International Journal of Audiology, 2020, 59, 61-67.	0.9	24
51	Prevalence of hearing loss among polish school-age children from rural areas – Results of hearing screening program in the sample of 67 416 children. International Journal of Pediatric Otorhinolaryngology, 2020, 128, 109676.	0.4	20
52	Audiological and psychological profiles of children with tinnitus. Hearing, Balance and Communication, 2020, 18, 90-97.	0.1	5
53	Personal Music Players Use and Other Noise Hazards among Children 11 to 12 Years Old. International Journal of Environmental Research and Public Health, 2020, 17, 6934.	1.2	6
54	Results of hearing screening of school-age children in Bishkek, Kyrgyzstan. Primary Health Care Research and Development, 2020, 21, e18.	0.5	11

#	Article	IF	CITATIONS
55	Electrophysiological correlates of focused attention on low- and high-distressed tinnitus. PLoS ONE, 2020, 15, e0236521.	1.1	9
56	Polish version of the pediatric Voice Handicap Index (pVHI). International Journal of Pediatric Otorhinolaryngology, 2020, 138, 110278.	0.4	4
57	Two Novel Pathogenic Variants Confirm RMND1 Causative Role in Perrault Syndrome with Renal Involvement. Genes, 2020, 11, 1060.	1.0	16
58	Improved measurement of tinnitus severity: Study of the dimensionality and reliability of the Tinnitus Handicap Inventory. PLoS ONE, 2020, 15, e0237778.	1.1	9
59	No Change in Medial Olivocochlear Efferent Activity during an Auditory or Visual Task: Dual Evidence from Otoacoustic Emissions and Event-Related Potentials. Brain Sciences, 2020, 10, 894.	1.1	10
60	Speech Perception Changes in the Acoustically Aided, Nonimplanted Ear after Cochlear Implantation: A Multicenter Study. Journal of Clinical Medicine, 2020, 9, 1758.	1.0	2
61	Measurement of Wideband Absorbance as a Test for Otosclerosis. Journal of Clinical Medicine, 2020, 9, 1908.	1.0	6
62	Electrode estimation in the acoustic region of the human Cochlea. Acta Oto-Laryngologica, 2020, 140, 487-496.	0.3	3
63	Three-year audiological outcomes of the latest generation middle ear transducer (MET) implant. European Archives of Oto-Rhino-Laryngology, 2020, 277, 3013-3019.	0.8	1
64	Role of personal resources from the perspective of experiencing tinnitus annoyance in adults. European Archives of Oto-Rhino-Laryngology, 2020, 277, 1617-1623.	0.8	4
65	Contralateral suppression of otoacoustic emissions in pre-school children. International Journal of Pediatric Otorhinolaryngology, 2020, 132, 109915.	0.4	10
66	Cochlear Implantation Outcome in Children with DFNB1 locus Pathogenic Variants. Journal of Clinical Medicine, 2020, 9, 228.	1.0	8
67	Approximations to the Voice of a Cochlear Implant: Explorations With Single-Sided Deaf Listeners. Trends in Hearing, 2020, 24, 233121652092007.	0.7	8
68	Diagnosis in Muscle Tension Dysphagia. Otolaryngologia Polska, 2020, 74, 1-5.	0.2	2
69	Altered Functional Connectivity in Patients With Sloping Sensorineural Hearing Loss. Frontiers in Human Neuroscience, 2019, 13, 284.	1.0	18
70	Changes in Hearing Threshold and Tinnitus Severity after Stapes Surgery: Which Is More Important to the Patient's Quality of Life?. Orl, 2019, 81, 224-233.	0.6	8
71	Does cochlear implantation influence postural stability in patients with hearing loss?. Gait and Posture, 2019, 74, 40-44.	0.6	5
72	First confirmatory study on PTPRQ as an autosomal dominant non-syndromic hearing loss gene. Journal of Translational Medicine, 2019, 17, 351.	1.8	10

#	Article	IF	CITATIONS
73	Reference values for psychoacoustic tests on Polish school children 7–10 years old. PLoS ONE, 2019, 14, e0221689.	1.1	5
74	Overinterpretation of high throughput sequencing data in medical genetics: first evidence against TMPRSS3/GJB2 digenic inheritance of hearing loss. Journal of Translational Medicine, 2019, 17, 269.	1.8	11
75	The Bonebridge in Adults with Mixed and Conductive Hearing Loss: Audiological and Quality of Life Outcomes. Audiology and Neuro-Otology, 2019, 24, 90-99.	0.6	19
76	Effect on vestibular function of cochlear implantation by partial deafness treatment–electro acoustic stimulation (PDT–EAS). European Archives of Oto-Rhino-Laryngology, 2019, 276, 1951-1959.	0.8	9
77	Results of stapedotomy in otosurgical treatment of adult patients with osteogenesis imperfecta. Auris Nasus Larynx, 2019, 46, 853-858.	0.5	4
78	Effect of yoga training on the tinnitus induced distress. Complementary Therapies in Clinical Practice, 2019, 36, 7-11.	0.7	12
79	Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. Restorative Neurology and Neuroscience, 2019, 37, 155-166.	0.4	20
80	Relationship Between Tinnitus Loudness Measure by Visual Analogue Scale and Psychoacoustic Matching of Tinnitus Loudness. Otology and Neurotology, 2019, 40, 16-21.	0.7	15
81	Electro-Natural Stimulation in Partial Deafness Treatment of Adult Cochlear Implant Users: Long-Term Hearing Preservation Results. Orl, 2019, 81, 63-72.	0.6	8
82	Diagnosis of laryngopharyngeal reflux in children with voice disorders using 24-hour pharyngeal pH monitoring. International Journal of Pediatric Otorhinolaryngology, 2019, 121, 188-196.	0.4	12
83	Prevalence and severity of tinnitus in Polish otosclerosis patients qualified for stapes surgery. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1585-1590.	0.8	4
84	Assessing Gait Stability before and after Cochlear Implantation. BioMed Research International, 2019, 2019, 1-8.	0.9	4
85	Binaural advantages in using a cochlear implant for adults with profound unilateral hearing loss. Acta Oto-Laryngologica, 2019, 139, 153-161.	0.3	19
86	Tinnitus Severity Change Following Stapedotomy in Patients With Otosclerosis. Otology and Neurotology, 2019, 40, 578-583.	0.7	7
87	Electro-natural Stimulation (ENS) in Partial Deafness Treatment: Pediatric Case Series. Otology and Neurotology, 2019, 40, 171-176.	0.7	10
88	A Comparative Study of a Novel Adhesive Bone Conduction Device and Conventional Treatment Options for Conductive Hearing Loss. Otology and Neurotology, 2019, 40, 858-864.	0.7	18
89	Hearing Preservation With the Use of Flex20 and Flex24 Electrodes in Patients With Partial Deafness. Otology and Neurotology, 2019, 40, 1153-1159.	0.7	12
90	The Bonebridge implant in older children and adolescents with mixed or conductive hearing loss: Audiological outcomes. International Journal of Pediatric Otorhinolaryngology, 2019, 118, 97-102.	0.4	21

#	Article	IF	CITATIONS
91	Objective measurement of mucosal wave parameters in diagnosing benign lesions of the vocal folds. Logopedics Phoniatrics Vocology, 2019, 44, 73-78.	0.5	3
92	HIV and age underlie specific patterns of brain abnormalities and cognitive changes in high functioning patients Neuropsychology, 2019, 33, 358-369.	1.0	10
93	Cross-Cultural Adaptation of the Scale of Auditory Behaviors Questionnaire. Language, Speech, and Hearing Services in Schools, 2019, 50, 683-692.	0.7	3
94	The application of 24-hour pharyngeal pH-monitoring and Reflux Finding Score and Reflux Symptom Index questionnaires in the diagnostics of laryngopharyngeal reflux. Przeglad Gastroenterologiczny, 2019, 14, 274-282.	0.3	5
95	Prevalence and Severity of Tinnitus in Otosclerosis: Preliminary Findings from Validated Questionnaires. Journal of International Advanced Otology, 2019, 15, 277-282.	1.0	10
96	Cochlear Microphonics in Hearing Preservation Cochlear Implantees. Journal of International Advanced Otology, 2019, 15, 345-351.	1.0	11
97	Hearing preservation cochlear implantation in children: The HEARRING Group consensus and practice guide. Cochlear Implants International, 2018, 19, 1-13.	0.5	43
98	Clinical Evaluation of a Polish Translation and Cross-Cultural Adaptation of the Nasal Obstruction Symptom Evaluation (NOSE) Scale. Medical Science Monitor, 2018, 24, 7958-7964.	0.5	7
99	Clinically important change in tinnitus sensation after stapedotomy. Health and Quality of Life Outcomes, 2018, 16, 208.	1.0	13
100	Visual Analogue Scales as a Tool for Initial Assessment of Tinnitus Severity: Psychometric Evaluation in a Clinical Population. Audiology and Neuro-Otology, 2018, 23, 229-237.	0.6	27
101	Radiologic measurement of cochlea and hearing preservation rate using slim straight electrode (CI422) and round window approach. Acta Otorhinolaryngologica Italica, 2018, 38, 468-475.	0.7	5
102	Skarzynski Tinnitus Scale: validation of a brief and robust tool for assessing tinnitus in a clinical population. European Journal of Medical Research, 2018, 23, 54.	0.9	11
103	Self-esteem in the deaf who have become cochlear implant users as adults. PLoS ONE, 2018, 13, e0203680.	1.1	18
104	Preservation of Hearing Following Cochlear Implantation Using Different Steroid Therapy Regimens: A Prospective Clinical Study. Medical Science Monitor, 2018, 24, 2437-2445.	0.5	42
105	Electroglottography in the diagnosis of functional dysphonia. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2523-2528.	0.8	10
106	Complications in septoplasty based on a large group of 5639 patients. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1789-1794.	0.8	55
107	Tinnitus in patients with hearing loss due to mitochondrial DNA pathogenic variants. European Archives of Oto-Rhino-Laryngology, 2018, 275, 1979-1985.	0.8	8
108	Abnormal Resting-State Quantitative Electroencephalogram in Children With Central Auditory Processing Disorder: A Pilot Study. Frontiers in Neuroscience, 2018, 12, 292.	1.4	8

#	Article	IF	CITATIONS
109	Otoacoustic emissions from ears with spontaneous activity behave differently to those without: Stronger responses to tone bursts as well as to clicks. PLoS ONE, 2018, 13, e0192930.	1.1	6
110	Comprehensive approach to the National Network of Teleaudiology in World Hearing Center in Kajetany, Poland. Finnish Journal of EHealth and EWelfare, 2018, 10, .	0.0	3
111	Assessment of cortical auditory evoked potentials in children with specific language impairment. Otolaryngologia Polska, 2018, 72, 16-22.	0.2	3
112	The use of RSI and RFS questionnaires in the Polish language version. Otolaryngologia Polska, 2018, 72, 1-5.	0.2	4
113	Evaluation of electrocardiographic parameters in patients with hearing loss genotyped for the connexin 26 gene (GJB2) mutations. Brazilian Journal of Otorhinolaryngology, 2017, 83, 176-182.	0.4	3
114	The hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. Acta Oto-Laryngologica, 2017, 137, 723-729.	0.3	17
115	Characteristics of Euphony in Direct and Indirect Mucosal Wave Imaging Techniques. Journal of Voice, 2017, 31, 383.e13-383.e18.	0.6	6
116	Validation of the LittlEARS Auditory Questionnaire in cochlear implanted infants and toddlers. International Journal of Pediatric Otorhinolaryngology, 2017, 93, 107-116.	0.4	20
117	Round window stimulation with the Vibrant Soundbridge: Comparison of direct and indirect coupling. Laryngoscope, 2017, 127, 2843-2849.	1.1	13
118	Management of non-organic hearing loss in children – A case study. International Journal of Pediatric Otorhinolaryngology, 2017, 97, 223-227.	0.4	0
119	Novel neuro-audiological findings and further evidence for TWNK involvement in Perrault syndrome. Journal of Translational Medicine, 2017, 15, 25.	1.8	36
120	Adaptation of the Tinnitus Handicap Inventory into Polish and its testing on a clinical population of tinnitus sufferers. International Journal of Audiology, 2017, 56, 711-715.	0.9	38
121	Tonotopic organisation of the auditory cortex in sloping sensorineural hearing loss. Hearing Research, 2017, 355, 81-96.	0.9	16
122	Iterative Sequencing and Variant Screening (ISVS) as a novel pathogenic mutations search strategy - application for TMPRSS3 mutations screen. Scientific Reports, 2017, 7, 2543.	1.6	10
123	Tinnitus and Hearing Survey: A Polish Study of Validity and Reliability in a Clinical Population. Audiology and Neuro-Otology, 2017, 22, 197-204.	0.6	22
124	Application of next‑generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. Molecular Medicine Reports, 2017, 17, 1782-1790.	1.1	3
125	Whole exome sequencing identifies TRIOBP pathogenic variants as a cause of post-lingual bilateral moderate-to-severe sensorineural hearing loss. BMC Medical Genetics, 2017, 18, 142.	2.1	15
126	Neurophysiological maturation in adolescence – vulnerability and counteracting addiction to alcohol. Annals of Agricultural and Environmental Medicine, 2017, 24, 19-25.	0.5	12

#	Article	IF	CITATIONS
127	Rates of Vaccination against Streptococcus Pneumoniae in Cochlear Implant Patients. Medical Science Monitor, 2017, 23, 4567-4573.	0.5	9
128	Heightened visual attention does not affect inner ear function as measured by otoacoustic emissions. PeerJ, 2017, 5, e4199.	0.9	16
129	Influence of Acoustic Overstimulation on the Central Auditory System: An Functional Magnetic Resonance Imaging (fMRI) Study. Medical Science Monitor, 2016, 22, 4623-4635.	0.5	3
130	Relationship Between Distortion Product – Otoacoustic Emissions (DPOAEs) and High-Frequency Acoustic Immittance Measures. Medical Science Monitor, 2016, 22, 2028-2034.	0.5	2
131	Cochlear Implants in Subjects Over Age 65: Quality of Life and Audiological Outcomes. Medical Science Monitor, 2016, 22, 3035-3042.	0.5	22
132	Electrically evoked compound action potentials are different depending on the site of cochlear stimulation. Cochlear Implants International, 2016, 17, 251-262.	0.5	34
133	Sudden sensorineural hearing loss: Is there a connection with inner ear electrolytic disorders? A literature review. International Journal of Immunopathology and Pharmacology, 2016, 29, 595-602.	1.0	13
134	Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. Journal of Laryngology and Otology, 2016, 130, 332-339.	0.4	29
135	Patient management for cochlear implant recipients in audiology departments: A practice review. Cochlear Implants International, 2016, 17, 123-128.	0.5	4
136	Spontaneous otoacoustic emissions in schoolchildren. International Journal of Pediatric Otorhinolaryngology, 2016, 89, 67-71.	0.4	3
137	Slow Cortical Potential Neurofeedback in Chronic Tinnitus Therapy: A Case Report. Applied Psychophysiology Biofeedback, 2016, 41, 225-249.	1.0	10
138	Health-related quality of life and mental distress in patients with partial deafness: preliminary findings. European Archives of Oto-Rhino-Laryngology, 2016, 273, 767-776.	0.8	30
139	Novel and De Novo Mutations Extend Association of POU3F4 with Distinct Clinical and Radiological Phenotype of Hearing Loss. PLoS ONE, 2016, 11, e0166618.	1.1	20
140	QTc prolongation in patients with hearing loss: Electrocardiographic and genetic study. Cardiology Journal, 2016, 23, 34-41.	0.5	9
141	Assessment of acoustic characteristics of voice in patients after injection laryngoplasty with hyaluronan. Otolaryngologia Polska, 2016, 70, 15-23.	0.2	7
142	Satisfaction With Cochlear Implants in Postlingually Deaf Adults and Its Nonaudiological Predictors. Ear and Hearing, 2015, 36, 605-618.	1.0	34
143	A Retrospective Multicenter Study Comparing Speech Perception Outcomes for Bilateral Implantation and Bimodal Rehabilitation. Ear and Hearing, 2015, 36, 408-416.	1.0	70
144	Otoacoustic Emissions in Smoking and Nonsmoking Young Adults. Clinical and Experimental Otorhinolaryngology, 2015, 8, 303.	1.1	12

#	Article	IF	CITATIONS
145	Genetics of presbycusis and presbystasis. International Journal of Immunopathology and Pharmacology, 2015, 28, 29-35.	1.0	21
146	Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1896-1900.	0.4	27
147	Laser and chemical surface modifications of titanium grade 2 for medical application. Applied Surface Science, 2015, 336, 267-273.	3.1	27
148	Quality standards for bone conduction implants. Acta Oto-Laryngologica, 2015, 135, 1277-1285.	0.3	23
149	Otoacoustic emissions in newborns evoked by 0.5kHz tone bursts. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1522-1526.	0.4	5
150	Tinnitus reported by children aged 7 and 12 years. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1346-1350.	0.4	25
151	Tone burst evoked otoacoustic emissions in different age-groups of schoolchildren. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1310-1315.	0.4	2
152	Criteria for detection of transiently evoked otoacoustic emissions in schoolchildren. International Journal of Pediatric Otorhinolaryngology, 2015, 79, 1455-1461.	0.4	7
153	Molecular signaling of the HMGB1/RAGE axis contributes to cholesteatoma pathogenesis. Journal of Molecular Medicine, 2015, 93, 305-314.	1.7	15
154	Audio Profiles in Mitochondrial Deafness m.1555A>G and m.3243A>G Show Distinct Differences. Medical Science Monitor, 2015, 21, 694-700.	0.5	12
155	Comparison of 3 ABR Methods for Diagnosis of Retrocochlear Hearing Impairment. Medical Science Monitor, 2015, 21, 3814-3824.	0.5	3
156	Evaluation of central auditory processing in children with Specific Language Impairment. Otolaryngologia Polska, 2015, 69, 22-28.	0.2	4
157	Results of surgical treatment in patients with sulcus vocalis. Otolaryngologia Polska, 2015, 69, 11-15.	0.2	9
158	Central auditory processing disorder (CAPD) tests in a school-age hearing screening programme – analysis of 76,429 children. Annals of Agricultural and Environmental Medicine, 2015, 22, 90-95.	0.5	33
159	Attention Dysfunction Subtypes of Developmental Dyslexia. Medical Science Monitor, 2014, 20, 2256-2268.	0.5	13
160	Otoacoustic Emissions before and after Listening to Music on a Personal Player. Medical Science Monitor, 2014, 20, 1426-1431.	0.5	12
161	Towards neural correlates of auditory stimulus processing: A simultaneous auditory evoked potentials and functional magnetic resonance study using an odd-ball paradigm. Medical Science Monitor, 2014, 20, 35-46.	0.5	14
162	Deep insertion – round window approach by using SRA electrode. Cochlear Implants International, 2014, 15, S4-S7.	0.5	6

#	Article	IF	CITATIONS
163	Long-term results of partial deafness treatment. Cochlear Implants International, 2014, 15, S21-S23.	0.5	11
164	Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. Cochlear Implants International, 2014, 15, S24-S26.	0.5	3
165	FS4 for partial deafness treatment. Cochlear Implants International, 2014, 15, S78-S80.	0.5	0
166	Cochlear Implantation in the Elderly. Audiology and Neuro-Otology, 2014, 19, 33-35.	0.6	5
167	Reduced resting-state brain activity in the default mode network in children with (central) auditory processing disorders. Behavioral and Brain Functions, 2014, 10, 33.	1.4	16
168	A Comparative Study on Speech in Noise Understanding with a Direct Acoustic Cochlear Implant in Subjects with Severe to Profound Mixed Hearing Loss. Audiology and Neuro-Otology, 2014, 19, 164-174.	0.6	27
169	Time-Frequency Properties of Neonatal Transiently Evoked Otoacoustic Emissions Measured in Three Different Acquisition Modes. Journal of International Advanced Otology, 2014, 10, 52-55.	1.0	2
170	Direct round window stimulation with the Med-El Vibrant Soundbridge: 5Âyears of experience using a technique without interposed fascia. European Archives of Oto-Rhino-Laryngology, 2014, 271, 477-482.	0.8	55
171	Objectification of the severity of Reinke's edema. Otolaryngologia Polska, 2014, 68, 287-292.	0.2	5
172	Cochlear Implantation With the Nucleus Slim Straight Electrode in Subjects With Residual Low-Frequency Hearing. Ear and Hearing, 2014, 35, e33-e43.	1.0	65
173	New Outcomes With Auditory Brainstem Implants in NF2 Patients. Otology and Neurotology, 2014, 35, 1844-1851.	0.7	46
174	Factors Affecting Auditory Performance of Postlinguistically Deaf Adults Using Cochlear Implants: An Update with 2251 Patients. Audiology and Neuro-Otology, 2013, 18, 36-47.	0.6	477
175	Chirp-evoked otoacoustic emissions in children. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 101-106.	0.4	6
176	Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 1724-1728.	0.4	7
177	Automatic removal of sonomotor waves from auditory brainstem responses. Computers in Biology and Medicine, 2013, 43, 524-532.	3.9	5
178	A modified oddball paradigm for investigation of neural correlates of attention: a simultaneous ERP–fMRI study. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2013, 26, 511-526.	1.1	41
179	Towards a consensus on a hearing preservation classification system. Acta Oto-Laryngologica, 2013, 133, 3-13.	0.3	155
180	Cochlear Implantation With Hearing Preservation Yields Significant Benefit for Speech Recognition in Complex Listening Environments. Ear and Hearing, 2013, 34, 413-425.	1.0	189

#	Article	IF	CITATIONS
181	Auditory Brainstem Implantation Improves Speech Recognition in Neurofibromatosis Type II Patients. Orl, 2013, 75, 282-295.	0.6	27
182	Standards of practice in the field of hearing implants. Cochlear Implants International, 2013, 14, S1-S5.	0.5	11
183	Processing load during listening: The influence of task characteristics on the pupil response. Language and Cognitive Processes, 2013, 28, 426-442.	2.3	37
184	Quality of the voice after injection of hyaluronic acid into the vocal fold. Medical Science Monitor, 2013, 19, 276-282.	0.5	22
185	Identifying congenital hearing impairment: preliminary results from a comparative study using objective and subjective audiometric protocols. Acta Otorhinolaryngologica Italica, 2013, 33, 29-35.	0.7	5
186	A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. Acta Oto-Laryngologica, 2012, 132, 739-750.	0.3	13
187	Tone-Burst and Click-Evoked Otoacoustic Emissions in Subjects With Hearing Loss Above 0.25, 0.5, and 1 kHz. Ear and Hearing, 2012, 33, 757-767.	1.0	19
188	<i>MTHFR</i> 677T Is a Strong Determinant of the Degree of Hearing Loss Among Polish Males with Postlingual Sensorineural Hearing Impairment. DNA and Cell Biology, 2012, 31, 1267-1273.	0.9	7
189	Musical Ratios in Sounds from the Human Cochlea. PLoS ONE, 2012, 7, e37988.	1.1	3
190	Partial Deafness Treatment with the Nucleus Straight Research Array Cochlear Implant. Audiology and Neuro-Otology, 2012, 17, 82-91.	0.6	88
191	Time–frequency analysis of linear and nonlinear otoacoustic emissions and removal of a short-latency stimulus artifact. Journal of the Acoustical Society of America, 2012, 131, 2200-2208.	0.5	18
192	Troublesome Tinnitus in Children: Epidemiology, Audiological Profile, and Preliminary Results of Treatment. International Journal of Pediatrics (United Kingdom), 2012, 2012, 1-5.	0.2	27
193	Screening for pre-school and school-age hearing problems: European Consensus Statement. International Journal of Pediatric Otorhinolaryngology, 2012, 76, 120-121.	0.4	69
194	Otoacoustic emissions in neonates measured with different acquisition protocols. International Journal of Pediatric Otorhinolaryngology, 2012, 76, 382-387.	0.4	9
195	Postlingual Hearing Loss as a Mitochondrial 3243A>G Mutation Phenotype. PLoS ONE, 2012, 7, e44054.	1.1	19
196	Prevention of communication disorders – screening pre-school and school-age children for problems with hearing, vision and speech: European Consensus Statement. Medical Science Monitor, 2012, 18, SR17-SR21.	0.5	29
197	Immediate speech fluency improvement after application of the Digital Speech Aid in stuttering patients. Medical Science Monitor, 2012, 18, CR9-CR12.	0.5	7
198	The relationship between distortion product otoacoustic emissions and extended high-frequency audiometry in tinnitus patients. Part 1: Normally hearing patients with unilateral tinnitus. Medical Science Monitor, 2012, 18, CR765-CR770.	0.5	57

#	Article	IF	CITATIONS
199	A new oral otoprotective agent. Part 1: Electrophysiology data from protection against noise-induced hearing loss. Medical Science Monitor, 2012, 18, BR1-BR8.	0.5	17
200	Alteration of distortion product otoacoustic emission input/output functions in subjects with a previous history of middle ear dysfunction. Medical Science Monitor, 2012, 18, MT27-MT31.	0.5	7
201	Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part 1: Audera and CHARTR EP devices. Medical Science Monitor, 2012, 18, MT47-MT53.	0.5	8
202	Pre-, Per- and Postoperative Factors Affecting Performance of Postlinguistically Deaf Adults Using Cochlear Implants: A New Conceptual Model over Time. PLoS ONE, 2012, 7, e48739.	1.1	347
203	Masking level difference in an adaptive procedure for clinical investigation. International Journal of Audiology, 2011, 50, 613-620.	0.9	Ο
204	The contribution of the mitochondrial COI/tRNASer(UCN) gene mutations to non-syndromic and aminoglycoside-induced hearing loss in Polish patients. Molecular Genetics and Metabolism, 2011, 104, 153-159.	0.5	12
205	B037 Cochlear implantation in cases with congenital deformations and rare genetic syndromes: Goldenhar and Branchio-Oculo-Facial. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 17.	0.4	Ο
206	B111 Cochlear implantation in congenital middle and inner ear malformations in children. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 30.	0.4	0
207	C113 Skarzynski PDT (Partial Deafness Treatment) classification. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 53-54.	0.4	23
208	D009 fMRI as diagnostic tool for patients with indications to partial deafness treatment (PDT). International Journal of Pediatric Otorhinolaryngology, 2011, 75, 59.	0.4	0
209	E050 Home rehabilitation clinic (HRC) $\hat{a} \in$ "the proposition of solution of organizing rehabilitation close to patient's home. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 70.	0.4	2
210	E095 Patients qualified into Partial Deafness Treatment (PDT) after hearing screening program in schoolchildren in Poland. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 78.	0.4	0
211	Dose-dependent protection on cisplatin-induced ototoxicity – an electrophysiological study on the effect of three antioxidants in the Sprague-Dawley rat animal model. Medical Science Monitor, 2011, 17, BR179-BR186.	0.5	34
212	A connection between the Efferent Auditory System and Noise-Induced Tinnitus Generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. Medical Science Monitor, 2011, 17, MT56-MT62.	0.5	18
213	Contralateral suppression of otoacoustic emissions: Input-Output functions in neonates. Medical Science Monitor, 2011, 17, CR557-CR562.	0.5	1
214	Comparison of round-window membrane mechanics before and after experimental stapedotomy. Laryngoscope, 2011, 121, 1958-1964.	1.1	8
215	Evoked Stapedius Reflex and Compound Action Potential Thresholds versus Most Comfortable Loudness Level: Assessment of Their Relation for Charge-Based Fitting Strategies in Implant Users. Orl, 2011, 73, 189-195.	0.6	45
216	Atraumatic round window deep insertion of cochlear electrodes. Acta Oto-Laryngologica, 2011, 131, 740-749.	0.3	59

#	Article	IF	CITATIONS
217	Hearing Loss and Auditory Processing Disorders: Clinical and Experimental Perspectives. On Thinking, 2011, , 153-168.	0.5	5
218	Music Perception in Electric Acoustic Stimulation Users as Assessed by the Mu.S.I.C. Test. Advances in Oto-Rhino-Laryngology, 2010, 67, 70-80.	1.6	55
219	Preliminary Results of Duet to Duet 2 Upgrade. Cochlear Implants International, 2010, 11, 75-78.	0.5	0
220	Subjective Benefit after Partial Deafness Cochlear Implantation. Cochlear Implants International, 2010, 11, 122-124.	0.5	0
221	Speech Perception and Subjective Benefit in Paediatric C40+ Users after the Upgrade to Fine Structure Processing (FSP). Cochlear Implants International, 2010, 11, 444-448.	0.5	2
222	A Computer-Based, Word-Free Phoneme Identification Test Teetahtoo — Adaptation into Polish. Cochlear Implants International, 2010, 11, 403-405.	0.5	0
223	Home Rehabilitation Clinic as a Form of Support for Parents of Implanted Children. Cochlear Implants International, 2010, 11, 360-363.	0.5	2
224	Assessment of Benefit after Bilateral Cochlear Implantation in Children. Cochlear Implants International, 2010, 11, 79-82.	0.5	1
225	Electric stimulation complements functional residual hearing in partial deafness. Acta Oto-Laryngologica, 2010, 130, 888-896.	0.3	28
226	The Evaluation of Patients with Partial Deafness by Transiently Evoked Otoacoustic Emissions. Cochlear Implants International, 2010, 11, 110-113.	0.5	1
227	A new cochlear implant electrode design for preservation of residual hearing: a temporal bone study. Acta Oto-Laryngologica, 2010, 130, 435-442.	0.3	43
228	Remote fitting in Nucleus cochlear implant recipients. Acta Oto-Laryngologica, 2010, 130, 1379-1388.	0.3	63
229	Influence of Non-Optimal Levels of Electrical Stimulation in Cochlear Implantees on Hearing Benefits. Cochlear Implants International, 2010, 11, 485-488.	0.5	4
230	Validation of Results of the Polish Version of the LittlEARS Questionnaire. Cochlear Implants International, 2010, 11, 346-350.	0.5	5
231	Partial Deafness Treatment. Cochlear Implants International, 2010, 11, 29-41.	0.5	42
232	ESRT, ART, and MCL Correlations in Experienced Paediatric Cochlear Implant Users. Cochlear Implants International, 2010, 11, 482-484.	0.5	24
233	Spread of Excitation (SoE) — A Non-Invasive Assessment of Cochlear Implant Electrode Placement. Cochlear Implants International, 2010, 11, 479-481.	0.5	7
234	Translation of the LittlEARS Questionnaire into Polish. Cochlear Implants International, 2010, 11, 340-345.	0.5	2

#	Article	IF	CITATIONS
235	Organization of the Hearing Screening Examinations in Polish Schools in Rural Areas and Small Towns. Cochlear Implants International, 2010, 11, 143-147.	0.5	16
236	Improving Central Auditory Processing in Children with Cochlear Implants — Challenges and New Possibilities. Cochlear Implants International, 2010, 11, 379-381.	0.5	1
237	Bilateral Auditory Brainstem Implantation in a Patient with Neurofibromatosis Type II. Cochlear Implants International, 2010, 11, 88-93.	0.5	3
238	Analysis of Factors Affecting Hearing Preservation after Cochlear Implantation. Cochlear Implants International, 2010, 11, 114-116.	0.5	3
239	Fine Structure Processing improves speech perception as well as objective and subjective benefits in pediatric MED-EL COMBI 40+ users. International Journal of Pediatric Otorhinolaryngology, 2010, 74, 1372-1378.	0.4	37
240	Mutation analysis of mitochondrial 12S rRNA gene in Polish patients with non-syndromic and aminoglycoside-induced hearing loss. Biochemical and Biophysical Research Communications, 2010, 395, 116-121.	1.0	47
241	Threshold estimation in adult normal- and impaired-hearing subjects using auditory steady-state responses. Medical Science Monitor, 2010, 16, CR21-7.	0.5	3
242	Hearing preservation in partial deafness treatment. Medical Science Monitor, 2010, 16, CR555-62.	0.5	33
243	Otoacoustic emissions evoked by 0.5 kHz tone bursts. Journal of the Acoustical Society of America, 2009, 125, 3158.	0.5	15
244	Results of Partial Deafness Cochlear Implantation Using Various Electrode Designs. Audiology and Neuro-Otology, 2009, 14, 39-45.	0.6	64
245	Electric Acoustic Stimulation in Children. Advances in Oto-Rhino-Laryngology, 2009, 67, 135-143.	1.6	39
246	Treatment of otorhinolaryngological manifestations of three rare genetic syndromes: Branchio-Oculo-Facial (BOF), Ectrodactyly Ectodermal dysplasia Clefting (EEC) and focal dermal hypoplasia (Goltz syndrome). International Journal of Pediatric Otorhinolaryngology, 2009, 73, 143-151.	0.4	9
247	Treatment of otological features of the oculoauriculovertebral dysplasia (Goldenhar syndrome). International Journal of Pediatric Otorhinolaryngology, 2009, 73, 915-921.	0.4	18
248	Production and evaluation of a Polish version of the LittlEars questionnaire for the assessment of auditory development in infants. International Journal of Pediatric Otorhinolaryngology, 2009, 73, 1035-1042.	0.4	27
249	Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input/output-functions and auditory steady state responses. International Journal of Audiology, 2009, 48, 625-631.	0.9	13
250	Use of the matching pursuit algorithm with a dictionary of asymmetric waveforms in the analysis of transient evoked otoacoustic emissions. Journal of the Acoustical Society of America, 2009, 126, 3137-3146.	0.5	17
251	Sprawozdanie naukowe z 27th Politzer Society Meeting, Londyn 3–5.09.09. Otolaryngologia Polska, 2009, 63, 455-456.	0.2	0
252	Sprawozdanie z Kongresu "10th Asia Pacific Congress on Deafness (APCD)―w Bangkoku. Otolaryngologia Polska, 2009, 63, 457-458.	0.2	0

#	Article	IF	CITATIONS
253	Bilateral electric stimulation from auditory brainstem implants in a patient with neurofibromatosis type 2. Medical Science Monitor, 2009, 15, CS100-4.	0.5	8
254	Outcomes of Treatment of Partial Deafness With Cochlear Implantation: A DUET Study. Laryngoscope, 2008, 118, 288-294.	1.1	91
255	GJB2 and hearing impairment: promoter defects do not explain the excess of monoallelic mutations. Journal of Medical Genetics, 2008, 45, 607-608.	1.5	16
256	Synchronized spontaneous otoacoustic emissions analyzed in a time-frequency domain. Journal of the Acoustical Society of America, 2008, 124, 3720-3729.	0.5	32
257	Hearing preservation surgery: Psychophysical estimates of cochlear damage in recipients of a short electrode array. Journal of the Acoustical Society of America, 2008, 124, 2164-2173.	0.5	40
258	A pilot study on assessing hearing threshold using the Cochlea-Scan. Medical Science Monitor, 2008, 14, MT7-11.	0.5	4
259	Preservation of low frequency hearing in partial deafness cochlear implantation (PDCI) using the round window surgical approach. Acta Oto-Laryngologica, 2007, 127, 41-48.	0.3	170
260	Partial deafness cochlear implantation in children. International Journal of Pediatric Otorhinolaryngology, 2007, 71, 1407-1413.	0.4	81
261	A Universal Computer Audiometer for Objective Hearing Testing and Screening. , 2007, , .		4
262	M34T and V37I mutations in <i>GJB2</i> associated hearing impairment: Evidence for pathogenicity and reduced penetrance. American Journal of Medical Genetics, Part A, 2007, 143A, 2534-2543.	0.7	92
263	Electrically Elicited Stapedius Muscle Reflex in Cochlear Implant System fitting. , 2007, , 940-942.		1
264	Partial deafness cochlear implantation provides benefit to a new population of individuals with hearing loss. Acta Oto-Laryngologica, 2006, 126, 934-940.	0.3	103
265	Long-term data on children implanted with a short electrode array. International Journal of Pediatric Otorhinolaryngology, 2005, 69, 157-164.	0.4	9
266	Stability of electrically elicited stapedius reflex threshold in implanted children over time. International Congress Series, 2004, 1273, 84-86.	0.2	1
267	Pitch perception and the number of electrodes vs. long-term development of speech perception ability in auditory brainstem implants. International Congress Series, 2004, 1273, 429-432.	0.2	1
268	Preservation of low-frequency hearing in partial deafness cochlear implantation. International Congress Series, 2004, 1273, 239-242.	0.2	8
269	ESRT and MCL correlations in experienced paediatric cochlear implant users. Cochlear Implants International, 2004, 5, 28-37.	0.5	26
270	ESRT and MCL correlations in experienced paediatric cochlear implant users. Cochlear Implants International, 2004, 5, 28-37.	0.5	12

٦

#	Article	IF	CITATIONS
271	Objective methods of postoperative tests in cochlear implant patients. International Congress Series, 2003, 1240, 379-383.	0.2	4
272	Program of early identification of hearing loss in newborns in Poland. International Congress Series, 2003, 1240, 269-271.	0.2	1
273	Application of electric-acoustic stimulation in patients with profound hearing loss—case study. International Congress Series, 2003, 1240, 291-295.	0.2	3
274	Tinnitus as a symptom of acoustic neuroma. International Congress Series, 2003, 1240, 313-315.	0.2	3
275	Frequency-specificity of auditory brainstem responses elicited by 500 Hz tone-pip with Gaussian envelope in normal hearing and sensorineural hearing loss. International Congress Series, 2003, 1240, 257-261.	0.2	0
276	Application of bone anchored hearing aids in different acquired and congenital ear malformations. International Congress Series, 2003, 1240, 321-323.	0.2	0
277	"l can hearâ€i a system for universal hearing screening in school age children. Organization and first results. International Congress Series, 2003, 1240, 325-327.	0.2	3
278	Three-year experience in the rehabilitation of brainstem implant patients. International Congress Series, 2003, 1240, 429-432.	0.2	0
279	Analysis of epidemiological and otological aspects of surgical treatment performed in the Institute of Physiology and Pathology of Hearing in the year 2001. International Congress Series, 2003, 1240, 1417-1420.	0.2	0
280	Open-set speech perception in adult cochlear implant users with ossified cochleae. Cochlear Implants International, 2003, 4, 55-72.	0.5	10
281	Assessment of Auditory Skills in 140 Cochlear Implant Children Using the EARS Protocol. Orl, 2003, 65, 91-96.	0.6	22
282	A new method of partial deafness treatment. Medical Science Monitor, 2003, 9, CS20-4.	0.5	46
283	Preservation of Residual Hearing in Children and Post-Lingually Deafened Adults after Cochlear Implantation: An Initial Study. Orl, 2002, 64, 247-253.	0.6	97
284	Project of the countrywide data collecting system for neonatal hearing screening programme in Poland. Scandinavian Audiology, 2001, 30, 197-198.	0.5	15
285	First auditory brainstem implantation in Poland: auditory perception results over 12 months. Journal of Laryngology and Otology, 2000, 114, 44-5.	0.4	7
286	Correlation between Ki-67 index and some clinical aspects of acoustic neuromas (vestibular) Tj ETQq0 0 0 rgBT /	Overlock I	10 T£ 50 142
287	The growth of acoustic neuromas in volumetric radiologic assessment. The American Journal of Otology, 1999, 20, 244-8.	0.4	38

²⁸⁸Distances between the cochlea and adjacent structures related to cochlear implant surgery. Surgical0.635and Radiologic Anatomy, 1998, 20, 267-271.0.635

#	Article	IF	CITATIONS
289	Evaluation of Performance with the COMBI 40 Cochlear Implant in Adults: A Multicentric Clinical Study. Orl, 1997, 59, 23-35.	0.6	102
290	Strukturierung und Ablauf der Rehabilitation von Patienten mit Kochleaimplantaten. Oto-rhino-laryngologia Nova, 1994, 4, 203-208.	0.0	0
291	Technological Advances in Universal Neonatal Hearing Screening (UNHS). , 0, , .		0
292	Developmental outcomes of deaf preschool-aged children with cochlear implants. International Journal of Disability Development and Education, 0, , 1-15.	0.6	0
293	Hearing Loss as the Main Clinical Presentation in NLRP3-Associated Autoinflammatory Disease. Frontiers in Immunology, 0, 13, .	2.2	5
294	Systematic Literature Review of Hearing Preservation Rates in Cochlear Implantation Associated With Medium- and Longer-Length Flexible Lateral Wall Electrode Arrays. Frontiers in Surgery, 0, 9, .	0.6	10