

# Henryk Skarzynski

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1025120/henryk-skarzynski-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268  
papers

3,800  
citations

30  
h-index

51  
g-index

314  
ext. papers

4,956  
ext. citations

2.6  
avg, IF

5.28  
L-index

#	Paper	IF	Citations
268	Factors affecting auditory performance of postlinguistically deaf adults using cochlear implants: an update with 2251 patients. <i>Audiology and Neuro-Otology</i> , <b>2013</b> , 18, 36-47	2.2	314
267	Pre-, per- and postoperative factors affecting performance of postlinguistically deaf adults using cochlear implants: a new conceptual model over time. <i>PLoS ONE</i> , <b>2012</b> , 7, e48739	3.7	236
266	Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. <i>Ear and Hearing</i> , <b>2013</b> , 34, 413-25	3.4	153
265	Preservation of low frequency hearing in partial deafness cochlear implantation (PDCI) using the round window surgical approach. <i>Acta Oto-Laryngologica</i> , <b>2007</b> , 127, 41-8	1.6	128
264	Towards a consensus on a hearing preservation classification system. <i>Acta Oto-Laryngologica</i> , <b>2013</b> , 3-13	1.6	102
263	M34T and V37I mutations in GJB2 associated hearing impairment: evidence for pathogenicity and reduced penetrance. <i>American Journal of Medical Genetics, Part A</i> , <b>2007</b> , 143A, 2534-43	2.5	81
262	Evaluation of performance with the COMBI40 cochlear implant in adults: a multicentric clinical study. <i>Orl</i> , <b>1997</b> , 59, 23-35	2	80
261	Preservation of residual hearing in children and post-lingually deafened adults after cochlear implantation: an initial study. <i>Orl</i> , <b>2002</b> , 64, 247-53	2	79
260	Partial deafness cochlear implantation provides benefit to a new population of individuals with hearing loss. <i>Acta Oto-Laryngologica</i> , <b>2006</b> , 126, 934-40	1.6	77
259	Outcomes of treatment of partial deafness with cochlear implantation: a DUET study. <i>Laryngoscope</i> , <b>2008</b> , 118, 288-94	3.6	71
258	Partial deafness treatment with the nucleus straight research array cochlear implant. <i>Audiology and Neuro-Otology</i> , <b>2012</b> , 17, 82-91	2.2	66
257	Remote fitting in Nucleus cochlear implant recipients. <i>Acta Oto-Laryngologica</i> , <b>2010</b> , 130, 1379-88	1.6	53
256	Partial deafness cochlear implantation in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2007</b> , 71, 1407-13	1.7	53
255	Cochlear implantation with the nucleus slim straight electrode in subjects with residual low-frequency hearing. <i>Ear and Hearing</i> , <b>2014</b> , 35, e33-43	3.4	52
254	A Retrospective Multicenter Study Comparing Speech Perception Outcomes for Bilateral Implantation and Bimodal Rehabilitation. <i>Ear and Hearing</i> , <b>2015</b> , 36, 408-16	3.4	52
253	Results of partial deafness cochlear implantation using various electrode designs. <i>Audiology and Neuro-Otology</i> , <b>2009</b> , 14 Suppl 1, 39-45	2.2	47
252	Screening for pre-school and school-age hearing problems: European Consensus Statement. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2012</b> , 76, 120-1	1.7	44

251	A new method of partial deafness treatment. <i>Medical Science Monitor</i> , <b>2003</b> , 9, CS20-4	3.2	43
250	Atraumatic round window deep insertion of cochlear electrodes. <i>Acta Oto-Laryngologica</i> , <b>2011</b> , 131, 740-96		42
249	Mutation analysis of mitochondrial 12S rRNA gene in Polish patients with non-syndromic and aminoglycoside-induced hearing loss. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 395, 116-21	3.4	41
248	The relationship between distortion product otoacoustic emissions and extended high-frequency audiometry in tinnitus patients. Part 1: normally hearing patients with unilateral tinnitus. <i>Medical Science Monitor</i> , <b>2012</b> , 18, CR765-70	3.2	39
247	Music perception in electric acoustic stimulation users as assessed by the Mu.S.I.C. test. <i>Advances in Oto-Rhino-Laryngology</i> , <b>2010</b> , 67, 70-80	1.7	36
246	The growth of acoustic neuromas in volumetric radiologic assessment. <i>The American Journal of Otology</i> , <b>1999</b> , 20, 244-8		36
245	Correlation between Ki-67 index and some clinical aspects of acoustic neuromas (vestibular schwannomas). <i>Otolaryngology - Head and Neck Surgery</i> , <b>2000</b> , 123, 779-83	5.5	35
244	Complications in septoplasty based on a large group of 5639 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 1789-1794	3.5	34
243	Direct round window stimulation with the Med-El Vibrant Soundbridge: 5 years of experience using a technique without interposed fascia. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2014</b> , 271, 477-82	3.5	33
242	New outcomes with auditory brainstem implants in NF2 patients. <i>Otology and Neurotology</i> , <b>2014</b> , 35, 1844-51	2.6	33
241	Distances between the cochlea and adjacent structures related to cochlear implant surgery. <i>Surgical and Radiologic Anatomy</i> , <b>1998</b> , 20, 267-71	1.4	33
240	A new cochlear implant electrode design for preservation of residual hearing: a temporal bone study. <i>Acta Oto-Laryngologica</i> , <b>2010</b> , 130, 435-42	1.6	32
239	Electric acoustic stimulation in children. <i>Advances in Oto-Rhino-Laryngology</i> , <b>2010</b> , 67, 135-143	1.7	31
238	Hearing preservation in partial deafness treatment. <i>Medical Science Monitor</i> , <b>2010</b> , 16, CR555-62	3.2	30
237	Dose-dependent protection on cisplatin-induced ototoxicity - an electrophysiological study on the effect of three antioxidants in the Sprague-Dawley rat animal model. <i>Medical Science Monitor</i> , <b>2011</b> , 17, BR179-186	3.2	29
236	Hearing preservation surgery: psychophysical estimates of cochlear damage in recipients of a short electrode array. <i>Journal of the Acoustical Society of America</i> , <b>2008</b> , 124, 2164-73	2.2	29
235	A modified oddball paradigm for investigation of neural correlates of attention: a simultaneous ERP-fMRI study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2013</b> , 26, 511-26	2.8	28
234	Hearing preservation cochlear implantation in children: The HEARRING Group consensus and practice guide. <i>Cochlear Implants International</i> , <b>2018</b> , 19, 1-13	1.7	26

233	Processing load during listening: The influence of task characteristics on the pupil response. <i>Language and Cognitive Processes</i> , <b>2013</b> , 28, 426-442		26
232	Fine Structure Processing improves speech perception as well as objective and subjective benefits in pediatric MED-EL COMBI 40+ users. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2010</b> , 74, 1372-8	1.7	26
231	Synchronized spontaneous otoacoustic emissions analyzed in a time-frequency domain. <i>Journal of the Acoustical Society of America</i> , <b>2008</b> , 124, 3720-9	2.2	26
230	Electrically evoked compound action potentials are different depending on the site of cochlear stimulation. <i>Cochlear Implants International</i> , <b>2016</b> , 17, 251-262	1.7	26
229	Novel neuro-audiological findings and further evidence for TWNK involvement in Perrault syndrome. <i>Journal of Translational Medicine</i> , <b>2017</b> , 15, 25	8.5	25
228	Evoked stapedius reflex and compound action potential thresholds versus most comfortable loudness level: assessment of their relation for charge-based fitting strategies in implant users. <i>Orl</i> , <b>2011</b> , 73, 189-95	2	24
227	Troublesome tinnitus in children: epidemiology, audiological profile, and preliminary results of treatment. <i>International Journal of Pediatrics (United Kingdom)</i> , <b>2012</b> , 2012, 945356	2.1	24
226	Electric stimulation complements functional residual hearing in partial deafness. <i>Acta Oto-Laryngologica</i> , <b>2010</b> , 130, 888-96	1.6	23
225	Health-related quality of life and mental distress in patients with partial deafness: preliminary findings. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2016</b> , 273, 767-76	3.5	22
224	Satisfaction With Cochlear Implants in Postlingually Deaf Adults and Its Nonaudiological Predictors: Psychological Distress, Coping Strategies, and Self-Esteem. <i>Ear and Hearing</i> , <b>2015</b> , 36, 605-18	3.4	22
223	A comparative study on speech in noise understanding with a direct acoustic cochlear implant in subjects with severe to profound mixed hearing loss. <i>Audiology and Neuro-Otology</i> , <b>2014</b> , 19, 164-74	2.2	22
222	C113 Skarzynski PDT (Partial Deafness Treatment) classification. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2011</b> , 75, 53-54	1.7	22
221	Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. <i>Journal of Laryngology and Otology</i> , <b>2016</b> , 130, 332-9	1.8	22
220	Adaptation of the Tinnitus Handicap Inventory into Polish and its testing on a clinical population of tinnitus sufferers. <i>International Journal of Audiology</i> , <b>2017</b> , 56, 711-715	2.6	21
219	Laser and chemical surface modifications of titanium grade 2 for medical application. <i>Applied Surface Science</i> , <b>2015</b> , 336, 267-273	6.7	21
218	Preservation of Hearing Following Cochlear Implantation Using Different Steroid Therapy Regimens: A Prospective Clinical Study. <i>Medical Science Monitor</i> , <b>2018</b> , 24, 2437-2445	3.2	21
217	Auditory brainstem implantation improves speech recognition in neurofibromatosis type II patients. <i>Orl</i> , <b>2013</b> , 75, 282-95	2	19
216	Quality standards for bone conduction implants. <i>Acta Oto-Laryngologica</i> , <b>2015</b> , 135, 1277-85	1.6	18

215	Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1896-900	1.7	18
214	Production and evaluation of a Polish version of the LittleEars questionnaire for the assessment of auditory development in infants. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2009</b> , 73, 1035-42	1.7	18
213	Prevention of communication disorders--screening pre-school and school-age children for problems with hearing, vision and speech: European Consensus Statement. <i>Medical Science Monitor</i> , <b>2012</b> , 18, SR17-21	2.2	17
212	Treatment of otological features of the oculoauriculovertebral dysplasia (Goldenhar syndrome). <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2009</b> , 73, 915-21	1.7	16
211	GJB2 and hearing impairment: promoter defects do not explain the excess of monoallelic mutations. <i>Journal of Medical Genetics</i> , <b>2008</b> , 45, 607-8	5.8	16
210	Novel and De Novo Mutations Extend Association of POU3F4 with Distinct Clinical and Radiological Phenotype of Hearing Loss. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166618	3.7	16
209	Partial deafness treatment. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 29-41	1.7	15
208	Time-frequency analysis of linear and nonlinear otoacoustic emissions and removal of a short-latency stimulus artifact. <i>Journal of the Acoustical Society of America</i> , <b>2012</b> , 131, 2200-8	2.2	15
207	Assessment of auditory skills in 140 cochlear implant children using the EARS protocol. <i>Orl</i> , <b>2003</b> , 65, 91-6	2	15
206	Validation of the LittleEARS Auditory Questionnaire in cochlear implanted infants and toddlers. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2017</b> , 93, 107-116	1.7	14
205	Tinnitus reported by children aged 7 and 12 years. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1346-50	1.7	14
204	Altered Functional Connectivity in Patients With Sloping Sensorineural Hearing Loss. <i>Frontiers in Human Neuroscience</i> , <b>2019</b> , 13, 284	3.3	14
203	Tinnitus and Hearing Survey: A Polish Study of Validity and Reliability in a Clinical Population. <i>Audiology and Neuro-Otology</i> , <b>2017</b> , 22, 197-204	2.2	14
202	A connection between the Efferent Auditory System and Noise-Induced Tinnitus Generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. <i>Medical Science Monitor</i> , <b>2011</b> , 17, MT56-62	3.2	14
201	Otoacoustic emissions evoked by 0.5 kHz tone bursts. <i>Journal of the Acoustical Society of America</i> , <b>2009</b> , 125, 3158-65	2.2	14
200	Tone-burst and click-evoked otoacoustic emissions in subjects with hearing loss above 0.25, 0.5, and 1 kHz. <i>Ear and Hearing</i> , <b>2012</b> , 33, 757-67	3.4	14
199	Use of the matching pursuit algorithm with a dictionary of asymmetric waveforms in the analysis of transient evoked otoacoustic emissions. <i>Journal of the Acoustical Society of America</i> , <b>2009</b> , 126, 3137-46	2.2	14
198	ESRT and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , <b>2004</b> , 5, 28-37	1.7	13

197	Quality of the voice after injection of hyaluronic acid into the vocal fold. <i>Medical Science Monitor</i> , <b>2013</b> , 19, 276-82	3.2	13
196	A revised grading system for the Tinnitus Handicap Inventory based on a large clinical population. <i>International Journal of Audiology</i> , <b>2020</b> , 59, 61-67	2.6	13
195	A new oral otoprotective agent. Part 1: Electrophysiology data from protection against noise-induced hearing loss. <i>Medical Science Monitor</i> , <b>2012</b> , 18, BR1-8	3.2	12
194	Cognitive Improvement After Cochlear Implantation in Older Adults With Severe or Profound Hearing Impairment: A Prospective, Longitudinal, Controlled, Multicenter Study. <i>Ear and Hearing</i> , <b>2020</b> , 42, 606-614	3.4	12
193	Cochlear Implants in Subjects Over Age 65: Quality of Life and Audiological Outcomes. <i>Medical Science Monitor</i> , <b>2016</b> , 22, 3035-42	3.2	12
192	Visual Analogue Scales as a Tool for Initial Assessment of Tinnitus Severity: Psychometric Evaluation in a Clinical Population. <i>Audiology and Neuro-Otology</i> , <b>2018</b> , 23, 229-237	2.2	12
191	Whole exome sequencing identifies TRIOBP pathogenic variants as a cause of post-lingual bilateral moderate-to-severe sensorineural hearing loss. <i>BMC Medical Genetics</i> , <b>2017</b> , 18, 142	2.1	11
190	Project of the nationwide data collecting system for neonatal hearing screening programme in Poland. <i>Scandinavian Audiology</i> , <b>2001</b> , 197-8		11
189	Central auditory processing disorder (CAPD) tests in a school-age hearing screening programme - analysis of 76,429 children. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 90-5	1.4	11
188	Heightened visual attention does not affect inner ear function as measured by otoacoustic emissions. <i>PeerJ</i> , <b>2017</b> , 5, e4199	3.1	11
187	The Bonebridge implant in older children and adolescents with mixed or conductive hearing loss: Audiological outcomes. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2019</b> , 118, 97-102	1.7	11
186	Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. <i>Restorative Neurology and Neuroscience</i> , <b>2019</b> , 37, 155-166	2.8	10
185	Molecular signaling of the HMGB1/RAGE axis contributes to cholesteatoma pathogenesis. <i>Journal of Molecular Medicine</i> , <b>2015</b> , 93, 305-14	5.5	10
184	Towards neural correlates of auditory stimulus processing: a simultaneous auditory evoked potentials and functional magnetic resonance study using an odd-ball paradigm. <i>Medical Science Monitor</i> , <b>2014</b> , 20, 35-46	3.2	10
183	Postlingual hearing loss as a mitochondrial 3243A>G mutation phenotype. <i>PLoS ONE</i> , <b>2012</b> , 7, e44054	3.7	10
182	Prevalence of hearing loss among polish school-age children from rural areas - Results of hearing screening program in the sample of 67 416 children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2020</b> , 128, 109676	1.7	10
181	Round window stimulation with the Vibrant Soundbridge: Comparison of direct and indirect coupling. <i>Laryngoscope</i> , <b>2017</b> , 127, 2843-2849	3.6	9
180	Relationship Between Tinnitus Loudness Measure by Visual Analogue Scale and Psychoacoustic Matching of Tinnitus Loudness. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 16-21	2.6	9

179	Neurophysiological maturation in adolescence - vulnerability and counteracting addiction to alcohol. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2017</b> , 24, 19-25	1.4	9
178	Standards of practice in the field of hearing implants. <i>Cochlear Implants International</i> , <b>2013</b> , 14 Suppl 2, S1-5	1.7	9
177	Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input/output-functions and auditory steady state responses. <i>International Journal of Audiology</i> , <b>2009</b> , 48, 625-31	2.6	9
176	Binaural advantages in using a cochlear implant for adults with profound unilateral hearing loss. <i>Acta Oto-Laryngologica</i> , <b>2019</b> , 139, 153-161	1.6	9
175	A Comparative Study of a Novel Adhesive Bone Conduction Device and Conventional Treatment Options for Conductive Hearing Loss. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 858-864	2.6	9
174	Tonotopic organisation of the auditory cortex in sloping sensorineural hearing loss. <i>Hearing Research</i> , <b>2017</b> , 355, 81-96	3.9	8
173	The Bonebridge in Adults with Mixed and Conductive Hearing Loss: Audiological and Quality of Life Outcomes. <i>Audiology and Neuro-Otology</i> , <b>2019</b> , 24, 90-99	2.2	8
172	Slow Cortical Potential Neurofeedback in Chronic Tinnitus Therapy: A Case Report. <i>Applied Psychophysiology Biofeedback</i> , <b>2016</b> , 41, 225-49	3.4	8
171	Otoacoustic Emissions in Smoking and Nonsmoking Young Adults. <i>Clinical and Experimental Otorhinolaryngology</i> , <b>2015</b> , 8, 303-11	3.4	8
170	Attention dysfunction subtypes of developmental dyslexia. <i>Medical Science Monitor</i> , <b>2014</b> , 20, 2256-68	3.2	8
169	Long-term results of partial deafness treatment. <i>Cochlear Implants International</i> , <b>2014</b> , 15 Suppl 1, S21-31.7		8
168	Organization of the hearing screening examinations in Polish schools in rural areas and small towns. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 143-7	1.7	8
167	A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. <i>Acta Oto-Laryngologica</i> , <b>2012</b> , 132, 739-50	1.6	8
166	Long-term data on children implanted with a short electrode array. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2005</b> , 69, 157-64	1.7	8
165	Self-esteem in the deaf who have become cochlear implant users as adults. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203680	3.7	8
164	The hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. <i>Acta Oto-Laryngologica</i> , <b>2017</b> , 137, 723-729	1.6	7
163	Effect on vestibular function of cochlear implantation by partial deafness treatment-electro acoustic stimulation (PDT-EAS). <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2019</b> , 276, 1951-1959	3.5	7
162	Contralateral suppression of otoacoustic emissions in pre-school children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2020</b> , 132, 109915	1.7	7



161	Iterative Sequencing and Variant Screening (ISVS) as a novel pathogenic mutations search strategy - application for TMPRSS3 mutations screen. <i>Scientific Reports</i> , <b>2017</b> , 7, 2543	4.9	7
160	Otoacoustic emissions before and after listening to music on a personal player. <i>Medical Science Monitor</i> , <b>2014</b> , 20, 1426-31	3.2	7
159	Reduced resting-state brain activity in the default mode network in children with (central) auditory processing disorders. <i>Behavioral and Brain Functions</i> , <b>2014</b> , 10, 33	4.1	7
158	Otoacoustic emissions in neonates measured with different acquisition protocols. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2012</b> , 76, 382-7	1.7	7
157	Comparison of round-window membrane mechanics before and after experimental stapedotomy. <i>Laryngoscope</i> , <b>2011</b> , 121, 1958-64	3.6	7
156	Treatment of otorhinolaryngological manifestations of three rare genetic syndromes: Branchio-Oculo-Facial (BOF), Ectrodactyly Ectodermal dysplasia Clefing (EEC) and focal dermal hypoplasia (Goltz syndrome). <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2009</b> , 73, 143-51	1.7	7
155	Preservation of low-frequency hearing in partial deafness cochlear implantation. <i>International Congress Series</i> , <b>2004</b> , 1273, 239-242		7
154	Audio profiles in mitochondrial deafness m.1555A>G and m.3243A>G show distinct differences. <i>Medical Science Monitor</i> , <b>2015</b> , 21, 694-700	3.2	7
153	QTc prolongation in patients with hearing loss: Electrocardiographic and genetic study. <i>Cardiology Journal</i> , <b>2016</b> , 23, 34-41	1.4	7
152	Two Novel Pathogenic Variants Confirm Causative Role in Perrault Syndrome with Renal Involvement. <i>Genes</i> , <b>2020</b> , 11,	4.2	7
151	Hearing Preservation With the Use of Flex20 and Flex24 Electrodes in Patients With Partial Deafness. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 1153-1159	2.6	7
150	Skarzynski Tinnitus Scale: validation of a brief and robust tool for assessing tinnitus in a clinical population. <i>European Journal of Medical Research</i> , <b>2018</b> , 23, 54	4.8	7
149	Tinnitus in patients with hearing loss due to mitochondrial DNA pathogenic variants. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 1979-1985	3.5	7
148	Bilateral electric stimulation from auditory brainstem implants in a patient with neurofibromatosis type 2. <i>Medical Science Monitor</i> , <b>2009</b> , 15, CS100-4	3.2	7
147	Criteria for detection of transiently evoked otoacoustic emissions in schoolchildren. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1455-61	1.7	6
146	No Change in Medial Olivocochlear Efferent Activity during an Auditory or Visual Task: Dual Evidence from Otoacoustic Emissions and Event-Related Potentials. <i>Brain Sciences</i> , <b>2020</b> , 10,	3.4	6
145	Abnormal Resting-State Quantitative Electroencephalogram in Children With Central Auditory Processing Disorder: A Pilot Study. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 292	5.1	6
144	Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2013</b> , 77, 1724-8	1.7	6



143	The contribution of the mitochondrial COI/tRNA(Ser(UCN)) gene mutations to non-syndromic and aminoglycoside-induced hearing loss in Polish patients. <i>Molecular Genetics and Metabolism</i> , <b>2011</b> , 104, 153-9	3.7	6
142	Open-set speech perception in adult cochlear implant users with ossified cochleae. <i>Cochlear Implants International</i> , <b>2003</b> , 4, 55-72	1.7	6
141	Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part 1: Audera and CHARTR EP devices. <i>Medical Science Monitor</i> , <b>2012</b> , 18, MT47-53	3.2	6
140	Results of surgical treatment in patients with sulcus vocalis. <i>Otolaryngologia Polska</i> , <b>2015</b> , 69, 7-14	0.7	6
139	Clinically important change in tinnitus sensation after stapedotomy. <i>Health and Quality of Life Outcomes</i> , <b>2018</b> , 16, 208	3	6
138	Electroglottography in the diagnosis of functional dysphonia. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 2523-2528	3.5	6
137	First confirmatory study on PTPRQ as an autosomal dominant non-syndromic hearing loss gene. <i>Journal of Translational Medicine</i> , <b>2019</b> , 17, 351	8.5	5
136	Overinterpretation of high throughput sequencing data in medical genetics: first evidence against TMPRSS3/GJB2 digenic inheritance of hearing loss. <i>Journal of Translational Medicine</i> , <b>2019</b> , 17, 269	8.5	5
135	Diagnosis of laryngopharyngeal reflux in children with voice disorders using 24-hour pharyngeal pH monitoring. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2019</b> , 121, 188-196	1.7	5
134	Otoacoustic emissions in newborns evoked by 0.5kHz tone bursts. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1522-6	1.7	5
133	Cochlear Implantation Outcome in Children with DFNB1 Pathogenic Variants. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
132	ESRT, ART, and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 482-4	1.7	5
131	MTHFR 677T is a strong determinant of the degree of hearing loss among Polish males with postlingual sensorineural hearing impairment. <i>DNA and Cell Biology</i> , <b>2012</b> , 31, 1267-73	3.6	5
130	Identifying congenital hearing impairment: preliminary results from a comparative study using objective and subjective audiometric protocols. <i>Acta Otorhinolaryngologica Italica</i> , <b>2013</b> , 33, 29-35	2.8	5
129	Cochlear Microphonics in Hearing Preservation Cochlear Implantees. <i>Journal of International Advanced Otology</i> , <b>2019</b> , 15, 345-351	1.1	5
128	Clinical Evaluation of a Polish Translation and Cross-Cultural Adaptation of the Nasal Obstruction Symptom Evaluation (NOSE) Scale. <i>Medical Science Monitor</i> , <b>2018</b> , 24, 7958-7964	3.2	5
127	ESRT and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , <b>2004</b> , 5, 28-37	1.7	5
126	Reference values for psychoacoustic tests on Polish school children 7-10 years old. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221689	3.7	4

125	Approximations to the Voice of a Cochlear Implant: Explorations With Single-Sided Deaf Listeners. <i>Trends in Hearing</i> , <b>2020</b> , 24, 2331216520920079	3.2	4
124	Chirp-evoked otoacoustic emissions in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2013</b> , 77, 101-6	1.7	4
123	Cochlear implantation in the elderly. <i>Audiology and Neuro-Otology</i> , <b>2014</b> , 19 Suppl 1, 33-35	2.2	4
122	Immediate speech fluency improvement after application of the Digital Speech Aid in stuttering patients. <i>Medical Science Monitor</i> , <b>2012</b> , 18, CR9-12	3.2	4
121	Spread of Excitation (SoE)--a non-invasive assessment of cochlear implant electrode placement. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 479-81	1.7	4
120	Alteration of distortion product otoacoustic emission input/output functions in subjects with a previous history of middle ear dysfunction. <i>Medical Science Monitor</i> , <b>2012</b> , 18, MT27-31	3.2	4
119	Rates of Vaccination against Streptococcus Pneumoniae in Cochlear Implant Patients. <i>Medical Science Monitor</i> , <b>2017</b> , 23, 4567-4573	3.2	4
118	Assessment of acoustic characteristics of voice in patients after injection laryngoplasty with hyaluronan. <i>Otolaryngologia Polska</i> , <b>2016</b> , 70, 15-23	0.7	4
117	HIV and age underlie specific patterns of brain abnormalities and cognitive changes in high functioning patients. <i>Neuropsychology</i> , <b>2019</b> , 33, 358-369	3.8	4
116	Audiological and psychological profiles of children with tinnitus. <i>Hearing, Balance and Communication</i> , <b>2020</b> , 18, 90-97	0.7	4
115	Electrophysiological correlates of focused attention on low- and high-distressed tinnitus. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236521	3.7	4
114	Electro-natural Stimulation (ENS) in Partial Deafness Treatment: Pediatric Case Series. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 171-176	2.6	4
113	Reliability of contralateral suppression of otoacoustic emissions in children. <i>International Journal of Audiology</i> , <b>2021</b> , 60, 438-445	2.6	4
112	Decreased Sound Tolerance in Tinnitus Patients. <i>Life</i> , <b>2021</b> , 11,	3	4
111	Radiologic measurement of cochlea and hearing preservation rate using slim straight electrode (CI422) and round window approach. <i>Acta Otorhinolaryngologica Italica</i> , <b>2018</b> , 38, 468-475	2.8	4
110	Characteristics of Euphony in Direct and Indirect Mucosal Wave Imaging Techniques. <i>Journal of Voice</i> , <b>2017</b> , 31, 383.e13-383.e18	1.9	3
109	Effect of yoga training on the tinnitus induced distress. <i>Complementary Therapies in Clinical Practice</i> , <b>2019</b> , 36, 7-11	3.5	3
108	Electro-Natural Stimulation in Partial Deafness Treatment of Adult Cochlear Implant Users: Long-Term Hearing Preservation Results. <i>Orl</i> , <b>2019</b> , 81, 63-72	2	3

107	Objectification of the severity of Reinke's edema. <i>Otolaryngologia Polska</i> , <b>2014</b> , 68, 287-92	0.7	3
106	Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. <i>Molecular Medicine Reports</i> , <b>2018</b> , 17, 1782-1790	2.9	3
105	Deep insertion - round window approach by using SRA electrode. <i>Cochlear Implants International</i> , <b>2014</b> , 15 Suppl 1, S4-7	1.7	3
104	Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. <i>Cochlear Implants International</i> , <b>2014</b> , 15 Suppl 1, S24-6	1.7	3
103	Influence of non-optimal levels of electrical stimulation in cochlear implantees on hearing benefits. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 485-8	1.7	3
102	Validation of results of the Polish version of the LittleARS Questionnaire. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 346-50	1.7	3
101	Analysis of factors affecting hearing preservation after cochlear implantation. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 114-6	1.7	3
100	Musical ratios in sounds from the human cochlea. <i>PLoS ONE</i> , <b>2012</b> , 7, e37988	3.7	3
99	A Universal Computer Audiometer for Objective Hearing Testing and Screening <b>2007</b> ,		3
98	Tinnitus as a symptom of acoustic neuroma. <i>International Congress Series</i> , <b>2003</b> , 1240, 313-315		3
97	Can hear a system for universal hearing screening in school age children. Organization and first results. <i>International Congress Series</i> , <b>2003</b> , 1240, 325-327		3
96	Otoacoustic emissions from ears with spontaneous activity behave differently to those without: Stronger responses to tone bursts as well as to clicks. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192930	3.7	3
95	The application of 24-hour pharyngeal pH-monitoring and Reflux Finding Score and Reflux Symptom Index questionnaires in the diagnostics of laryngopharyngeal reflux. <i>Przegląd Gastroenterologiczny</i> , <b>2019</b> , 14, 274-282	6	3
94	Prevalence and Severity of Tinnitus in Otosclerosis: Preliminary Findings from Validated Questionnaires. <i>Journal of International Advanced Otology</i> , <b>2019</b> , 15, 277-282	1.1	3
93	Results of hearing screening of school-age children in Bishkek, Kyrgyzstan. <i>Primary Health Care Research and Development</i> , <b>2020</b> , 21, e18	1.6	3
92	Effectiveness of tinnitus therapy using a mobile application. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 1	3.5	3
91	Patient management for cochlear implant recipients in audiology departments: A practice review. <i>Cochlear Implants International</i> , <b>2016</b> , 17, 123-8	1.7	3
90	Does the Presence of Spontaneous Components Affect the Reliability of Contralateral Suppression of Evoked Otoacoustic Emissions?. <i>Ear and Hearing</i> , <b>2021</b> , 42, 990-1005	3.4	3

89	A pilot study on assessing hearing threshold using the Cochlea-Scan. <i>Medical Science Monitor</i> , <b>2008</b> , 14, MT7-11	3.2	3
88	Threshold estimation in adult normal- and impaired-hearing subjects using auditory steady-state responses. <i>Medical Science Monitor</i> , <b>2010</b> , 16, CR21-7	3.2	3
87	Evaluation of electrocardiographic parameters in patients with hearing loss genotyped for the connexin 26 gene (GJB2) mutations. <i>Brazilian Journal of Otorhinolaryngology</i> , <b>2017</b> , 83, 176-182	1.6	2
86	Prevalence and severity of tinnitus in Polish otosclerosis patients qualified for stapes surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2019</b> , 276, 1585-1590	3.5	2
85	Assessing Gait Stability before and after Cochlear Implantation. <i>BioMed Research International</i> , <b>2019</b> , 2019, 2474273	3	2
84	Prevalence of tinnitus in a sample of 43,064 children in Warsaw, Poland. <i>International Journal of Audiology</i> , <b>2021</b> , 60, 614-620	2.6	2
83	Electrode estimation in the acoustic region of the human Cochlea. <i>Acta Oto-Laryngologica</i> , <b>2020</b> , 140, 487-496	1.6	2
82	Role of personal resources from the perspective of experiencing tinnitus annoyance in adults. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2020</b> , 277, 1617-1623	3.5	2
81	Changes in Hearing Threshold and Tinnitus Severity after Stapes Surgery: Which Is More Important to the Patient's Quality of Life?. <i>Orl</i> , <b>2019</b> , 81, 224-233	2	2
80	Does cochlear implantation influence postural stability in patients with hearing loss?. <i>Gait and Posture</i> , <b>2019</b> , 74, 40-44	2.6	2
79	Automatic removal of sonomotor waves from auditory brainstem responses. <i>Computers in Biology and Medicine</i> , <b>2013</b> , 43, 524-32	7	2
78	Time-Frequency Properties of Neonatal Transiently Evoked Otoacoustic Emissions Measured in Three Different Acquisition Modes. <i>Journal of International Advanced Otolaryngology</i> , <b>2014</b> , 10, 52-55	1.1	2
77	Bilateral auditory brainstem implantation in a patient with neurofibromatosis type II. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 88-93	1.7	2
76	Objective methods of postoperative tests in cochlear implant patients. <i>International Congress Series</i> , <b>2003</b> , 1240, 379-383		2
75	First auditory brainstem implantation in Poland: auditory perception results over 12 months. <i>Journal of Laryngology and Otology</i> , <b>2000</b> , 44-5	1.8	2
74	Comparison of 3 ABR Methods for Diagnosis of Retrocochlear Hearing Impairment. <i>Medical Science Monitor</i> , <b>2015</b> , 21, 3814-24	3.2	2
73	Evaluation of central auditory processing in children with Specific Language Impairment. <i>Otolaryngologia Polska</i> , <b>2015</b> , 69, 22-8	0.7	2
72	Assessment of cortical auditory evoked potentials in children with specific language impairment. <i>Otolaryngologia Polska</i> , <b>2018</b> , 72, 16-22	0.7	2

71	The use of RSI and RFS questionnaires in the Polish language version. <i>Otolaryngologia Polska</i> , <b>2018</b> , 73, 1-5	0.7	2
70	Hearing Loss and Auditory Processing Disorders: Clinical and Experimental Perspectives. <i>On Thinking</i> , <b>2011</b> , 153-168		2
69	Cross-Cultural Adaptation of the Scale of Auditory Behaviors Questionnaire. <i>Language, Speech, and Hearing Services in Schools</i> , <b>2019</b> , 50, 683-692	2.3	2
68	How to Interpret Tinnitus Functional Index Scores: A Proposal for a Grading System Based on a Large Sample of Tinnitus Patients. <i>Ear and Hearing</i> , <b>2020</b> , 42, 654-661	3.4	2
67	Personal Music Players Use and Other Noise Hazards among Children 11 to 12 Years Old. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
66	Improved measurement of tinnitus severity: Study of the dimensionality and reliability of the Tinnitus Handicap Inventory. <i>PLoS ONE</i> , <b>2020</b> , 15, e0237778	3.7	2
65	Influence of Acoustic Overstimulation on the Central Auditory System: An Functional Magnetic Resonance Imaging (fMRI) Study. <i>Medical Science Monitor</i> , <b>2016</b> , 22, 4623-4635	3.2	2
64	Spontaneous otoacoustic emissions in schoolchildren. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2016</b> , 89, 67-71	1.7	2
63	Cochlear implants in adults with partial deafness: subjective benefits but associated psychological distress. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 1387-1394	3.5	2
62	Functional Polymorphism of and as Potential Biomarker of Auditory Neuroplasticity in Prelingual Deafness Treatment With Cochlear Implantation-A Retrospective Cohort Analysis. <i>Trends in Hearing</i> , <b>2021</b> , 25, 23312165211002140	3.2	2
61	Tone burst evoked otoacoustic emissions in different age-groups of schoolchildren. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1310-5	1.7	1
60	Speech Perception Changes in the Acoustically Aided, Nonimplanted Ear after Cochlear Implantation: A Multicenter Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	1
59	Three-year audiological outcomes of the latest generation middle ear transducer (MET) implant. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2020</b> , 277, 3013-3019	3.5	1
58	Contralateral suppression of otoacoustic emissions: input-output functions in neonates. <i>Medical Science Monitor</i> , <b>2011</b> , 17, CR557-62	3.2	1
57	Speech perception and subjective benefit in paediatric C40+ users after the upgrade to fine structure processing (FSP). <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 444-8	1.7	1
56	Assessment of benefit after bilateral cochlear implantation in children. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 79-82	1.7	1
55	Improving central auditory processing in children with cochlear implants--challenges and new possibilities. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 379-81	1.7	1
54	Program of early identification of hearing loss in newborns in Poland. <i>International Congress Series</i> , <b>2003</b> , 1240, 269-271		1

53	Application of electric-acoustic stimulation in patients with profound hearing loss—base study. <i>International Congress Series</i> , <b>2003</b> , 1240, 291-295		1
52	Stability of electrically elicited stapedius reflex threshold in implanted children over time. <i>International Congress Series</i> , <b>2004</b> , 1273, 84-86		1
51	Pitch perception and the number of electrodes vs. long-term development of speech perception ability in auditory brainstem implants. <i>International Congress Series</i> , <b>2004</b> , 1273, 429-432		1
50	The Reliability of Contralateral Suppression of Otoacoustic Emissions Is Greater in Women than in Men.. <i>Audiology Research</i> , <b>2022</b> , 12, 79-86	1.5	1
49	Prospective cohort study reveals MMP-9, a neuroplasticity regulator, as a prediction marker of cochlear implantation outcome in prelingual deafness treatment.. <i>Molecular Neurobiology</i> , <b>2022</b> , 1	6.2	1
48	Diagnosis in Muscle Tension Dysphagia. <i>Otolaryngologia Polska</i> , <b>2020</b> , 75, 16-22	0.7	1
47	Electrically Elicited Stapedius Muscle Reflex in Cochlear Implant System fitting <b>2007</b> , 940-942		1
46	Polish version of the pediatric Voice Handicap Index (pVHI). <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2020</b> , 138, 110278	1.7	1
45	Implantation of the Vibrant Soundbridge in a Case of Bilateral Malformation of the Middle and External Ear. <i>American Journal of Case Reports</i> , <b>2021</b> , 22, e929933	1.3	1
44	Relationship Between Distortion Product - Otoacoustic Emissions (DPOAEs) and High-Frequency Acoustic Immittance Measures. <i>Medical Science Monitor</i> , <b>2016</b> , 22, 2028-34	3.2	1
43	Vestibular status in partial deafness. <i>Brazilian Journal of Otorhinolaryngology</i> , <b>2021</b> , 87, 379-388	1.6	1
42	Objective measurement of mucosal wave parameters in diagnosing benign lesions of the vocal folds. <i>Logopedics Phoniatrics Vocology</i> , <b>2019</b> , 44, 73-78	1.3	1
41	Developmental outcomes of young deaf children and the self-perceived parental role of their hearing mothers. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2021</b> , 141, 110517	1.7	1
40	Validation of AQoL-8D: a health-related quality of life questionnaire for adult patients referred for otolaryngology. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 1	3.5	1
39	Psychomotor development of 4-year-old deaf children with cochlear implants: Three case studies. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2021</b> , 141, 110570	1.7	1
38	Quality of Life in Patients with Nasal Obstruction after Septoplasty: A Single Institution Prospective Observational Study. <i>International Archives of Otorhinolaryngology</i> , <b>2021</b> , 25, e575-e579	1.5	1
37	Evaluation of the Bonebridge BCI 602 active bone conductive implant in adults: efficacy and stability of audiological, surgical, and functional outcomes.. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2022</b> , 1	3.5	1
36	In Vivo Basilar Membrane Time Delays in Humans.. <i>Brain Sciences</i> , <b>2022</b> , 12,	3.4	1



35	Results of stapedotomy in otosurgical treatment of adult patients with osteogenesis imperfecta. <i>Auris Nasus Larynx</i> , <b>2019</b> , 46, 853-858	2.2	○
34	Home rehabilitation clinic as a form of support for parents of implanted children. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 360-3	1.7	○
33	The evaluation of patients with partial deafness by transiently evoked otoacoustic emissions. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 110-3	1.7	○
32	Translation of the LittleEARS Questionnaire into Polish. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 340-5	1.7	○
31	The role of next generation sequencing in predicting hearing loss. <i>Expert Review of Molecular Diagnostics</i> , <b>2021</b> , 21, 347-348	3.8	○
30	Pitfalls in the Detection of Hearing Loss via Otoacoustic Emissions. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 2184	2.6	○
29	Vestibular Function After Cochlear Implantation in Partial Deafness Treatment. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 667055	4.1	○
28	TBC1D24 emerges as an important contributor to progressive postlingual dominant hearing loss. <i>Scientific Reports</i> , <b>2021</b> , 11, 10300	4.9	○
27	Health-related quality of life in adults with profound postlingual hearing loss before and after cochlear implantation. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 3393-3399	3.5	○
26	Organizational Aspects and Outcomes of a Hearing Screening Program Among First-Grade Children in the Mazovian Region of Poland. <i>Language, Speech, and Hearing Services in Schools</i> , <b>2021</b> , 52, 856-867	2.3	○
25	Tinnitus Severity Change Following Stapedotomy in Patients With Otosclerosis. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 578-583	2.6	○
24	Cost-Utility Analysis of Bilateral Cochlear Implantation in Adults With Severe to Profound Sensorineural Hearing Loss in Poland. <i>Otology and Neurotology</i> , <b>2021</b> , 42, 706-712	2.6	○
23	The accuracy of parental suspicion of hearing loss in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2021</b> , 141, 110552	1.7	○
22	Auditory processing in normally hearing individuals with and without tinnitus: assessment with four psychoacoustic tests. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 1	3.5	○
21	A simple qualitative scale for diagnosis of laryngopharyngeal reflux: high correlations with pH measurements and disease severity. The usefulness of the Warsaw Scale in LPR diagnostics compared to other diagnostic tools. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 4883-4892	3.5	○
20	Posttraumatic Growth in Postlingually Deaf Patients With Cochlear Implants: The Effect of Stress-Coping Strategies, Sociodemographics, and Deafness-Related Factors. <i>Frontiers in Psychology</i> , <b>2021</b> , 12, 546896	3.4	○
19	Effects of training and using an audio-tactile sensory substitution device on speech-in-noise understanding.. <i>Scientific Reports</i> , <b>2022</b> , 12, 3206	4.9	○
18	The COVID-19 pandemic and upgrades of CI speech processors for children: part II-hearing outcomes.. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2022</b> , 1	3.5	○



17	Update on CD164 and LMX1A genes to strengthen their causative role in autosomal dominant hearing loss.. <i>Human Genetics</i> , <b>2022</b> , 1	6.3	o
16	Suitable Electrode Choice for Robotic-Assisted Cochlear Implant Surgery: A Systematic Literature Review of Manual Electrode Insertion Adverse Events.. <i>Frontiers in Surgery</i> , <b>2022</b> , 9, 823219	2.3	o
15	Management of non-organic hearing loss in children - A case study. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2017</b> , 97, 223-227	1.7	
14	FS4 for partial deafness treatment. <i>Cochlear Implants International</i> , <b>2014</b> , 15 Suppl 1, S78-80	1.7	
13	Preliminary results of DUET to DUET 2 upgrade. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 75-8	1.7	
12	Subjective benefit after partial deafness cochlear implantation. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 122-4	1.7	
11	A computer-based, word-free phoneme identification test Teetahtoo--adaptation into Polish. <i>Cochlear Implants International</i> , <b>2010</b> , 11 Suppl 1, 403-5	1.7	
10	Masking level difference in an adaptive procedure for clinical investigation. <i>International Journal of Audiology</i> , <b>2011</b> , 50, 613-20	2.6	
9	Frequency-specificity of auditory brainstem responses elicited by 500 Hz tone-pip with Gaussian envelope in normal hearing and sensorineural hearing loss. <i>International Congress Series</i> , <b>2003</b> , 1240, 257-261		
8	Application of bone anchored hearing aids in different acquired and congenital ear malformations. <i>International Congress Series</i> , <b>2003</b> , 1240, 321-323		
7	Three-year experience in the rehabilitation of brainstem implant patients. <i>International Congress Series</i> , <b>2003</b> , 1240, 429-432		
6	Developmental outcomes of deaf preschool-aged children with cochlear implants. <i>International Journal of Disability Development and Education</i> , 1-15	0.8	
5	Development of central auditory processes in Polish children and adolescents at the age from 7 to 16 years. <i>Current Psychology</i> , 1	1.4	
4	Comparison of tympanometry results for probe tones of 226 Hz and 1000 Hz in newborns. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2021</b> , 147, 110804	1.7	
3	The COVID-19 pandemic and upgrades of CI speech processors for children: part I-procedure of speech processor upgrade.. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2022</b> , 1	3.5	
2	Multi-Frequency Intraoperative Monitoring of Hearing Preservation during Cochlear Implantation. <i>Life</i> , <b>2022</b> , 12, 636	3	
1	Searching for the Molecular Basis of Partial Deafness. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23, 6029	6.3	