

Henryk Skarzynski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1025120/henryk-skarzynski-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268
papers

3,800
citations

30
h-index

51
g-index

314
ext. papers

4,956
ext. citations

2.6
avg, IF

5.28
L-index

#	Paper	IF	Citations
268	The Reliability of Contralateral Suppression of Otoacoustic Emissions Is Greater in Women than in Men.. <i>Audiology Research</i> , 2022 , 12, 79-86	1.5	1
267	Prospective cohort study reveals MMP-9, a neuroplasticity regulator, as a prediction marker of cochlear implantation outcome in prelingual deafness treatment.. <i>Molecular Neurobiology</i> , 2022 , 1	6.2	1
266	Effects of training and using an audio-tactile sensory substitution device on speech-in-noise understanding.. <i>Scientific Reports</i> , 2022 , 12, 3206	4.9	0
265	The COVID-19 pandemic and upgrades of CI speech processors for children: part I-procedure of speech processor upgrade.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	
264	Evaluation of the Bonebridge BCI 602 active bone conductive implant in adults: efficacy and stability of audiological, surgical, and functional outcomes.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	1
263	In Vivo Basilar Membrane Time Delays in Humans.. <i>Brain Sciences</i> , 2022 , 12,	3.4	1
262	The COVID-19 pandemic and upgrades of CI speech processors for children: part II-hearing outcomes.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	0
261	Update on CD164 and LMX1A genes to strengthen their causative role in autosomal dominant hearing loss.. <i>Human Genetics</i> , 2022 , 1	6.3	0
260	Suitable Electrode Choice for Robotic-Assisted Cochlear Implant Surgery: A Systematic Literature Review of Manual Electrode Insertion Adverse Events.. <i>Frontiers in Surgery</i> , 2022 , 9, 823219	2.3	0
259	Multi-Frequency Intraoperative Monitoring of Hearing Preservation during Cochlear Implantation. <i>Life</i> , 2022 , 12, 636	3	
258	Searching for the Molecular Basis of Partial Deafness. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6029	6.3	
257	Prevalence of tinnitus in a sample of 43,064 children in Warsaw, Poland. <i>International Journal of Audiology</i> , 2021 , 60, 614-620	2.6	2
256	Effectiveness of tinnitus therapy using a mobile application. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	3
255	The role of next generation sequencing in predicting hearing loss. <i>Expert Review of Molecular Diagnostics</i> , 2021 , 21, 347-348	3.8	0
254	Pitfalls in the Detection of Hearing Loss via Otoacoustic Emissions. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2184	2.6	0
253	Implantation of the Vibrant Soundbridge in a Case of Bilateral Malformation of the Middle and External Ear. <i>American Journal of Case Reports</i> , 2021 , 22, e929933	1.3	1
252	Vestibular Function After Cochlear Implantation in Partial Deafness Treatment. <i>Frontiers in Neurology</i> , 2021 , 12, 667055	4.1	0

251	TBC1D24 emerges as an important contributor to progressive postlingual dominant hearing loss. <i>Scientific Reports</i> , 2021 , 11, 10300	4.9	0
250	Health-related quality of life in adults with profound postlingual hearing loss before and after cochlear implantation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 3393-3399	3.5	0
249	Organizational Aspects and Outcomes of a Hearing Screening Program Among First-Grade Children in the Mazovian Region of Poland. <i>Language, Speech, and Hearing Services in Schools</i> , 2021 , 52, 856-867	2.3	0
248	Vestibular status in partial deafness. <i>Brazilian Journal of Otorhinolaryngology</i> , 2021 , 87, 379-388	1.6	1
247	Cochlear implants in adults with partial deafness: subjective benefits but associated psychological distress. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1387-1394	3.5	2
246	Developmental outcomes of young deaf children and the self-perceived parental role of their hearing mothers. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 141, 110517	1.7	1
245	Reliability of contralateral suppression of otoacoustic emissions in children. <i>International Journal of Audiology</i> , 2021 , 60, 438-445	2.6	4
244	Does the Presence of Spontaneous Components Affect the Reliability of Contralateral Suppression of Evoked Otoacoustic Emissions?. <i>Ear and Hearing</i> , 2021 , 42, 990-1005	3.4	3
243	Cost-Utility Analysis of Bilateral Cochlear Implantation in Adults With Severe to Profound Sensorineural Hearing Loss in Poland. <i>Otology and Neurotology</i> , 2021 , 42, 706-712	2.6	0
242	Decreased Sound Tolerance in Tinnitus Patients. <i>Life</i> , 2021 , 11,	3	4
241	The accuracy of parental suspicion of hearing loss in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 141, 110552	1.7	0
240	Validation of AQoL-8D: a health-related quality of life questionnaire for adult patients referred for otology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	1
239	Psychomotor development of 4-year-old deaf children with cochlear implants: Three case studies. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 141, 110570	1.7	1
238	Quality of Life in Patients with Nasal Obstruction after Septoplasty: A Single Institution Prospective Observational Study. <i>International Archives of Otorhinolaryngology</i> , 2021 , 25, e575-e579	1.5	1
237	Comparison of tympanometry results for probe tones of 226 Hz and 1000 Hz in newborns. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 147, 110804	1.7	
236	Auditory processing in normally hearing individuals with and without tinnitus: assessment with four psychoacoustic tests. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	0
235	A simple qualitative scale for diagnosis of laryngopharyngeal reflux: high correlations with pH measurements and disease severity. The usefulness of the Warsaw Scale in LPR diagnostics compared to other diagnostic tools. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 4883-4892	3.5	0
234	Posttraumatic Growth in Postlingually Deaf Patients With Cochlear Implants: The Effect of Stress-Coping Strategies, Sociodemographics, and Deafness-Related Factors. <i>Frontiers in Psychology</i> , 2021 , 12, 546896	3.4	0

233	Functional Polymorphism of and as Potential Biomarker of Auditory Neuroplasticity in Prelingual Deafness Treatment With Cochlear Implantation-A Retrospective Cohort Analysis. <i>Trends in Hearing</i> , 2021 , 25, 23312165211002140	3.2	2
232	No Change in Medial Olivocochlear Efferent Activity during an Auditory or Visual Task: Dual Evidence from Otoacoustic Emissions and Event-Related Potentials. <i>Brain Sciences</i> , 2020 , 10,	3.4	6
231	Speech Perception Changes in the Acoustically Aided, Nonimplanted Ear after Cochlear Implantation: A Multicenter Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
230	Electrode estimation in the acoustic region of the human Cochlea. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 487-496	1.6	2
229	Three-year audiological outcomes of the latest generation middle ear transducer (MET) implant. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 3013-3019	3.5	1
228	Role of personal resources from the perspective of experiencing tinnitus annoyance in adults. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 1617-1623	3.5	2
227	Contralateral suppression of otoacoustic emissions in pre-school children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 132, 109915	1.7	7
226	Cochlear Implantation Outcome in Children with DFNB1 Pathogenic Variants. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
225	Approximations to the Voice of a Cochlear Implant: Explorations With Single-Sided Deaf Listeners. <i>Trends in Hearing</i> , 2020 , 24, 2331216520920079	3.2	4
224	Diagnosis in Muscle Tension Dysphagia. <i>Otolaryngologia Polska</i> , 2020 , 75, 16-22	0.7	1
223	Cognitive Improvement After Cochlear Implantation in Older Adults With Severe or Profound Hearing Impairment: A Prospective, Longitudinal, Controlled, Multicenter Study. <i>Ear and Hearing</i> , 2020 , 42, 606-614	3.4	12
222	How to Interpret Tinnitus Functional Index Scores: A Proposal for a Grading System Based on a Large Sample of Tinnitus Patients. <i>Ear and Hearing</i> , 2020 , 42, 654-661	3.4	2
221	Audiological and psychological profiles of children with tinnitus. <i>Hearing, Balance and Communication</i> , 2020 , 18, 90-97	0.7	4
220	Personal Music Players Use and Other Noise Hazards among Children 11 to 12 Years Old. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
219	Results of hearing screening of school-age children in Bishkek, Kyrgyzstan. <i>Primary Health Care Research and Development</i> , 2020 , 21, e18	1.6	3
218	Electrophysiological correlates of focused attention on low- and high-distressed tinnitus. <i>PLoS ONE</i> , 2020 , 15, e0236521	3.7	4
217	Polish version of the pediatric Voice Handicap Index (pVHI). <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 138, 110278	1.7	1
216	Two Novel Pathogenic Variants Confirm Causative Role in Perrault Syndrome with Renal Involvement. <i>Genes</i> , 2020 , 11,	4.2	7

215	Improved measurement of tinnitus severity: Study of the dimensionality and reliability of the Tinnitus Handicap Inventory. <i>PLoS ONE</i> , 2020 , 15, e0237778	3.7	2
214	A revised grading system for the Tinnitus Handicap Inventory based on a large clinical population. <i>International Journal of Audiology</i> , 2020 , 59, 61-67	2.6	13
213	Prevalence of hearing loss among polish school-age children from rural areas - Results of hearing screening program in the sample of 67 416 children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 128, 109676	1.7	10
212	First confirmatory study on PTPRQ as an autosomal dominant non-syndromic hearing loss gene. <i>Journal of Translational Medicine</i> , 2019 , 17, 351	8.5	5
211	Reference values for psychoacoustic tests on Polish school children 7-10 years old. <i>PLoS ONE</i> , 2019 , 14, e0221689	3.7	4
210	Overinterpretation of high throughput sequencing data in medical genetics: first evidence against Tmprss3/Gjb2 digenic inheritance of hearing loss. <i>Journal of Translational Medicine</i> , 2019 , 17, 269	8.5	5
209	The Bonebridge in Adults with Mixed and Conductive Hearing Loss: Audiological and Quality of Life Outcomes. <i>Audiology and Neuro-Otology</i> , 2019 , 24, 90-99	2.2	8
208	Effect on vestibular function of cochlear implantation by partial deafness treatment-electro acoustic stimulation (PDT-EAS). <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 1951-1959	3.5	7
207	Results of stapedotomy in otosurgical treatment of adult patients with osteogenesis imperfecta. <i>Auris Nasus Larynx</i> , 2019 , 46, 853-858	2.2	0
206	Effect of yoga training on the tinnitus induced distress. <i>Complementary Therapies in Clinical Practice</i> , 2019 , 36, 7-11	3.5	3
205	Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. <i>Restorative Neurology and Neuroscience</i> , 2019 , 37, 155-166	2.8	10
204	Relationship Between Tinnitus Loudness Measure by Visual Analogue Scale and Psychoacoustic Matching of Tinnitus Loudness. <i>Otology and Neurotology</i> , 2019 , 40, 16-21	2.6	9
203	Electro-Natural Stimulation in Partial Deafness Treatment of Adult Cochlear Implant Users: Long-Term Hearing Preservation Results. <i>Orl</i> , 2019 , 81, 63-72	2	3
202	Diagnosis of laryngopharyngeal reflux in children with voice disorders using 24-hour pharyngeal pH monitoring. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 121, 188-196	1.7	5
201	Prevalence and severity of tinnitus in Polish otosclerosis patients qualified for stapes surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 1585-1590	3.5	2
200	Assessing Gait Stability before and after Cochlear Implantation. <i>BioMed Research International</i> , 2019 , 2019, 2474273	3	2
199	Altered Functional Connectivity in Patients With Sloping Sensorineural Hearing Loss. <i>Frontiers in Human Neuroscience</i> , 2019 , 13, 284	3.3	14
198	Changes in Hearing Threshold and Tinnitus Severity after Stapes Surgery: Which Is More Important to the Patient's Quality of Life?. <i>Orl</i> , 2019 , 81, 224-233	2	2

197	Does cochlear implantation influence postural stability in patients with hearing loss?. <i>Gait and Posture</i> , 2019 , 74, 40-44	2.6	2
196	The application of 24-hour pharyngeal pH-monitoring and Reflux Finding Score and Reflux Symptom Index questionnaires in the diagnostics of laryngopharyngeal reflux. <i>Przegląd Gastroenterologiczny</i> , 2019 , 14, 274-282	6	3
195	Prevalence and Severity of Tinnitus in Otosclerosis: Preliminary Findings from Validated Questionnaires. <i>Journal of International Advanced Otology</i> , 2019 , 15, 277-282	1.1	3
194	Cochlear Microphonics in Hearing Preservation Cochlear Implantees. <i>Journal of International Advanced Otology</i> , 2019 , 15, 345-351	1.1	5
193	HIV and age underlie specific patterns of brain abnormalities and cognitive changes in high functioning patients. <i>Neuropsychology</i> , 2019 , 33, 358-369	3.8	4
192	Cross-Cultural Adaptation of the Scale of Auditory Behaviors Questionnaire. <i>Language, Speech, and Hearing Services in Schools</i> , 2019 , 50, 683-692	2.3	2
191	Binaural advantages in using a cochlear implant for adults with profound unilateral hearing loss. <i>Acta Oto-Laryngologica</i> , 2019 , 139, 153-161	1.6	9
190	Tinnitus Severity Change Following Stapedotomy in Patients With Otosclerosis. <i>Otology and Neurotology</i> , 2019 , 40, 578-583	2.6	0
189	Electro-natural Stimulation (ENS) in Partial Deafness Treatment: Pediatric Case Series. <i>Otology and Neurotology</i> , 2019 , 40, 171-176	2.6	4
188	A Comparative Study of a Novel Adhesive Bone Conduction Device and Conventional Treatment Options for Conductive Hearing Loss. <i>Otology and Neurotology</i> , 2019 , 40, 858-864	2.6	9
187	Hearing Preservation With the Use of Flex20 and Flex24 Electrodes in Patients With Partial Deafness. <i>Otology and Neurotology</i> , 2019 , 40, 1153-1159	2.6	7
186	The Bonebridge implant in older children and adolescents with mixed or conductive hearing loss: Audiological outcomes. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 118, 97-102	1.7	11
185	Objective measurement of mucosal wave parameters in diagnosing benign lesions of the vocal folds. <i>Logopedics Phoniatrics Vocology</i> , 2019 , 44, 73-78	1.3	1
184	Hearing preservation cochlear implantation in children: The HEARRING Group consensus and practice guide. <i>Cochlear Implants International</i> , 2018 , 19, 1-13	1.7	26
183	Abnormal Resting-State Quantitative Electroencephalogram in Children With Central Auditory Processing Disorder: A Pilot Study. <i>Frontiers in Neuroscience</i> , 2018 , 12, 292	5.1	6
182	Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. <i>Molecular Medicine Reports</i> , 2018 , 17, 1782-1790	2.9	3
181	Otoacoustic emissions from ears with spontaneous activity behave differently to those without: Stronger responses to tone bursts as well as to clicks. <i>PLoS ONE</i> , 2018 , 13, e0192930	3.7	3
180	Assessment of cortical auditory evoked potentials in children with specific language impairment. <i>Otolaryngologia Polska</i> , 2018 , 72, 16-22	0.7	2

179	The use of RSI and RFS questionnaires in the Polish language version. <i>Otolaryngologia Polska</i> , 2018 , 73, 1-5	0.7	2
178	Clinical Evaluation of a Polish Translation and Cross-Cultural Adaptation of the Nasal Obstruction Symptom Evaluation (NOSE) Scale. <i>Medical Science Monitor</i> , 2018 , 24, 7958-7964	3.2	5
177	Clinically important change in tinnitus sensation after stapedotomy. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 208	3	6
176	Visual Analogue Scales as a Tool for Initial Assessment of Tinnitus Severity: Psychometric Evaluation in a Clinical Population. <i>Audiology and Neuro-Otology</i> , 2018 , 23, 229-237	2.2	12
175	Radiologic measurement of cochlea and hearing preservation rate using slim straight electrode (CI422) and round window approach. <i>Acta Otorhinolaryngologica Italica</i> , 2018 , 38, 468-475	2.8	4
174	Skarzynski Tinnitus Scale: validation of a brief and robust tool for assessing tinnitus in a clinical population. <i>European Journal of Medical Research</i> , 2018 , 23, 54	4.8	7
173	Self-esteem in the deaf who have become cochlear implant users as adults. <i>PLoS ONE</i> , 2018 , 13, e0203680	3.7	8
172	Preservation of Hearing Following Cochlear Implantation Using Different Steroid Therapy Regimens: A Prospective Clinical Study. <i>Medical Science Monitor</i> , 2018 , 24, 2437-2445	3.2	21
171	Electroglottography in the diagnosis of functional dysphonia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 2523-2528	3.5	6
170	Complications in septoplasty based on a large group of 5639 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 1789-1794	3.5	34
169	Tinnitus in patients with hearing loss due to mitochondrial DNA pathogenic variants. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 1979-1985	3.5	7
168	Evaluation of electrocardiographic parameters in patients with hearing loss genotyped for the connexin 26 gene (GJB2) mutations. <i>Brazilian Journal of Otorhinolaryngology</i> , 2017 , 83, 176-182	1.6	2
167	The hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. <i>Acta Oto-Laryngologica</i> , 2017 , 137, 723-729	1.6	7
166	Characteristics of Euphony in Direct and Indirect Mucosal Wave Imaging Techniques. <i>Journal of Voice</i> , 2017 , 31, 383.e13-383.e18	1.9	3
165	Validation of the LittleARS Auditory Questionnaire in cochlear implanted infants and toddlers. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017 , 93, 107-116	1.7	14
164	Round window stimulation with the Vibrant Soundbridge: Comparison of direct and indirect coupling. <i>Laryngoscope</i> , 2017 , 127, 2843-2849	3.6	9
163	Management of non-organic hearing loss in children - A case study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017 , 97, 223-227	1.7	
162	Novel neuro-audiological findings and further evidence for TWNK involvement in Perrault syndrome. <i>Journal of Translational Medicine</i> , 2017 , 15, 25	8.5	25

161	Adaptation of the Tinnitus Handicap Inventory into Polish and its testing on a clinical population of tinnitus sufferers. <i>International Journal of Audiology</i> , 2017 , 56, 711-715	2.6	21
160	Tonotopic organisation of the auditory cortex in sloping sensorineural hearing loss. <i>Hearing Research</i> , 2017 , 355, 81-96	3.9	8
159	Whole exome sequencing identifies TRIOBP pathogenic variants as a cause of post-lingual bilateral moderate-to-severe sensorineural hearing loss. <i>BMC Medical Genetics</i> , 2017 , 18, 142	2.1	11
158	Neurophysiological maturation in adolescence - vulnerability and counteracting addiction to alcohol. <i>Annals of Agricultural and Environmental Medicine</i> , 2017 , 24, 19-25	1.4	9
157	Iterative Sequencing and Variant Screening (ISVS) as a novel pathogenic mutations search strategy - application for TMPRSS3 mutations screen. <i>Scientific Reports</i> , 2017 , 7, 2543	4.9	7
156	Tinnitus and Hearing Survey: A Polish Study of Validity and Reliability in a Clinical Population. <i>Audiology and Neuro-Otology</i> , 2017 , 22, 197-204	2.2	14
155	Rates of Vaccination against Streptococcus Pneumoniae in Cochlear Implant Patients. <i>Medical Science Monitor</i> , 2017 , 23, 4567-4573	3.2	4
154	Heightened visual attention does not affect inner ear function as measured by otoacoustic emissions. <i>PeerJ</i> , 2017 , 5, e4199	3.1	11
153	Health-related quality of life and mental distress in patients with partial deafness: preliminary findings. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 767-76	3.5	22
152	Slow Cortical Potential Neurofeedback in Chronic Tinnitus Therapy: A Case Report. <i>Applied Psychophysiology Biofeedback</i> , 2016 , 41, 225-49	3.4	8
151	Novel and De Novo Mutations Extend Association of POU3F4 with Distinct Clinical and Radiological Phenotype of Hearing Loss. <i>PLoS ONE</i> , 2016 , 11, e0166618	3.7	16
150	QTc prolongation in patients with hearing loss: Electrocardiographic and genetic study. <i>Cardiology Journal</i> , 2016 , 23, 34-41	1.4	7
149	Assessment of acoustic characteristics of voice in patients after injection laryngoplasty with hyaluronan. <i>Otolaryngologia Polska</i> , 2016 , 70, 15-23	0.7	4
148	Influence of Acoustic Overstimulation on the Central Auditory System: An Functional Magnetic Resonance Imaging (fMRI) Study. <i>Medical Science Monitor</i> , 2016 , 22, 4623-4635	3.2	2
147	Relationship Between Distortion Product - Otoacoustic Emissions (DPOAEs) and High-Frequency Acoustic Immittance Measures. <i>Medical Science Monitor</i> , 2016 , 22, 2028-34	3.2	1
146	Cochlear Implants in Subjects Over Age 65: Quality of Life and Audiological Outcomes. <i>Medical Science Monitor</i> , 2016 , 22, 3035-42	3.2	12
145	Electrically evoked compound action potentials are different depending on the site of cochlear stimulation. <i>Cochlear Implants International</i> , 2016 , 17, 251-262	1.7	26
144	Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. <i>Journal of Laryngology and Otology</i> , 2016 , 130, 332-9	1.8	22

143	Patient management for cochlear implant recipients in audiology departments: A practice review. <i>Cochlear Implants International</i> , 2016 , 17, 123-8	1.7	3
142	Spontaneous otoacoustic emissions in schoolchildren. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 89, 67-71	1.7	2
141	Quality standards for bone conduction implants. <i>Acta Oto-Laryngologica</i> , 2015 , 135, 1277-85	1.6	18
140	Otoacoustic emissions in newborns evoked by 0.5kHz tone bursts. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1522-6	1.7	5
139	Tinnitus reported by children aged 7 and 12 years. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1346-50	1.7	14
138	Tone burst evoked otoacoustic emissions in different age-groups of schoolchildren. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1310-5	1.7	1
137	Criteria for detection of transiently evoked otoacoustic emissions in schoolchildren. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1455-61	1.7	6
136	Molecular signaling of the HMGB1/RAGE axis contributes to cholesteatoma pathogenesis. <i>Journal of Molecular Medicine</i> , 2015 , 93, 305-14	5.5	10
135	Satisfaction With Cochlear Implants in Postlingually Deaf Adults and Its Nonaudiological Predictors: Psychological Distress, Coping Strategies, and Self-Esteem. <i>Ear and Hearing</i> , 2015 , 36, 605-18	3.4	22
134	A Retrospective Multicenter Study Comparing Speech Perception Outcomes for Bilateral Implantation and Bimodal Rehabilitation. <i>Ear and Hearing</i> , 2015 , 36, 408-16	3.4	52
133	Otoacoustic Emissions in Smoking and Nonsmoking Young Adults. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015 , 8, 303-11	3.4	8
132	Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1896-900	1.7	18
131	Laser and chemical surface modifications of titanium grade 2 for medical application. <i>Applied Surface Science</i> , 2015 , 336, 267-273	6.7	21
130	Audio profiles in mitochondrial deafness m.1555A>G and m.3243A>G show distinct differences. <i>Medical Science Monitor</i> , 2015 , 21, 694-700	3.2	7
129	Comparison of 3 ABR Methods for Diagnosis of Retrocochlear Hearing Impairment. <i>Medical Science Monitor</i> , 2015 , 21, 3814-24	3.2	2
128	Evaluation of central auditory processing in children with Specific Language Impairment. <i>Otolaryngologia Polska</i> , 2015 , 69, 22-8	0.7	2
127	Results of surgical treatment in patients with sulcus vocalis. <i>Otolaryngologia Polska</i> , 2015 , 69, 7-14	0.7	6
126	Central auditory processing disorder (CAPD) tests in a school-age hearing screening programme - analysis of 76,429 children. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 90-5	1.4	11

125	Direct round window stimulation with the Med-El Vibrant Soundbridge: 5 years of experience using a technique without interposed fascia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 477-82	3.5	33
124	Objectification of the severity of Reinke's edema. <i>Otolaryngologia Polska</i> , 2014 , 68, 287-92	0.7	3
123	Cochlear implantation with the nucleus slim straight electrode in subjects with residual low-frequency hearing. <i>Ear and Hearing</i> , 2014 , 35, e33-43	3.4	52
122	New outcomes with auditory brainstem implants in NF2 patients. <i>Otology and Neurotology</i> , 2014 , 35, 1844-51	2.6	33
121	Attention dysfunction subtypes of developmental dyslexia. <i>Medical Science Monitor</i> , 2014 , 20, 2256-68	3.2	8
120	Otoacoustic emissions before and after listening to music on a personal player. <i>Medical Science Monitor</i> , 2014 , 20, 1426-31	3.2	7
119	Towards neural correlates of auditory stimulus processing: a simultaneous auditory evoked potentials and functional magnetic resonance study using an odd-ball paradigm. <i>Medical Science Monitor</i> , 2014 , 20, 35-46	3.2	10
118	Deep insertion - round window approach by using SRA electrode. <i>Cochlear Implants International</i> , 2014 , 15 Suppl 1, S4-7	1.7	3
117	Long-term results of partial deafness treatment. <i>Cochlear Implants International</i> , 2014 , 15 Suppl 1, S21-31.7	1.7	8
116	Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. <i>Cochlear Implants International</i> , 2014 , 15 Suppl 1, S24-6	1.7	3
115	FS4 for partial deafness treatment. <i>Cochlear Implants International</i> , 2014 , 15 Suppl 1, S78-80	1.7	
114	Cochlear implantation in the elderly. <i>Audiology and Neuro-Otology</i> , 2014 , 19 Suppl 1, 33-35	2.2	4
113	Reduced resting-state brain activity in the default mode network in children with (central) auditory processing disorders. <i>Behavioral and Brain Functions</i> , 2014 , 10, 33	4.1	7
112	A comparative study on speech in noise understanding with a direct acoustic cochlear implant in subjects with severe to profound mixed hearing loss. <i>Audiology and Neuro-Otology</i> , 2014 , 19, 164-74	2.2	22
111	Time-Frequency Properties of Neonatal Transiently Evoked Otoacoustic Emissions Measured in Three Different Acquisition Modes. <i>Journal of International Advanced Otology</i> , 2014 , 10, 52-55	1.1	2
110	Factors affecting auditory performance of postlinguistically deaf adults using cochlear implants: an update with 2251 patients. <i>Audiology and Neuro-Otology</i> , 2013 , 18, 36-47	2.2	314
109	Chirp-evoked otoacoustic emissions in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013 , 77, 101-6	1.7	4
108	Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013 , 77, 1724-8	1.7	6

107	Automatic removal of sonomotor waves from auditory brainstem responses. <i>Computers in Biology and Medicine</i> , 2013 , 43, 524-32	7	2
106	A modified oddball paradigm for investigation of neural correlates of attention: a simultaneous ERP-fMRI study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2013 , 26, 511-26	2.8	28
105	Towards a consensus on a hearing preservation classification system. <i>Acta Oto-Laryngologica</i> , 2013 , 3-131.6	102	
104	Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. <i>Ear and Hearing</i> , 2013 , 34, 413-25	3.4	153
103	Auditory brainstem implantation improves speech recognition in neurofibromatosis type II patients. <i>Orl</i> , 2013 , 75, 282-95	2	19
102	Standards of practice in the field of hearing implants. <i>Cochlear Implants International</i> , 2013 , 14 Suppl 2, S1-5	1.7	9
101	Processing load during listening: The influence of task characteristics on the pupil response. <i>Language and Cognitive Processes</i> , 2013 , 28, 426-442		26
100	Quality of the voice after injection of hyaluronic acid into the vocal fold. <i>Medical Science Monitor</i> , 2013 , 19, 276-82	3.2	13
99	Identifying congenital hearing impairment: preliminary results from a comparative study using objective and subjective audiometric protocols. <i>Acta Otorhinolaryngologica Italica</i> , 2013 , 33, 29-35	2.8	5
98	Screening for pre-school and school-age hearing problems: European Consensus Statement. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2012 , 76, 120-1	1.7	44
97	Otoacoustic emissions in neonates measured with different acquisition protocols. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2012 , 76, 382-7	1.7	7
96	Postlingual hearing loss as a mitochondrial 3243A>G mutation phenotype. <i>PLoS ONE</i> , 2012 , 7, e44054	3.7	10
95	Prevention of communication disorders--screening pre-school and school-age children for problems with hearing, vision and speech: European Consensus Statement. <i>Medical Science Monitor</i> , 2012 , 18, SR17-21	3.2	17
94	Immediate speech fluency improvement after application of the Digital Speech Aid in stuttering patients. <i>Medical Science Monitor</i> , 2012 , 18, CR9-12	3.2	4
93	The relationship between distortion product otoacoustic emissions and extended high-frequency audiometry in tinnitus patients. Part 1: normally hearing patients with unilateral tinnitus. <i>Medical Science Monitor</i> , 2012 , 18, CR765-70	3.2	39
92	A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. <i>Acta Oto-Laryngologica</i> , 2012 , 132, 739-50	1.6	8
91	Tone-burst and click-evoked otoacoustic emissions in subjects with hearing loss above 0.25, 0.5, and 1 kHz. <i>Ear and Hearing</i> , 2012 , 33, 757-67	3.4	14
90	MTHFR 677T is a strong determinant of the degree of hearing loss among Polish males with postlingual sensorineural hearing impairment. <i>DNA and Cell Biology</i> , 2012 , 31, 1267-73	3.6	5

89	Musical ratios in sounds from the human cochlea. <i>PLoS ONE</i> , 2012 , 7, e37988	3.7	3
88	Partial deafness treatment with the nucleus straight research array cochlear implant. <i>Audiology and Neuro-Otology</i> , 2012 , 17, 82-91	2.2	66
87	Time-frequency analysis of linear and nonlinear otoacoustic emissions and removal of a short-latency stimulus artifact. <i>Journal of the Acoustical Society of America</i> , 2012 , 131, 2200-8	2.2	15
86	Troublesome tinnitus in children: epidemiology, audiological profile, and preliminary results of treatment. <i>International Journal of Pediatrics (United Kingdom)</i> , 2012 , 2012, 945356	2.1	24
85	A new oral otoprotective agent. Part 1: Electrophysiology data from protection against noise-induced hearing loss. <i>Medical Science Monitor</i> , 2012 , 18, BR1-8	3.2	12
84	Alteration of distortion product otoacoustic emission input/output functions in subjects with a previous history of middle ear dysfunction. <i>Medical Science Monitor</i> , 2012 , 18, MT27-31	3.2	4
83	Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part 1: Audera and CHARTR EP devices. <i>Medical Science Monitor</i> , 2012 , 18, MT47-53	3.2	6
82	Pre-, per- and postoperative factors affecting performance of postlinguistically deaf adults using cochlear implants: a new conceptual model over time. <i>PLoS ONE</i> , 2012 , 7, e48739	3.7	236
81	The contribution of the mitochondrial COI/tRNA(Ser(UCN)) gene mutations to non-syndromic and aminoglycoside-induced hearing loss in Polish patients. <i>Molecular Genetics and Metabolism</i> , 2011 , 104, 153-9	3.7	6
80	C113 Skarzynski PDT (Partial Deafness Treatment) classification. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 53-54	1.7	22
79	Dose-dependent protection on cisplatin-induced ototoxicity - an electrophysiological study on the effect of three antioxidants in the Sprague-Dawley rat animal model. <i>Medical Science Monitor</i> , 2011 , 17, BR179-186	3.2	29
78	A connection between the Efferent Auditory System and Noise-Induced Tinnitus Generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. <i>Medical Science Monitor</i> , 2011 , 17, MT56-62	3.2	14
77	Contralateral suppression of otoacoustic emissions: input-output functions in neonates. <i>Medical Science Monitor</i> , 2011 , 17, CR557-62	3.2	1
76	Comparison of round-window membrane mechanics before and after experimental stapedotomy. <i>Laryngoscope</i> , 2011 , 121, 1958-64	3.6	7
75	Masking level difference in an adaptive procedure for clinical investigation. <i>International Journal of Audiology</i> , 2011 , 50, 613-20	2.6	
74	Evoked stapedius reflex and compound action potential thresholds versus most comfortable loudness level: assessment of their relation for charge-based fitting strategies in implant users. <i>Orl</i> , 2011 , 73, 189-95	2	24
73	Atraumatic round window deep insertion of cochlear electrodes. <i>Acta Oto-Laryngologica</i> , 2011 , 131, 740-96		42
72	Hearing Loss and Auditory Processing Disorders: Clinical and Experimental Perspectives. <i>On Thinking</i> , 2011 , 153-168		2

71	Preliminary results of DUET to DUET 2 upgrade. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 75-8	1.7	
70	Subjective benefit after partial deafness cochlear implantation. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 122-4	1.7	
69	Speech perception and subjective benefit in paediatric C40+ users after the upgrade to fine structure processing (FSP). <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 444-8	1.7	1
68	A computer-based, word-free phoneme identification test Teetahtoo--adaptation into Polish. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 403-5	1.7	
67	Home rehabilitation clinic as a form of support for parents of implanted children. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 360-3	1.7	0
66	Assessment of benefit after bilateral cochlear implantation in children. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 79-82	1.7	1
65	Electric stimulation complements functional residual hearing in partial deafness. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 888-96	1.6	23
64	The evaluation of patients with partial deafness by transiently evoked otoacoustic emissions. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 110-3	1.7	0
63	A new cochlear implant electrode design for preservation of residual hearing: a temporal bone study. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 435-42	1.6	32
62	Remote fitting in Nucleus cochlear implant recipients. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 1379-88	1.6	53
61	Influence of non-optimal levels of electrical stimulation in cochlear implantees on hearing benefits. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 485-8	1.7	3
60	Validation of results of the Polish version of the LittleARS Questionnaire. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 346-50	1.7	3
59	Partial deafness treatment. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 29-41	1.7	15
58	ESRT, ART, and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 482-4	1.7	5
57	Spread of Excitation (SoE)--a non-invasive assessment of cochlear implant electrode placement. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 479-81	1.7	4
56	Translation of the LittleARS Questionnaire into Polish. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 340-5	1.7	0
55	Organization of the hearing screening examinations in Polish schools in rural areas and small towns. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 143-7	1.7	8
54	Improving central auditory processing in children with cochlear implants--challenges and new possibilities. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 379-81	1.7	1

53	Bilateral auditory brainstem implantation in a patient with neurofibromatosis type II. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 88-93	1.7	2
52	Analysis of factors affecting hearing preservation after cochlear implantation. <i>Cochlear Implants International</i> , 2010 , 11 Suppl 1, 114-6	1.7	3
51	Fine Structure Processing improves speech perception as well as objective and subjective benefits in pediatric MED-EL COMBI 40+ users. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2010 , 74, 1372-8	1.7	26
50	Mutation analysis of mitochondrial 12S rRNA gene in Polish patients with non-syndromic and aminoglycoside-induced hearing loss. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 395, 116-21	3.4	41
49	Electric acoustic stimulation in children. <i>Advances in Oto-Rhino-Laryngology</i> , 2010 , 67, 135-143	1.7	31
48	Music perception in electric acoustic stimulation users as assessed by the Mu.S.I.C. test. <i>Advances in Oto-Rhino-Laryngology</i> , 2010 , 67, 70-80	1.7	36
47	Threshold estimation in adult normal- and impaired-hearing subjects using auditory steady-state responses. <i>Medical Science Monitor</i> , 2010 , 16, CR21-7	3.2	3
46	Hearing preservation in partial deafness treatment. <i>Medical Science Monitor</i> , 2010 , 16, CR555-62	3.2	30
45	Otoacoustic emissions evoked by 0.5 kHz tone bursts. <i>Journal of the Acoustical Society of America</i> , 2009 , 125, 3158-65	2.2	14
44	Results of partial deafness cochlear implantation using various electrode designs. <i>Audiology and Neuro-Otology</i> , 2009 , 14 Suppl 1, 39-45	2.2	47
43	Treatment of otorhinolaryngological manifestations of three rare genetic syndromes: Branchio-Oculo-Facial (BOF), Ectrodactyly Ectodermal dysplasia Clefing (EEC) and focal dermal hypoplasia (Goltz syndrome). <i>International Journal of Pediatric Otorhinolaryngology</i> , 2009 , 73, 143-51	1.7	7
42	Treatment of otological features of the oculoauriculovertebral dysplasia (Goldenhar syndrome). <i>International Journal of Pediatric Otorhinolaryngology</i> , 2009 , 73, 915-21	1.7	16
41	Production and evaluation of a Polish version of the LittleEars questionnaire for the assessment of auditory development in infants. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2009 , 73, 1035-42	1.7	18
40	Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input/output-functions and auditory steady state responses. <i>International Journal of Audiology</i> , 2009 , 48, 625-31	2.6	9
39	Use of the matching pursuit algorithm with a dictionary of asymmetric waveforms in the analysis of transient evoked otoacoustic emissions. <i>Journal of the Acoustical Society of America</i> , 2009 , 126, 3137-46	2.2	14
38	Bilateral electric stimulation from auditory brainstem implants in a patient with neurofibromatosis type 2. <i>Medical Science Monitor</i> , 2009 , 15, CS100-4	3.2	7
37	Outcomes of treatment of partial deafness with cochlear implantation: a DUET study. <i>Laryngoscope</i> , 2008 , 118, 288-94	3.6	71
36	GJB2 and hearing impairment: promoter defects do not explain the excess of monoallelic mutations. <i>Journal of Medical Genetics</i> , 2008 , 45, 607-8	5.8	16

35	Synchronized spontaneous otoacoustic emissions analyzed in a time-frequency domain. <i>Journal of the Acoustical Society of America</i> , 2008 , 124, 3720-9	2.2	26
34	Hearing preservation surgery: psychophysical estimates of cochlear damage in recipients of a short electrode array. <i>Journal of the Acoustical Society of America</i> , 2008 , 124, 2164-73	2.2	29
33	A pilot study on assessing hearing threshold using the Cochlea-Scan. <i>Medical Science Monitor</i> , 2008 , 14, MT7-11	3.2	3
32	M34T and V37I mutations in GJB2 associated hearing impairment: evidence for pathogenicity and reduced penetrance. <i>American Journal of Medical Genetics, Part A</i> , 2007 , 143A, 2534-43	2.5	81
31	Preservation of low frequency hearing in partial deafness cochlear implantation (PDCI) using the round window surgical approach. <i>Acta Oto-Laryngologica</i> , 2007 , 127, 41-8	1.6	128
30	Partial deafness cochlear implantation in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2007 , 71, 1407-13	1.7	53
29	A Universal Computer Audiometer for Objective Hearing Testing and Screening 2007 ,		3
28	Electrically Elicited Stapedius Muscle Reflex in Cochlear Implant System fitting 2007 , 940-942		1
27	Partial deafness cochlear implantation provides benefit to a new population of individuals with hearing loss. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 934-40	1.6	77
26	Long-term data on children implanted with a short electrode array. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2005 , 69, 157-64	1.7	8
25	Stability of electrically elicited stapedius reflex threshold in implanted children over time. <i>International Congress Series</i> , 2004 , 1273, 84-86		1
24	Pitch perception and the number of electrodes vs. long-term development of speech perception ability in auditory brainstem implants. <i>International Congress Series</i> , 2004 , 1273, 429-432		1
23	Preservation of low-frequency hearing in partial deafness cochlear implantation. <i>International Congress Series</i> , 2004 , 1273, 239-242		7
22	ESRT and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , 2004 , 5, 28-37	1.7	13
21	ESRT and MCL correlations in experienced paediatric cochlear implant users. <i>Cochlear Implants International</i> , 2004 , 5, 28-37	1.7	5
20	Open-set speech perception in adult cochlear implant users with ossified cochleae. <i>Cochlear Implants International</i> , 2003 , 4, 55-72	1.7	6
19	Assessment of auditory skills in 140 cochlear implant children using the EARS protocol. <i>Orl</i> , 2003 , 65, 91-6	2	15
18	Objective methods of postoperative tests in cochlear implant patients. <i>International Congress Series</i> , 2003 , 1240, 379-383		2

17	Program of early identification of hearing loss in newborns in Poland. <i>International Congress Series</i> , 2003 , 1240, 269-271			1
16	Application of electric-acoustic stimulation in patients with profound hearing loss—base study. <i>International Congress Series</i> , 2003 , 1240, 291-295			1
15	Tinnitus as a symptom of acoustic neuroma. <i>International Congress Series</i> , 2003 , 1240, 313-315			3
14	Frequency-specificity of auditory brainstem responses elicited by 500 Hz tone-pip with Gaussian envelope in normal hearing and sensorineural hearing loss. <i>International Congress Series</i> , 2003 , 1240, 257-261			
13	Application of bone anchored hearing aids in different acquired and congenital ear malformations. <i>International Congress Series</i> , 2003 , 1240, 321-323			
12	Can hear!a system for universal hearing screening in school age children. Organization and first results. <i>International Congress Series</i> , 2003 , 1240, 325-327			3
11	Three-year experience in the rehabilitation of brainstem implant patients. <i>International Congress Series</i> , 2003 , 1240, 429-432			
10	A new method of partial deafness treatment. <i>Medical Science Monitor</i> , 2003 , 9, CS20-4	3.2		43
9	Preservation of residual hearing in children and post-lingually deafened adults after cochlear implantation: an initial study. <i>Orl</i> , 2002 , 64, 247-53	2		79
8	Project of the countrywide data collecting system for neonatal hearing screening programme in Poland. <i>Scandinavian Audiology</i> , 2001 , 197-8			11
7	First auditory brainstem implantation in Poland: auditory perception results over 12 months. <i>Journal of Laryngology and Otology</i> , 2000 , 44-5	1.8		2
6	Correlation between Ki-67 index and some clinical aspects of acoustic neuromas (vestibular schwannomas). <i>Otolaryngology - Head and Neck Surgery</i> , 2000 , 123, 779-83	5.5		35
5	The growth of acoustic neuromas in volumetric radiologic assessment. <i>The American Journal of Otology</i> , 1999 , 20, 244-8			36
4	Distances between the cochlea and adjacent structures related to cochlear implant surgery. <i>Surgical and Radiologic Anatomy</i> , 1998 , 20, 267-71	1.4		33
3	Evaluation of performance with the COMBI40 cochlear implant in adults: a multicentric clinical study. <i>Orl</i> , 1997 , 59, 23-35	2		80
2	Developmental outcomes of deaf preschool-aged children with cochlear implants. <i>International Journal of Disability Development and Education</i> , 1-15	0.8		
1	Development of central auditory processes in Polish children and adolescents at the age from 7 to 16 years. <i>Current Psychology</i> , 1	1.4		