

Anders Fink-Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1025721/publications.pdf>

Version: 2024-02-01

139
papers

6,783
citations

81743

39
h-index

69108

77
g-index

149
all docs

149
docs citations

149
times ranked

8898
citing authors

#	ARTICLE	IF	CITATIONS
1	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009, 460, 744-747.	13.7	1,572
2	Reducing the treatment gap for mental disorders: a WPA survey. <i>World Psychiatry</i> , 2010, 9, 169-176.	4.8	301
3	Central administration of GLP-1-(7-36) amide inhibits food and water intake in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1996, 271, R848-R856.	0.9	265
4	The γ -aminobutyric acid (GABA) uptake inhibitor, tiagabine, increases extracellular brain levels of GABA in awake rats. <i>European Journal of Pharmacology</i> , 1992, 220, 197-201.	1.7	170
5	A Subpopulation of Neuronal M ₄ Muscarinic Acetylcholine Receptors Plays a Critical Role in Modulating Dopamine-Dependent Behaviors. <i>Journal of Neuroscience</i> , 2010, 30, 2396-2405.	1.7	147
6	Effect of Liraglutide Treatment on Prediabetes and Overweight or Obesity in Clozapine- or Olanzapine-Treated Patients With Schizophrenia Spectrum Disorder. <i>JAMA Psychiatry</i> , 2017, 74, 719.	6.0	135
7	Xanomeline, an M1/M4 preferring muscarinic cholinergic receptor agonist, produces antipsychotic-like activity in rats and mice. <i>Schizophrenia Research</i> , 2000, 42, 249-259.	1.1	134
8	Role for M5 muscarinic acetylcholine receptors in cocaine addiction. <i>Journal of Neuroscience Research</i> , 2003, 74, 91-96.	1.3	118
9	Antipsychotic Polypharmacy and Risk of Death From Natural Causes in Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 103-108.	1.1	114
10	Reduced Cocaine Self-Administration in Muscarinic M5 Acetylcholine Receptor-Deficient Mice. <i>Journal of Neuroscience</i> , 2005, 25, 8141-8149.	1.7	110
11	Clinical Characteristics and Predictors of Outcome of Schizophrenia-Spectrum Psychosis in Children and Adolescents: A Systematic Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016, 26, 410-427.	0.7	104
12	Risk of arrhythmia induced by psychotropic medications: a proposal for clinical management. <i>European Heart Journal</i> , 2014, 35, 1306-1315.	1.0	103
13	Effects of typical and atypical neuroleptics on Fos protein expression in the rat forebrain. <i>Neuroscience Letters</i> , 1994, 182, 115-118.	1.0	94
14	The glucagon-like peptide 1 (GLP-1) receptor agonist exendin-4 reduces cocaine self-administration in mice. <i>Physiology and Behavior</i> , 2015, 149, 262-268.	1.0	94
15	Acute Antipsychotic Treatment of Children and Adolescents With Schizophrenia-Spectrum Disorders: A Systematic Review and Network Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 191-202.	0.3	91
16	Regional brain volumes, diffusivity, and metabolite changes after electroconvulsive therapy for severe depression. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 154-164.	2.2	89
17	The Muscarinic M1/M4 Receptor Agonist Xanomeline Exhibits Antipsychotic-Like Activity in <i>Cebus apella</i> Monkeys. <i>Neuropsychopharmacology</i> , 2003, 28, 1168-1175.	2.8	82
18	Cocaine- and Amphetamine-Regulated Transcript is Present in Hypothalamic Neuroendocrine Neurons and is Released to the Hypothalamic-Pituitary Portal Circuit. <i>Journal of Neuroendocrinology</i> , 2003, 15, 219-226.	1.2	78

#	ARTICLE	IF	CITATIONS
19	Xanomeline compared to other muscarinic agents on stimulation of phosphoinositide hydrolysis in vivo and other cholinomimetic effects. <i>Brain Research</i> , 1998, 795, 179-190.	1.1	75
20	Increased systemic oxidatively generated DNA and RNA damage in schizophrenia. <i>Psychiatry Research</i> , 2013, 209, 417-423.	1.7	75
21	Glucagon-like peptide-1 receptor agonists for antipsychotic-associated cardio-metabolic risk factors: A systematic review and individual participant data meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 293-302.	2.2	69
22	Increased cocaine self-administration in M4 muscarinic acetylcholine receptor knockout mice. <i>Psychopharmacology</i> , 2011, 216, 367-378.	1.5	68
23	Systemic oxidatively generated DNA/RNA damage in clinical depression: Associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013, 149, 355-362.	2.0	66
24	Corrected QT Changes During Antipsychotic Treatment of Children and Adolescents: A Systematic Review and Meta-Analysis of Clinical Trials. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 25-36.	0.3	62
25	Transient Elevation of Interstitial N -Acetylaspartate in Reversible Global Brain Ischemia. <i>Journal of Neurochemistry</i> , 1997, 68, 675-682.	2.1	61
26	Glucagon-like peptide 1 receptor activation regulates cocaine actions and dopamine homeostasis in the lateral septum by decreasing arachidonic acid levels. <i>Translational Psychiatry</i> , 2016, 6, e809-e809.	2.4	60
27	Effects of acute and chronic aripiprazole treatment on choice between cocaine self-administration and food under a concurrent schedule of reinforcement in rats. <i>Psychopharmacology</i> , 2008, 201, 43-53.	1.5	59
28	The glucagon-like peptide 1 receptor agonist Exendin-4 decreases relapse-like drinking in socially housed mice. <i>Pharmacology Biochemistry and Behavior</i> , 2017, 160, 14-20.	1.3	56
29	Unexpected antipsychotic-like activity with the muscarinic receptor ligand (5R,6R)-6-(3-propylthio-1,2,5-thiadiazol-4-yl)-1-azabicyclo[3.2.1]octane. <i>European Journal of Pharmacology</i> , 1998, 356, 109-119.	1.7	54
30	Muscarinic Acetylcholine Receptor Subtypes as Potential Drug Targets for the Treatment of Schizophrenia, Drug Abuse, and Parkinson's Disease. <i>ACS Chemical Neuroscience</i> , 2012, 3, 80-89.	1.7	54
31	Potential role of muscarinic receptors in schizophrenia. <i>Life Sciences</i> , 1999, 64, 527-534.	2.0	50
32	Increased dopaminergic activity in socially isolated rats: An electrophysiological study. <i>Neuroscience Letters</i> , 2010, 482, 117-122.	1.0	50
33	Muscarinic receptor agonists, like dopamine receptor antagonist antipsychotics, inhibit conditioned avoidance response in rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999, 290, 901-7.	1.3	50
34	Effects of Donepezil Adjunctive Treatment to Ziprasidone on Cognitive Deficits in Schizophrenia. <i>Clinical Neuropharmacology</i> , 2007, 30, 3-12.	0.2	49
35	Involvement of a Subpopulation of Neuronal M_4 Muscarinic Acetylcholine Receptors in the Antipsychotic-like Effects of the M_1/M_4 -Preferring Muscarinic Receptor Agonist Xanomeline. <i>Journal of Neuroscience</i> , 2011, 31, 5905-5908.	1.7	49
36	Sudden Cardiac Death in Young Adults With Previous Hospital-Based Psychiatric Inpatient and Outpatient Treatment. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1122-e1129.	1.1	49

#	ARTICLE	IF	CITATIONS
37	Anticonvulsant properties of two GABA uptake inhibitors NNC 05-2045 and NNC 05-2090, not acting preferentially on GAT-1. <i>Epilepsy Research</i> , 1997, 28, 51-61.	0.8	48
38	Antipsychotic-induced catalepsy is attenuated in mice lacking the M4 muscarinic acetylcholine receptor. <i>European Journal of Pharmacology</i> , 2011, 656, 39-44.	1.7	45
39	An allosteric enhancer of M4 muscarinic acetylcholine receptor function inhibits behavioral and neurochemical effects of cocaine. <i>Psychopharmacology</i> , 2012, 224, 277-287.	1.5	45
40	Attenuation of Cocaine's Reinforcing and Discriminative Stimulus Effects via Muscarinic M ₄ Acetylcholine Receptor Stimulation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 959-969.	1.3	44
41	Aripiprazole blocks acute self-administration of cocaine and is not self-administered in mice. <i>Psychopharmacology</i> , 2008, 199, 37-46.	1.5	43
42	Modulation of prepulse inhibition through both M1 and M4 muscarinic receptors in mice. <i>Psychopharmacology</i> , 2010, 208, 401-416.	1.5	41
43	Ketogenic diet reduces alcohol withdrawal symptoms in humans and alcohol intake in rodents. <i>Science Advances</i> , 2021, 7, .	4.7	41
44	Schizophrenia genetic variants are not associated with intelligence. <i>Psychological Medicine</i> , 2013, 43, 2563-2570.	2.7	40
45	Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. <i>Lancet Psychiatry</i> , 2017, 4, 605-618.	3.7	40
46	N-Acetylaspartate Distribution in Rat Brain Striatum During Acute Brain Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 164-172.	2.4	38
47	Decreased prepulse inhibition and increased sensitivity to muscarinic, but not dopaminergic drugs in M5 muscarinic acetylcholine receptor knockout mice. <i>Psychopharmacology</i> , 2007, 192, 97-110.	1.5	37
48	Prevalence of the metabolic syndrome in Danish psychiatric outpatients treated with antipsychotics. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 345-352.	0.7	37
49	The role of glucagon-like peptide 1 (GLP-1) in addictive disorders. <i>British Journal of Pharmacology</i> , 2022, 179, 625-641.	2.7	37
50	Neuropeptide Y Y5 receptor antagonism attenuates cocaine-induced effects in mice. <i>Psychopharmacology</i> , 2012, 222, 565-577.	1.5	36
51	Effects of glucagon-like peptide 1 analogs on alcohol intake in alcohol-preferring vervet monkeys. <i>Psychopharmacology</i> , 2019, 236, 603-611.	1.5	36
52	Pretreatment Cardiometabolic Status in Youth With Early-Onset Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1035-e1046.	1.1	36
53	Increased amphetamine-induced locomotor activity, sensitization, and accumbal dopamine release in M5 muscarinic receptor knockout mice. <i>Psychopharmacology</i> , 2010, 207, 547-558.	1.5	35
54	Muscarinic receptor agonists decrease cocaine self-administration rates in drug-naive mice. <i>European Journal of Pharmacology</i> , 2000, 402, 241-246.	1.7	34

#	ARTICLE	IF	CITATIONS
55	The muscarinic receptor agonist BuTAC, a novel potential antipsychotic, does not impair learning and memory in mouse passive avoidance. <i>Schizophrenia Research</i> , 2001, 49, 193-201.	1.1	34
56	Neuropeptide Y infusion into the shell region of the rat nucleus accumbens increases extracellular levels of dopamine. <i>NeuroReport</i> , 2009, 20, 1023-1026.	0.6	34
57	Glucagon-Like Peptide-1 Receptor Agonist Treatment Does Not Reduce Abuse-Related Effects of Opioid Drugs. <i>ENeuro</i> , 2019, 6, ENEURO.0443-18.2019.	0.9	34
58	Effects of the M1 Agonist Xanomeline on Processing of Human β -Amyloid Precursor Protein (FAD,) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 Research Communications, 1998, 244, 156-160.	1.0	33
59	Pharmacological characterization of social isolation-induced hyperactivity. <i>Psychopharmacology</i> , 2011, 215, 257-266.	1.5	33
60	Halothane anesthesia enhances the effect of dopamine uptake inhibition on interstitial levels of striatal dopamine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 350, 239-44.	1.4	32
61	Simultaneous polysubstance use among Danish 3,4-methylenedioxymethamphetamine and hallucinogen users: combination patterns and proposed biological bases. <i>Human Psychopharmacology</i> , 2012, 27, 352-363.	0.7	31
62	Muscarinic Agonists with Antipsychotic-like Activity: Structure-Activity Relationships of 1,2,5-Thiadiazole Analogues with Functional Dopamine Antagonist Activity. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 4378-4384.	2.9	30
63	Early Nonresponse Determined by the Clinical Global Impressions Scale Predicts Poorer Outcomes in Youth with Schizophrenia Spectrum Disorders Naturalistically Treated with Second-Generation Antipsychotics. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013, 23, 665-675.	0.7	30
64	One-year follow-up on liraglutide treatment for prediabetes and overweight/obesity in clozapine- or olanzapine-treated patients. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 26-36.	2.2	30
65	The striato-entopeduncular pathway in the rat. A retrograde transport study with wheatgerm-agglutinin-horseradish peroxidase. <i>Brain Research</i> , 1989, 476, 194-198.	1.1	29
66	Inhibition of cisplatin-induced emesis in ferrets by the non-NMDA receptor antagonists NBQX and CNQX. <i>Neuroscience Letters</i> , 1992, 137, 173-177.	1.0	29
67	Psychiatric disease as a risk factor in fast-track hip and knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 439-443.	1.2	29
68	Ketogenic Diet Suppresses Alcohol Withdrawal Syndrome in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 270-277.	1.4	29
69	Stereological brain volume changes in post-weaned socially isolated rats. <i>Brain Research</i> , 2010, 1345, 233-239.	1.1	28
70	The effect of clozapine on Fos protein immunoreactivity in the rat forebrain is not mimicked by the addition of β -1-adrenergic or 5HT ₂ receptor blockade to haloperidol. <i>Neuroscience Letters</i> , 1995, 194, 77-80.	1.0	27
71	Socially isolated rats exhibit changes in dopamine homeostasis pertinent to schizophrenia. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 347-350.	0.7	25
72	Variation in the purinergic P2RX7 receptor gene and schizophrenia. <i>Schizophrenia Research</i> , 2008, 104, 146-152.	1.1	24

#	ARTICLE	IF	CITATIONS
73	Enhanced self-administration of alcohol in muscarinic acetylcholine M4 receptor knockout mice. <i>European Journal of Pharmacology</i> , 2015, 746, 1-5.	1.7	24
74	Direct projections from the anterior and tuberal regions of the lateral hypothalamus to the rostral part of the pineal complex of the rat. An anterograde neuron-tracing study by using Phaseolus vulgaris leucoagglutinin. <i>Brain Research</i> , 1990, 522, 337-341.	1.1	23
75	The preferential dopamine D3 receptor agonist cis-8-OH-PBZI induces limbic Fos expression in rat brain. <i>European Journal of Pharmacology</i> , 1997, 339, 261-270.	1.7	22
76	No significant association of the 5â€² end of neuregulin 1 and schizophrenia in a large Danish sample. <i>Schizophrenia Research</i> , 2006, 83, 1-5.	1.1	22
77	The significance of sampling time in therapeutic drug monitoring of clozapine. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 159-169.	2.2	22
78	Does glucagon-like peptide-1 (GLP-1) receptor agonist stimulation reduce alcohol intake in patients with alcohol dependence: study protocol of a randomised, double-blinded, placebo-controlled clinical trial. <i>BMJ Open</i> , 2018, 8, e019562.	0.8	22
79	Muscarinic agonists exhibit functional dopamine antagonism in unilaterally 6-OHDA lesioned rats. <i>NeuroReport</i> , 1998, 9, 3481-3486.	0.6	21
80	The Acetylcholinesterase Inhibitor Galantamine Inhibits d-Amphetamine-Induced Psychotic-Like Behavior in Cebus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 1179-1182.	1.3	20
81	Muscarinic receptor M4 positive allosteric modulators attenuate central effects of cocaine. <i>Drug and Alcohol Dependence</i> , 2017, 176, 154-161.	1.6	19
82	Effects of ketogenic diet and ketone monoester supplement on acute alcohol withdrawal symptoms in male mice. <i>Psychopharmacology</i> , 2021, 238, 833-844.	1.5	19
83	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12â€“43 years. <i>Psychological Medicine</i> , 2021, 51, 1570-1580.	2.7	17
84	Regional differences in the effect of haloperidol and atypical neuroleptics on interstitial levels of DOPAC in the rat forebrain: an in vivo microdialysis study. <i>Journal of Psychopharmacology</i> , 1996, 10, 119-125.	2.0	16
85	Neuropeptide Y5 receptor antagonism causes faster extinction and attenuates reinstatement in cocaine-induced place preference. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 105, 151-156.	1.3	16
86	Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. <i>Drug and Alcohol Dependence</i> , 2016, 161, 258-264.	1.6	16
87	The relationship between self-reported childhood adversities, adulthood psychopathology and psychological stress markers in patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 72, 48-55.	1.5	16
88	Cardiometabolic Adverse Effects and Its Predictors in Children and Adolescents With First-Episode Psychosis During Treatment With Quetiapine-Extended Release Versus Aripiprazole: 12-Week Results From the Tolerance and Effect of Antipsychotics in Children and Adolescents With Psychosis (TEA) Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 1062-1078.	0.3	16
89	Behavioral and neurochemical effects of the preferential dopamine D3 receptor agonist cis-8-OH-PBZI. <i>European Journal of Pharmacology</i> , 1998, 342, 153-161.	1.7	15
90	Does a GLP-1 receptor agonist change glucose tolerance in patients treated with antipsychotic medications? Design of a randomised, double-blinded, placebo-controlled clinical trial. <i>BMJ Open</i> , 2014, 4, e004227.	0.8	15

#	ARTICLE	IF	CITATIONS
91	High prevalence of prediabetes and metabolic abnormalities in overweight or obese schizophrenia patients treated with clozapine or olanzapine. <i>CNS Spectrums</i> , 2019, 24, 441-452.	0.7	15
92	A direct neuronal projection from the entopeduncular nucleus to the globus pallidus. A PHA-L anterograde tracing study in the rat. <i>Brain Research</i> , 1991, 542, 175-179.	1.1	14
93	In vivo pharmacology of butylthio[2.2.2] (LY297802 / NNC11-1053), an orally acting antinociceptive muscarinic agonist. <i>Life Sciences</i> , 1997, 60, 969-976.	2.0	14
94	Neurological, Metabolic, and Psychiatric Adverse Events in Children and Adolescents Treated With Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 496-499.	0.7	14
95	Use of ketogenic diets in the treatment of central nervous system diseases: a systematic review. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 1-8.	0.7	14
96	PICK1-Deficient Mice Exhibit Impaired Response to Cocaine and Dysregulated Dopamine Homeostasis. <i>ENeuro</i> , 2018, 5, ENEURO.0422-17.2018.	0.9	14
97	Sudden Cardiac Death. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 473-481.	1.3	13
98	Antipsychotic treatment of schizotypy and schizotypal personality disorder: a systematic review. <i>Journal of Psychopharmacology</i> , 2017, 31, 397-405.	2.0	13
99	The Role of Psychiatric Diagnoses for Outcome After Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3611-3615.	1.5	13
100	The effect of glucagon-like peptide-1 (GLP-1) receptor agonists on substance use disorder (SUD)-related behavioural effects of drugs and alcohol: A systematic review. <i>Physiology and Behavior</i> , 2019, 206, 232-242.	1.0	12
101	Identification of side chains on 1,2,5-thiadiazole-azacycles optimal for muscarinic M1 receptor activation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 2897-2902.	1.0	11
102	Intravenous Scopolamine Is Potently Self-Administered in Drug-Naive Mice. <i>Neuropsychopharmacology</i> , 2000, 22, 97-99.	2.8	11
103	Psychopharmacologic treatment and blood transfusion in fast-track total hip and knee arthroplasty. <i>Transfusion</i> , 2017, 57, 971-976.	0.8	11
104	Substance use among Danish psychiatric patients: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 130-136.	0.7	11
105	Glucagon-like peptide-1 receptor regulation of basal dopamine transporter activity is species-dependent. <i>Neurochemistry International</i> , 2020, 138, 104772.	1.9	11
106	Quetiapine versus aripiprazole in children and adolescents with psychosis - protocol for the randomised, blinded clinical Tolerability and Efficacy of Antipsychotics (TEA) trial. <i>BMC Psychiatry</i> , 2014, 14, 199.	1.1	10
107	Alcohol consumption among patients with diabetes: a survey-based cross-sectional study of Danish adults with diabetes. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 517-524.	1.2	10
108	Adverse events in children and adolescents treated with quetiapine. <i>International Clinical Psychopharmacology</i> , 2017, 32, 103-106.	0.9	10

#	ARTICLE	IF	CITATIONS
109	The substituted (S)-3-phenylpiperidine (âˆ™)-OSU6162 reduces apomorphine- and amphetamine-induced behaviour in Cebus apella monkeys. <i>Journal of Neural Transmission</i> , 2006, 113, 11-19.	1.4	9
110	Asymmetric dimethylarginine in somatically healthy schizophrenia patients treated with atypical antipsychotics: a caseâ€“control study. <i>BMC Psychiatry</i> , 2015, 15, 67.	1.1	9
111	Antipsychotic treatment for children and adolescents with schizophrenia spectrum disorders: protocol for a network meta-analysis of randomised trials. <i>BMJ Open</i> , 2014, 4, e005708.	0.8	8
112	Mesolimbic selective antipsychotic arylcarbamates. <i>European Journal of Medicinal Chemistry</i> , 1998, 33, 839-858.	2.6	7
113	Change and dispersion of QT interval during treatment with quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: results from the TEA trial. <i>Psychopharmacology</i> , 2018, 235, 681-693.	1.5	7
114	Early Antipsychotic Nonresponse as a Predictor of Nonresponse and Nonremission in Adolescents With Psychosis Treated With Aripiprazole or Quetiapine: Results From the TEA Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, , .	0.3	7
115	Glucagon-like peptide-1 (GLP-1) analogues: A potential new treatment for alcohol use disorder?. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 561-562.	0.7	5
116	Liraglutide for the Treatment of Antipsychotic Drug-Induced Weight Gainâ€“Reply. <i>JAMA Psychiatry</i> , 2017, 74, 1173.	6.0	5
117	Exploring Movement Impairments in Patients With Parkinson's Disease Using the Microsoft Kinect Sensor: A Feasibility Study. <i>Frontiers in Neurology</i> , 2020, 11, 610614.	1.1	5
118	Disruption of the PDZ domainâ€“binding motif of the dopamine transporter uniquely alters nanoscale distribution, dopamine homeostasis, and reward motivation. <i>Journal of Biological Chemistry</i> , 2021, 297, 101361.	1.6	5
119	Revealing a compulsive phenotype in cholinergic M4-/- mice depends on the inter-trial interval initiation settings in a five choice serial reaction time task. <i>Behavioural Brain Research</i> , 2020, 389, 112649.	1.2	4
120	Liraglutide does not change bone turnover in clozapine- and olanzapine-treated schizophrenia overweight patients with prediabetes â€“ randomized controlled trial. <i>Psychiatry Research</i> , 2021, 296, 113670.	1.7	4
121	Clozapine- and non-clozapine-associated neutropenia in patients with schizophrenia: a retrospective cohort study. <i>Therapeutic Advances in Psychopharmacology</i> , 2022, 12, 204512532110723.	1.2	4
122	Alkoxyfurocoumarin derivatives as potential mesolimbic selective antipsychotics. <i>European Journal of Medicinal Chemistry</i> , 1997, 32, 103-111.	2.6	3
123	Leptin Serum Levels are Associated With GLP-1 Receptor Agonist-Mediated Effects on Glucose Metabolism in Clozapine- or Olanzapine-Treated, Prediabetic, Schizophrenia Patients. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	3
124	Clozapine-associated neutropenia following augmentation with sodium valproate. <i>SAGE Open Medical Case Reports</i> , 2021, 9, 2050313X2110197.	0.2	3
125	How to Estimate QT Interval in Patients With Left or Right Bundle Branch Block. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 323-326.	0.7	3
126	Proinflammatory biomarkers are associated with prediabetes in patients with schizophrenia. <i>CNS Spectrums</i> , 2022, 27, 347-354.	0.7	3

#	ARTICLE	IF	CITATIONS
127	SARS-CoV-2 seroprevalence among patients with severe mental illness: A cross-sectional study. PLoS ONE, 2022, 17, e0264325.	1.1	3
128	Effects of Prenatal Alcohol Exposure on the Visual System of Monkeys Measured at Different Stages of Development. , 2017, 58, 6282.		2
129	Effect of the antipsychotic drug haloperidol on arrhythmias during acute myocardial infarction in a porcine model. IJC Heart and Vasculature, 2020, 26, 100455.	0.6	2
130	Antipsychotic-Like Effect of the Muscarinic Acetylcholine Receptor Agonist BuTAC in Non-Human Primates. PLoS ONE, 2015, 10, e0122722.	1.1	2
131	CYP2D6 Genotyping and Antipsychotic-Associated Extrapyramidal Adverse Effects in a Randomized Trial of Aripiprazole Versus Quetiapine Extended Release in Children and Adolescents, Aged 12â€“17 Years, With First Episode Psychosis. Journal of Clinical Psychopharmacology, 2021, 41, 667-672.	0.7	2
132	Use of chlorprothixene and the risk of diabetes and major adverse cardiovascular events: a nationwide cohort study. Basic and Clinical Pharmacology and Toxicology, 2022, , .	1.2	2
133	Current trends in psychiatry care in Finland with special focus on private practice psychiatry and psychotherapy. Nordic Journal of Psychiatry, 2009, 63, 87-91.	0.7	1
134	Eosinopenia in women with schizophrenia: Drug-induced or a sign of gender specific difference in pathogenesis?. Schizophrenia Research, 2018, 197, 601-602.	1.1	1
135	Prospective psychometric characterization of hip and knee arthroplasty patients. Nordic Journal of Psychiatry, 2018, 72, 39-44.	0.7	1
136	SY15-2SUBCHRONIC LOW DOSE EXENDIN-4 PRETREATMENT INHIBITS RELAPSE TO ALCOHOL DRINKING IN HIGH ALCOHOL PREFERING C57BL6 MICE. Alcohol and Alcoholism, 2015, 50, i17.4-i18.	0.9	0
137	Measuring movements in adolescents with psychosis using the Microsoft Kinect sensor: a pilot study exploring a new tool for assessing aspects of antipsychoticâ€“induced parkinsonism. Child and Adolescent Mental Health, 2020, 25, 79-94.	1.8	0
138	Molecular and behavioral phenotypes caused by selective disruption of M4 muscarinic acetylcholine receptors in D1 dopamine receptorâ€“expressing cells. FASEB Journal, 2008, 22, 1127.9.	0.2	0
139	M4 muscarinic acetylcholine receptor modulation of associative learning and behavioral flexibility in a novel touchscreen cognitive assessment (845.8). FASEB Journal, 2014, 28, 845.8.	0.2	0