

Anders Fink-Jensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1025721/anders-fink-jensen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

5,404
citations

39
h-index

70
g-index

149
ext. papers

6,090
ext. citations

4.7
avg, IF

4.98
L-index

#	Paper	IF	Citations
138	Early Antipsychotic Non-response as a Predictor of Non-response and Non-remission in Adolescents With Psychosis Treated With Aripiprazole or Quetiapine: Results From the TEA Trial.. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022 ,	7.2	1
137	Clozapine- and non-clozapine-associated neutropenia in patients with schizophrenia: a retrospective cohort study.. <i>Therapeutic Advances in Psychopharmacology</i> , 2022 , 12, 20451253211072341	4.9	1
136	SARS-CoV-2 seroprevalence among patients with severe mental illness: A cross-sectional study.. <i>PLoS ONE</i> , 2022 , 17, e0264325	3.7	0
135	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12-43 years. <i>Psychological Medicine</i> , 2021 , 51, 1570-1580	6.9	9
134	CYP2D6 Genotyping and Antipsychotic-Associated Extrapyramidal Adverse Effects in a Randomized Trial of Aripiprazole Versus Quetiapine Extended Release in Children and Adolescents, Aged 12-17 Years, With First Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 667-672	1.7	1
133	Disruption of the PDZ domain-binding motif of the dopamine transporter uniquely alters nanoscale distribution, dopamine homeostasis, and reward motivation. <i>Journal of Biological Chemistry</i> , 2021 , 297, 101361	5.4	1
132	How to Estimate QT Interval in Patients With Left or Right Bundle Branch Block: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 323-326	1.7	1
131	Ketogenic diet reduces alcohol withdrawal symptoms in humans and alcohol intake in rodents. <i>Science Advances</i> , 2021 , 7,	14.3	11
130	Use of ketogenic diets in the treatment of central nervous system diseases: a systematic review. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 1-8	2.3	7
129	Clozapine-associated neutropenia following augmentation with sodium valproate. <i>SAGE Open Medical Case Reports</i> , 2021 , 9, 2050313X211019791	0.7	1
128	Effects of ketogenic diet and ketone monoester supplement on acute alcohol withdrawal symptoms in male mice. <i>Psychopharmacology</i> , 2021 , 238, 833-844	4.7	5
127	Liraglutide does not change bone turnover in clozapine- and olanzapine-treated schizophrenia overweight patients with prediabetes - randomized controlled trial. <i>Psychiatry Research</i> , 2021 , 296, 113678	9.0	1
126	The role of glucagon-like peptide 1 (GLP-1) in addictive disorders. <i>British Journal of Pharmacology</i> , 2021 ,	8.6	2
125	Effect of the antipsychotic drug haloperidol on arrhythmias during acute myocardial infarction in a porcine model. <i>IJC Heart and Vasculature</i> , 2020 , 26, 100455	2.4	2
124	Glucagon-like peptide-1 receptor regulation of basal dopamine transporter activity is species-dependent. <i>Neurochemistry International</i> , 2020 , 138, 104772	4.4	5
123	Revealing a compulsive phenotype in cholinergic M mice depends on the inter-trial interval initiation settings in a five choice serial reaction time task. <i>Behavioural Brain Research</i> , 2020 , 389, 112649	3.4	1
122	Proinflammatory biomarkers are associated with prediabetes in patients with schizophrenia. <i>CNS Spectrums</i> , 2020 , 1-8	1.8	

121	Measuring movements in adolescents with psychosis using the Microsoft Kinect sensor: a pilot study exploring a new tool for assessing aspects of antipsychotic-induced parkinsonism. <i>Child and Adolescent Mental Health</i> , 2020 , 25, 79-94	2.2	
120	Leptin Serum Levels are Associated With GLP-1 Receptor Agonist-Mediated Effects on Glucose Metabolism in Clozapine- or Olanzapine-Treated, Prediabetic, Schizophrenia Patients. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	1
119	Exploring Movement Impairments in Patients With Parkinson's Disease Using the Microsoft Kinect Sensor: A Feasibility Study. <i>Frontiers in Neurology</i> , 2020 , 11, 610614	4.1	2
118	Cardiometabolic Adverse Effects and Its Predictors in Children and Adolescents With First-Episode Psychosis During Treatment With Quetiapine-Extended Release Versus Aripiprazole: 12-Week Results From the Tolerance and Effect of Antipsychotics in Children and Adolescents With Psychosis (TEA) Trial. <i>Journal of Child Psychology and Psychiatry</i> , 2019 , 58, 1062-1078	7.2	10
117	The effect of glucagon-like peptide-1 (GLP-1) receptor agonists on substance use disorder (SUD)-related behavioural effects of drugs and alcohol: A systematic review. <i>Physiology and Behavior</i> , 2019 , 206, 232-242	3.5	5
116	Glucagon-Like Peptide-1 Receptor Agonist Treatment Does Not Reduce Abuse-Related Effects of Opioid Drugs. <i>ENeuro</i> , 2019 , 6,	3.9	22
115	Glucagon-like peptide-1 receptor agonists for antipsychotic-associated cardio-metabolic risk factors: A systematic review and individual participant data meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 293-302	6.7	40
114	High prevalence of prediabetes and metabolic abnormalities in overweight or obese schizophrenia patients treated with clozapine or olanzapine. <i>CNS Spectrums</i> , 2019 , 24, 441-452	1.8	8
113	Effects of glucagon-like peptide 1 analogs on alcohol intake in alcohol-preferring vervet monkeys. <i>Psychopharmacology</i> , 2019 , 236, 603-611	4.7	21
112	One-year follow-up on liraglutide treatment for prediabetes and overweight/obesity in clozapine- or olanzapine-treated patients. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 26-36	6.5	19
111	Eosinopenia in women with schizophrenia: Drug-induced or a sign of gender specific difference in pathogenesis?. <i>Schizophrenia Research</i> , 2018 , 197, 601-602	3.6	1
110	Prospective psychometric characterization of hip and knee arthroplasty patients. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 39-44	2.3	1
109	Does glucagon-like peptide-1 (GLP-1) receptor agonist stimulation reduce alcohol intake in patients with alcohol dependence: study protocol of a randomised, double-blinded, placebo-controlled clinical trial. <i>BMJ Open</i> , 2018 , 8, e019562	3	16
108	PICK1-Deficient Mice Exhibit Impaired Response to Cocaine and Dysregulated Dopamine Homeostasis. <i>ENeuro</i> , 2018 , 5,	3.9	8
107	Ketogenic Diet Suppresses Alcohol Withdrawal Syndrome in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 270-277	3.7	17
106	Change and dispersion of QT interval during treatment with quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: results from the TEA trial. <i>Psychopharmacology</i> , 2018 , 235, 681-693	4.7	4
105	Substance use among Danish psychiatric patients: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 130-136	2.3	6
104	Psychopharmacologic treatment and blood transfusion in fast-track total hip and knee arthroplasty. <i>Transfusion</i> , 2017 , 57, 971-976	2.9	6

103	Sudden Cardiac Death: Pharmacotherapy and Proarrhythmic Drugs: A Nationwide Cohort Study in Denmark. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 473-481	4.6	10
102	Muscarinic receptor M positive allosteric modulators attenuate central effects of cocaine. <i>Drug and Alcohol Dependence</i> , 2017 , 176, 154-161	4.9	12
101	Adverse events in children and adolescents treated with quetiapine: an analysis of adverse drug reaction reports from the Danish Medicines Agency database. <i>International Clinical Psychopharmacology</i> , 2017 , 32, 103-106	2.2	8
100	Effect of Liraglutide Treatment on Prediabetes and Overweight or Obesity in Clozapine- or Olanzapine-Treated Patients With Schizophrenia Spectrum Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 719-728	14.5	80
99	Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. <i>Lancet Psychiatry</i> , 2017 , 4, 605-618	23.3	33
98	Antipsychotic treatment of schizotypy and schizotypal personality disorder: a systematic review. <i>Journal of Psychopharmacology</i> , 2017 , 31, 397-405	4.6	7
97	The significance of sampling time in therapeutic drug monitoring of clozapine. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 159-169	6.5	12
96	Acute Antipsychotic Treatment of Children and Adolescents With Schizophrenia-Spectrum Disorders: A Systematic Review and Network Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 191-202	7.2	61
95	Liraglutide for the Treatment of Antipsychotic Drug-Induced Weight Gain-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 1173-1174	14.5	2
94	The Role of Psychiatric Diagnoses for Outcome After Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017 , 32, 3611-3615	4.4	10
93	The glucagon-like peptide 1 receptor agonist Exendin-4 decreases relapse-like drinking in socially housed mice. <i>Pharmacology Biochemistry and Behavior</i> , 2017 , 160, 14-20	3.9	41
92	The relationship between self-reported childhood adversities, adulthood psychopathology and psychological stress markers in patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017 , 72, 48-55	7.3	12
91	Effects of Prenatal Alcohol Exposure on the Visual System of Monkeys Measured at Different Stages of Development 2017 , 58, 6282-6291		1
90	Pretreatment Cardiometabolic Status in Youth With Early-Onset Psychosis: Baseline Results From the TEA Trial. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e1035-e1046	4.6	25
89	Psychiatric disease as a risk factor in fast-track hip and knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 439-43	4.3	19
88	Neurological, Metabolic, and Psychiatric Adverse Events in Children and Adolescents Treated With Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 496-9	1.7	10
87	Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. <i>Drug and Alcohol Dependence</i> , 2016 , 161, 258-64	4.9	13
86	Regional brain volumes, diffusivity, and metabolite changes after electroconvulsive therapy for severe depression. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 154-164	6.5	68

85	Alcohol consumption among patients with diabetes: a survey-based cross-sectional study of Danish adults with diabetes. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 517-24	3	9
84	Glucagon-like peptide 1 receptor activation regulates cocaine actions and dopamine homeostasis in the lateral septum by decreasing arachidonic acid levels. <i>Translational Psychiatry</i> , 2016 , 6, e809	8.6	45
83	Clinical Characteristics and Predictors of Outcome of Schizophrenia-Spectrum Psychosis in Children and Adolescents: A Systematic Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 410-27	2.9	69
82	Glucagon-like peptide-1 (GLP-1) analogues: A potential new treatment for alcohol use disorder?. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 561-2	2.3	4
81	The glucagon-like peptide 1 (GLP-1) receptor agonist exendin-4 reduces cocaine self-administration in mice. <i>Physiology and Behavior</i> , 2015 , 149, 262-8	3.5	75
80	SY15-2SUBCHRONIC LOW DOSE EXENDIN-4 PRETREATMENT INHIBITS RELAPSE TO ALCOHOL DRINKING IN HIGH ALCOHOL PREFERING C57BL6 MICE. <i>Alcohol and Alcoholism</i> , 2015 , 50, i17.4-i18	3.5	
79	Corrected QT changes during antipsychotic treatment of children and adolescents: a systematic review and meta-analysis of clinical trials. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 25-36	7.2	46
78	Enhanced self-administration of alcohol in muscarinic acetylcholine M4 receptor knockout mice. <i>European Journal of Pharmacology</i> , 2015 , 746, 1-5	5.3	16
77	Asymmetric dimethylarginine in somatically healthy schizophrenia patients treated with atypical antipsychotics: a case-control study. <i>BMC Psychiatry</i> , 2015 , 15, 67	4.2	6
76	Antipsychotic-like effect of the muscarinic acetylcholine receptor agonist BuTAC in non-human primates. <i>PLoS ONE</i> , 2015 , 10, e0122722	3.7	1
75	Sudden cardiac death in young adults with previous hospital-based psychiatric inpatient and outpatient treatment: a nationwide cohort study from Denmark. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1122-9	4.6	40
74	Risk of arrhythmia induced by psychotropic medications: a proposal for clinical management. <i>European Heart Journal</i> , 2014 , 35, 1306-15	9.5	73
73	Does a GLP-1 receptor agonist change glucose tolerance in patients treated with antipsychotic medications? Design of a randomised, double-blinded, placebo-controlled clinical trial. <i>BMJ Open</i> , 2014 , 4, e004227	3	13
72	Quetiapine versus aripiprazole in children and adolescents with psychosis--protocol for the randomised, blinded clinical Tolerability and Efficacy of Antipsychotics (TEA) trial. <i>BMC Psychiatry</i> , 2014 , 14, 199	4.2	10
71	Antipsychotic treatment for children and adolescents with schizophrenia spectrum disorders: protocol for a network meta-analysis of randomised trials. <i>BMJ Open</i> , 2014 , 4, e005708	3	7
70	M4 muscarinic acetylcholine receptor modulation of associative learning and behavioral flexibility in a novel touchscreen cognitive assessment (845.8). <i>FASEB Journal</i> , 2014 , 28, 845.8	0.9	
69	Systemic oxidatively generated DNA/RNA damage in clinical depression: associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013 , 149, 355-62	6.6	61
68	Neuropeptide Y Y5 receptor antagonism causes faster extinction and attenuates reinstatement in cocaine-induced place preference. <i>Pharmacology Biochemistry and Behavior</i> , 2013 , 105, 151-6	3.9	12

67	Increased systemic oxidatively generated DNA and RNA damage in schizophrenia. <i>Psychiatry Research</i> , 2013 , 209, 417-23	9.9	66
66	Early nonresponse determined by the clinical global impressions scale predicts poorer outcomes in youth with schizophrenia spectrum disorders naturalistically treated with second-generation antipsychotics. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013 , 23, 665-75	2.9	25
65	Schizophrenia genetic variants are not associated with intelligence. <i>Psychological Medicine</i> , 2013 , 43, 2563-70	6.9	34
64	Muscarinic Acetylcholine Receptor Subtypes as Potential Drug Targets for the Treatment of Schizophrenia, Drug Abuse and Parkinson's Disease. <i>ACS Chemical Neuroscience</i> , 2012 , 3, 80-89	5.7	43
63	An allosteric enhancer of M4 muscarinic acetylcholine receptor function inhibits behavioral and neurochemical effects of cocaine. <i>Psychopharmacology</i> , 2012 , 224, 277-87	4.7	40
62	Simultaneous polysubstance use among Danish 3,4-methylenedioxymethamphetamine and hallucinogen users: combination patterns and proposed biological bases. <i>Human Psychopharmacology</i> , 2012 , 27, 352-63	2.3	20
61	Neuropeptide Y Y5 receptor antagonism attenuates cocaine-induced effects in mice. <i>Psychopharmacology</i> , 2012 , 222, 565-77	4.7	31
60	Socially isolated rats exhibit changes in dopamine homeostasis pertinent to schizophrenia. <i>International Journal of Developmental Neuroscience</i> , 2011 , 29, 347-50	2.7	20
59	Antipsychotic-induced catalepsy is attenuated in mice lacking the M4 muscarinic acetylcholine receptor. <i>European Journal of Pharmacology</i> , 2011 , 656, 39-44	5.3	32
58	Pharmacological characterization of social isolation-induced hyperactivity. <i>Psychopharmacology</i> , 2011 , 215, 257-66	4.7	29
57	Increased cocaine self-administration in M4 muscarinic acetylcholine receptor knockout mice. <i>Psychopharmacology</i> , 2011 , 216, 367-78	4.7	55
56	Prevalence of the metabolic syndrome in Danish psychiatric outpatients treated with antipsychotics. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 345-52	2.3	30
55	Involvement of a subpopulation of neuronal M4 muscarinic acetylcholine receptors in the antipsychotic-like effects of the M1/M4 preferring muscarinic receptor agonist xanomeline. <i>Journal of Neuroscience</i> , 2011 , 31, 5905-8	6.6	39
54	Attenuation of cocaine's reinforcing and discriminative stimulus effects via muscarinic M1 acetylcholine receptor stimulation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 332, 959-69	4.7	38
53	Reducing the treatment gap for mental disorders: a WPA survey. <i>World Psychiatry</i> , 2010 , 9, 169-76	14.4	217
52	A subpopulation of neuronal M4 muscarinic acetylcholine receptors plays a critical role in modulating dopamine-dependent behaviors. <i>Journal of Neuroscience</i> , 2010 , 30, 2396-405	6.6	114
51	Increased dopaminergic activity in socially isolated rats: an electrophysiological study. <i>Neuroscience Letters</i> , 2010 , 482, 117-22	3.3	42
50	Increased amphetamine-induced locomotor activity, sensitization, and accumbal dopamine release in M5 muscarinic receptor knockout mice. <i>Psychopharmacology</i> , 2010 , 207, 547-58	4.7	30

49	Modulation of prepulse inhibition through both M(1) and M (4) muscarinic receptors in mice. <i>Psychopharmacology</i> , 2010 , 208, 401-16	4.7	34
48	Stereological brain volume changes in post-weaned socially isolated rats. <i>Brain Research</i> , 2010 , 1345, 233-9	3.7	25
47	Antipsychotic polypharmacy and risk of death from natural causes in patients with schizophrenia: a population-based nested case-control study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 103-8	4.6	93
46	Current trends in psychiatry care in Finland with special focus on private practice psychiatry and psychotherapy. <i>Nordic Journal of Psychiatry</i> , 2009 , 63, 87-90; discussion 90-1	2.3	1
45	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7	50.4	1350
44	Neuropeptide Y infusion into the shell region of the rat nucleus accumbens increases extracellular levels of dopamine. <i>NeuroReport</i> , 2009 , 20, 1023-6	1.7	30
43	Variation in the purinergic P2RX(7) receptor gene and schizophrenia. <i>Schizophrenia Research</i> , 2008 , 104, 146-52	3.6	19
42	Aripiprazole blocks acute self-administration of cocaine and is not self-administered in mice. <i>Psychopharmacology</i> , 2008 , 199, 37-46	4.7	40
41	Effects of acute and chronic aripiprazole treatment on choice between cocaine self-administration and food under a concurrent schedule of reinforcement in rats. <i>Psychopharmacology</i> , 2008 , 201, 43-53	4.7	51
40	Molecular and behavioral phenotypes caused by selective disruption of M4 muscarinic acetylcholine receptors in D1 dopamine receptor-expressing cells. <i>FASEB Journal</i> , 2008 , 22, 1127.9	0.9	
39	Decreased prepulse inhibition and increased sensitivity to muscarinic, but not dopaminergic drugs in M5 muscarinic acetylcholine receptor knockout mice. <i>Psychopharmacology</i> , 2007 , 192, 97-110	4.7	30
38	The acetylcholinesterase inhibitor galantamine inhibits d-amphetamine-induced psychotic-like behavior in Cebus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 321, 1179-82	4.7	20
37	Effects of donepezil adjunctive treatment to ziprasidone on cognitive deficits in schizophrenia: a double-blind, placebo-controlled study. <i>Clinical Neuropharmacology</i> , 2007 , 30, 3-12	1.4	47
36	No significant association of the 5Send of neuregulin 1 and schizophrenia in a large Danish sample. <i>Schizophrenia Research</i> , 2006 , 83, 1-5	3.6	20
35	The substituted (S)-3-phenylpiperidine (-)-OSU6162 reduces apomorphine- and amphetamine-induced behaviour in Cebus apella monkeys. <i>Journal of Neural Transmission</i> , 2006 , 113, 11-9	4.3	9
34	Reduced cocaine self-administration in muscarinic M5 acetylcholine receptor-deficient mice. <i>Journal of Neuroscience</i> , 2005 , 25, 8141-9	6.6	94
33	The muscarinic M1/M4 receptor agonist xanomeline exhibits antipsychotic-like activity in Cebus apella monkeys. <i>Neuropsychopharmacology</i> , 2003 , 28, 1168-75	8.7	69
32	Role for M5 muscarinic acetylcholine receptors in cocaine addiction. <i>Journal of Neuroscience Research</i> , 2003 , 74, 91-6	4.4	98

31	Cocaine- and amphetamine-regulated transcript is present in hypothalamic neuroendocrine neurones and is released to the hypothalamic-pituitary portal circuit. <i>Journal of Neuroendocrinology</i> , 2003 , 15, 219-26	3.8	69
30	The muscarinic receptor agonist BuTAC, a novel potential antipsychotic, does not impair learning and memory in mouse passive avoidance. <i>Schizophrenia Research</i> , 2001 , 49, 193-201	3.6	33
29	Intravenous scopolamine is potently self-administered in drug-naive mice. <i>Neuropsychopharmacology</i> , 2000 , 22, 97-9	8.7	9
28	Muscarinic receptor agonists decrease cocaine self-administration rates in drug-naive mice. <i>European Journal of Pharmacology</i> , 2000 , 402, 241-6	5.3	32
27	Xanomeline, an M(1)/M(4) preferring muscarinic cholinergic receptor agonist, produces antipsychotic-like activity in rats and mice. <i>Schizophrenia Research</i> , 2000 , 42, 249-59	3.6	112
26	N-Acetylaspartate distribution in rat brain striatum during acute brain ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 164-72	7.3	34
25	Potential role of muscarinic receptors in schizophrenia. <i>Life Sciences</i> , 1999 , 64, 527-34	6.8	45
24	Muscarinic receptor agonists, like dopamine receptor antagonist antipsychotics, inhibit conditioned avoidance response in rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999 , 290, 901-7	4.7	42
23	Xanomeline compared to other muscarinic agents on stimulation of phosphoinositide hydrolysis in vivo and other cholinomimetic effects. <i>Brain Research</i> , 1998 , 795, 179-90	3.7	70
22	Unexpected antipsychotic-like activity with the muscarinic receptor ligand (5R,6R)6-(3-propylthio-1,2,5-thiadiazol-4-yl)-1-azabicyclo[3.2.1]octane. <i>European Journal of Pharmacology</i> , 1998 , 356, 109-19	5.3	45
21	Identification of side chains on 1,2,5-thiadiazole-azacycles optimal for muscarinic m1 receptor activation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998 , 8, 2897-902	2.9	8
20	Mesolimbic selective antipsychotic arylcarbamates. <i>European Journal of Medicinal Chemistry</i> , 1998 , 33, 839-858	6.8	4
19	Muscarinic agonists with antipsychotic-like activity: structure-activity relationships of 1,2,5-thiadiazole analogues with functional dopamine antagonist activity. <i>Journal of Medicinal Chemistry</i> , 1998 , 41, 4378-84	8.3	28
18	Effects of the M1 agonist xanomeline on processing of human beta-amyloid precursor protein (FAD, Swedish mutant) transfected into Chinese hamster ovary-m1 cells. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 244, 156-60	3.4	31
17	Behavioral and neurochemical effects of the preferential dopamine D3 receptor agonist cis-8-OH-PBZI. <i>European Journal of Pharmacology</i> , 1998 , 342, 153-61	5.3	13
16	Muscarinic agonists exhibit functional dopamine antagonism in unilaterally 6-OHDA lesioned rats. <i>NeuroReport</i> , 1998 , 9, 3481-6	1.7	20
15	The preferential dopamine D3 receptor agonist cis-8-OH-PBZI induces limbic Fos expression in rat brain. <i>European Journal of Pharmacology</i> , 1997 , 339, 261-70	5.3	20
14	In vivo pharmacology of butylthio[2.2.2] (LY297802 / NNC11-1053), an orally acting antinociceptive muscarinic agonist. <i>Life Sciences</i> , 1997 , 60, 969-76	6.8	12

13	Alkoxyfurocoumarin derivatives as potential mesolimbic selective antipsychotics. <i>European Journal of Medicinal Chemistry</i> , 1997 , 32, 103-111	6.8	3
12	Anticonvulsant properties of two GABA uptake inhibitors NNC 05-2045 and NNC 05-2090, not acting preferentially on GAT-1. <i>Epilepsy Research</i> , 1997 , 28, 51-61	3	44
11	Transient elevation of interstitial N-acetylaspartate in reversible global brain ischemia. <i>Journal of Neurochemistry</i> , 1997 , 68, 675-82	6	48
10	Central administration of GLP-1-(7-36) amide inhibits food and water intake in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1996 , 271, R848-56	3.2	213
9	Regional differences in the effect of haloperidol and atypical neuroleptics on interstitial levels of DOPAC in the rat forebrain: an in vivo microdialysis study. <i>Journal of Psychopharmacology</i> , 1996 , 10, 119-25	4.6	14
8	The effect of clozapine on Fos protein immunoreactivity in the rat forebrain is not mimicked by the addition of alpha 1-adrenergic or 5HT2 receptor blockade to haloperidol. <i>Neuroscience Letters</i> , 1995 , 194, 77-80	3.3	26
7	Halothane anesthesia enhances the effect of dopamine uptake inhibition on interstitial levels of striatal dopamine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994 , 350, 239-44	3.4	29
6	Effects of typical and atypical neuroleptics on Fos protein expression in the rat forebrain. <i>Neuroscience Letters</i> , 1994 , 182, 115-8	3.3	87
5	Inhibition of cisplatin-induced emesis in ferrets by the non-NMDA receptor antagonists NBQX and CNQX. <i>Neuroscience Letters</i> , 1992 , 137, 173-7	3.3	27
4	The gamma-aminobutyric acid (GABA) uptake inhibitor, tiagabine, increases extracellular brain levels of GABA in awake rats. <i>European Journal of Pharmacology</i> , 1992 , 220, 197-201	5.3	146
3	A direct neuronal projection from the entopeduncular nucleus to the globus pallidus. A PHA-L anterograde tracing study in the rat. <i>Brain Research</i> , 1991 , 542, 175-9	3.7	14
2	Direct projections from the anterior and tuberal regions of the lateral hypothalamus to the rostral part of the pineal complex of the rat. An anterograde neuron-tracing study by using Phaseolus vulgaris leucoagglutinin. <i>Brain Research</i> , 1990 , 522, 337-41	3.7	19
1	The striato-entopeduncular pathway in the rat. A retrograde transport study with wheatgerm-agglutinin-horseradish peroxidase. <i>Brain Research</i> , 1989 , 476, 194-8	3.7	25