William J Panenka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1025970/publications.pdf

Version: 2024-02-01

80 papers 2,508 citations

279798 23 h-index 223800 46 g-index

83 all docs 83 docs citations

83 times ranked 2982 citing authors

#	Article	IF	CITATIONS
1	Methamphetamine use: A comprehensive review of molecular, preclinical and clinical findings. Drug and Alcohol Dependence, 2013, 129, 167-179.	3.2	336
2	The need for speed: an update on methamphetamine addiction. Journal of Psychiatry and Neuroscience, 2006, 31, 301-13.	2.4	279
3	Systematic Review of Multivariable Prognostic Models for Mild Traumatic Brain Injury. Journal of Neurotrauma, 2015, 32, 517-526.	3.4	260
4	Management of Concussion and Mild Traumatic Brain Injury: A Synthesis of Practice Guidelines. Archives of Physical Medicine and Rehabilitation, 2020, 101, 382-393.	0.9	180
5	Traumatic brain injury in homeless and marginally housed individuals: a systematic review and meta-analysis. Lancet Public Health, The, 2020, 5, e19-e32.	10.0	89
6	The Hotel Study: Multimorbidity in a Community Sample Living in Marginal Housing. American Journal of Psychiatry, 2013, 170, 1413-1422.	7.2	82
7	Fear Avoidance and Clinical Outcomes from Mild Traumatic Brain Injury. Journal of Neurotrauma, 2018, 35, 1864-1873.	3.4	64
8	Expert Panel Survey to Update the American Congress of Rehabilitation Medicine Definition of Mild Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2021, 102, 76-86.	0.9	53
9	Work Productivity Loss After Mild Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2018, 99, 250-256.	0.9	49
10	Neuropsychological Outcome and Diffusion Tensor Imaging in Complicated versus Uncomplicated Mild Traumatic Brain Injury. PLoS ONE, 2015, 10, e0122746.	2.5	48
11	Systematic Review of Genetic Risk Factors for Sustaining a Mild Traumatic Brain Injury. Journal of Neurotrauma, 2017, 34, 2093-2099.	3.4	40
12	Rapid Change in Fentanyl Prevalence in a Community-Based, High-Risk Sample. JAMA Psychiatry, 2018, 75, 298.	11.0	40
13	Diffusion Tensor Imaging Findings and Postconcussion Symptom Reporting Six Weeks Following Mild Traumatic Brain Injury. Archives of Clinical Neuropsychology, 2015, 30, 7-25.	0.5	39
14	Quantification of Neurological Blood-Based Biomarkers in Critically III Patients With Coronavirus Disease 2019., 2020, 2, e0238.		39
15	The Hotel Studyâ€"Clinical and Health Service Effectiveness in a Cohort of Homeless or Marginally Housed Persons. Canadian Journal of Psychiatry, 2017, 62, 482-492.	1.9	38
16	Antidepressants for depression after concussion and traumatic brain injury are still best practice. BMC Psychiatry, 2019, 19, 100.	2.6	37
17	A Systematic Review of the Usefulness of Glial Fibrillary Acidic Protein for Predicting Acute Intracranial Lesions following Head Trauma. Frontiers in Neurology, 2017, 8, 652.	2.4	36
18	Mortality from treatable illnesses in marginally housed adults: a prospective cohort study. BMJ Open, 2015, 5, e008876.	1.9	34

#	Article	IF	CITATIONS
19	Effect of depression on cognition after mild traumatic brain injury in adults. Clinical Neuropsychologist, 2019, 33, 124-136.	2.3	34
20	Associations of substance use, psychosis, and mortality among people living in precarious housing or homelessness: A longitudinal, community-based study in Vancouver, Canada. PLoS Medicine, 2020, 17, e1003172.	8.4	32
21	A Focused Review of the Metabolic Side-Effects of Clozapine. Frontiers in Endocrinology, 2021, 12, 609240.	3.5	32
22	A longitudinal study on the effects of typical versus atypical antipsychotic drugs on hippocampal volume in schizophrenia. Schizophrenia Research, 2007, 94, 288-292.	2.0	31
23	White matter deficits assessed by diffusion tensor imaging and cognitive dysfunction in psychostimulant users with comorbid human immunodeficiency virus infection. BMC Research Notes, 2015, 8, 515.	1.4	26
24	Headache Trigger Sensitivity and Avoidance after Mild Traumatic Brain Injury. Journal of Neurotrauma, 2019, 36, 1544-1550.	3.4	26
25	Preliminary Validation of the World Health Organization Disability Assessment Schedule 2.0 for Mild Traumatic Brain Injury. Journal of Neurotrauma, 2017, 34, 3256-3261.	3.4	25
26	Genetics and Other Risk Factors for Past Concussions in Active-Duty Soldiers. Journal of Neurotrauma, 2017, 34, 869-875.	3.4	25
27	A comparison of psychotic symptoms in subjects with methamphetamine versus cocaine dependence. Psychopharmacology, 2017, 234, 1535-1547.	3.1	23
28	Clinical and functional characteristics of young adults living in single room occupancy housing: preliminary findings from a 10-year longitudinal study. Canadian Journal of Public Health, 2018, 109, 204-214.	2.3	22
29	Cognitive decline and mortality in a community-based sample of homeless and precariously housed adults: 9-year prospective study. BJPsych Open, 2020, 6, e21.	0.7	22
30	Duration of Neurocognitive Impairment With Medical Cannabis Use: A Scoping Review. Frontiers in Psychiatry, 2021, 12, 638962.	2.6	21
31	Autoreactivity to Sulfatide by Human Invariant NKT Cells. Journal of Immunology, 2017, 199, 97-106.	0.8	19
32	Traumatic Brain Injury in a Community-Based Cohort of Homeless and Vulnerably Housed Individuals. Journal of Neurotrauma, 2017, 34, 3301-3310.	3.4	19
33	Neurocognitive profiles of marginally housed persons with comorbid substance dependence, viral infection, and psychiatric illness. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 1009-1022.	1.3	18
34	Prevalence and Patterns of Antipsychotic Use in Youth at the Time of Admission and Discharge From an Inpatient Psychiatric Facility. Journal of Clinical Psychopharmacology, 2014, 34, 17-22.	1.4	18
35	Perceived Injustice and Its Correlates after Mild Traumatic Brain Injury. Journal of Neurotrauma, 2018, 35, 1156-1166.	3.4	16
36	Cerebral Small Vessel Disease, Risk Factors, and Cognition in Tenants of Precarious Housing. Stroke, 2020, 51, 3271-3278.	2.0	16

#	Article	IF	Citations
37	Atypical Somatic Symptoms in Adults With Prolonged Recovery From Mild Traumatic Brain Injury. Frontiers in Neurology, 2020, 11, 43.	2.4	16
38	Factors affecting severity of positive and negative symptoms of psychosis in a polysubstance using population with psychostimulant dependence. Psychiatry Research, 2016, 240, 336-342.	3.3	15
39	Avoidance and endurance coping after mild traumatic brain injury are associated with disability outcomes Rehabilitation Psychology, 2021, 66, 160-169.	1.3	15
40	Social and structural factors associated with substance use within the support network of adults living in precarious housing in a socially marginalized neighborhood of Vancouver, Canada. PLoS ONE, 2019, 14, e0222611.	2.5	14
41	The Child Sport Concussion Assessment Tool (Child SCAT3): normative values and correspondence between child and parent symptom scores in male child athletes. BMJ Open Sport and Exercise Medicine, 2015, 1, e000029.	2.9	13
42	Structural brain markers are differentially associated with neurocognitive profiles in socially marginalized people with multimorbid illness Neuropsychology, 2017, 31, 28-43.	1.3	13
43	Attention-deficit/hyperactivity disorder is associated with baseline child sport concussion assessment tool third edition scores in child hockey players. Brain Injury, 2017, 31, 1479-1485.	1.2	13
44	Characterization of mental health in cannabis dispensary users, using structured clinical interviews and standardized assessment instruments. BMC Psychiatry, 2019, 19, 335.	2.6	13
45	The Positive and Negative Syndrome Scale (PANSS): A Three-Factor Model of Psychopathology in Marginally Housed Persons with Substance Dependence and Psychiatric Illness. PLoS ONE, 2016, 11, e0151648.	2.5	12
46	Characterization of white matter integrity deficits in cocaineâ€dependent individuals with substanceâ€induced psychosis compared with nonâ€psychotic cocaine users. Addiction Biology, 2017, 22, 873-881.	2.6	12
47	The effects of enhanced attention and working memory on smooth pursuit eye movement. Experimental Brain Research, 2018, 236, 485-495.	1.5	12
48	Cognitive Impairment in Marginally Housed Youth: Prevalence and Risk Factors. Frontiers in Public Health, 2019, 7, 270.	2.7	12
49	Development of embedded performance validity indicators in the NIH Toolbox Cognitive Battery Psychological Assessment, 2021, 33, 90-96.	1.5	12
50	Feasibility of Concussion Rehabilitation Approaches Tailored to Psychological Coping Styles: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1565-1573.e2.	0.9	12
51	Prevalence and Risk Factors of Brain Infarcts and Associations With Cognitive Performance in Tenants of Marginal Housing. Journal of the American Heart Association, 2019, 8, e011412.	3.7	11
52	Unexpected symptoms after concussion: Potential links to functional neurological and somatic symptom disorders. Journal of Psychosomatic Research, 2021, 151, 110661.	2.6	11
53	Personalized Risk Assessment of Drug-Related Harm Is Associated with Health Outcomes. PLoS ONE, 2013, 8, e79754.	2.5	10
54	Subcortical grey matter alterations in cocaine dependent individuals with substance-induced psychosis compared to non-psychotic cocaine users. Schizophrenia Research, 2016, 176, 158-163.	2.0	10

#	Article	IF	CITATIONS
55	A comparison of regional brain volumes and white matter connectivity in subjects with stimulant induced psychosis versus schizophrenia. Psychopharmacology, 2019, 236, 3385-3399.	3.1	10
56	Preseason Vestibular Ocular Motor Screening in Children and Adolescents. Clinical Journal of Sport Medicine, 2021, 31, e188-e192.	1.8	10
57	Cognitive profiles and associated structural brain networks in a multimorbid sample of marginalized adults. PLoS ONE, 2019, 14, e0218201.	2.5	9
58	Volumes of the Hippocampal Formation Differentiate Component Processes of Memory in a Community Sample of Homeless and Marginally Housed Persons. Archives of Clinical Neuropsychology, 2019, 34, 548-562.	0.5	9
59	Characterizing Traumatic Brain Injury and Its Association with Losing Stable Housing in a Community-based Sample. Canadian Journal of Psychiatry, 2022, 67, 207-215.	1.9	9
60	Diffusion tensor imaging of neurocognitive profiles in a community cohort living in marginal housing. Brain and Behavior, 2019, 9, e01233.	2.2	7
61	Differential effects of cannabis exposure during early versus later adolescence on the expression of psychosis in homeless and precariously housed adults. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 106, 110084.	4.8	7
62	Promoting early treatment for mild traumatic brain injury in primary care with a guideline implementation tool: a pilot cluster randomised trial. BMJ Open, 2020, 10, e035527.	1.9	7
63	Longitudinal changes in brain parenchyma due to mild traumatic brain injury during the first year after injury. Brain and Behavior, 2021, 11, e2410.	2.2	7
64	Amygdala Nuclei Volumes Are Selectively Associated With Social Network Size in Homeless and Precariously Housed Persons. Frontiers in Behavioral Neuroscience, 2020, 14, 97.	2.0	6
65	Characterization of Bodily Pain and Use of Both Prescription and Non-Prescription Opioids in Tenants of Precarious Housing. Substance Use and Misuse, 2021, 56, 1951-1961.	1.4	5
66	Working memory load improves diagnostic performance of smooth pursuit eye movement in mild traumatic brain injury patients with protracted recovery. Scientific Reports, 2019, 9, 291.	3.3	4
67	History of Functional Somatic Syndromes and Persistent Symptoms After Mild Traumatic Brain Injury. Journal of Neuropsychiatry and Clinical Neurosciences, 2021, 33, 109-115.	1.8	4
68	De-implementing Prolonged Rest Advice for Concussion in Primary Care Settings: A Pilot Stepped Wedge Cluster Randomized Trial. Journal of Head Trauma Rehabilitation, 2021, 36, 79-86.	1.7	4
69	Pain, opioid use, depressive symptoms, and mortality in adults living in precarious housing or homelessness: a longitudinal prospective study. Pain, 2022, 163, 2213-2223.	4.2	4
70	Dynamic networks of psychotic symptoms in adults living in precarious housing or homelessness. Psychological Medicine, 2021, , 1-11.	4.5	3
71	Traumatic brain injury in precariously housed persons: Incidence and risks. EClinicalMedicine, 2022, 44, 101277.	7.1	3
72	Risk factors for hippocampal cavities in a marginally housed population. Hippocampus, 2022, 32, 567-576.	1.9	3

#	Article	IF	CITATIONS
73	Psychometric properties and correlates of the Beck Depression Inventory in a community-based and homeless or precariously housed sample. Journal of Affective Disorders Reports, 2021, 6, 100229.	1.7	2
74	Traumatic Brain Injury: An Underappreciated Determinant of Health in Individuals Who are Homeless or Precariously Housed. World Neurosurgery, 2020, 137, 474-475.	1.3	1
75	Component Processes of Decision Making in a Community Sample of Precariously Housed Persons: Associations With Learning and Memory, and Health-Risk Behaviors. Frontiers in Psychology, 2021, 12, 571423.	2.1	O
76	Title is missing!. , 2019, 14, e0222611.		0
77	Title is missing!. , 2019, 14, e0222611.		O
78	Title is missing!. , 2019, 14, e0222611.		O
79	Title is missing!. , 2019, 14, e0222611.		O
80	Effectiveness of a guideline implementation tool for supporting management of mental health complications after mild traumatic brain injury in primary care: protocol for a randomised controlled trial. BMJ Open, 2022, 12, e062527.	1.9	0