

# Dongli Yue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10265109/publications.pdf>

Version: 2024-02-01

32  
papers

1,560  
citations

471509

17  
h-index

434195

31  
g-index

35  
all docs

35  
docs citations

35  
times ranked

2761  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | High Mobility Group Protein B1 Decreases Surface Localization of PD-1 to Augment T-cell Activation. <i>Cancer Immunology Research</i> , 2022, 10, 844-855.   | 3.4 | 4         |
| 2  | NEDD9 promotes cancer stemness by recruiting myeloid-derived suppressor cells &lt;i>via</i> CXCL8 in esophageal squamous cell carcinoma. <i>Cancer Biology and Medicine</i> , 2021, 18, 705-720.                                       | 3.0 | 12        |
| 3  | CLC-3/S GK1 regulatory axis enhances the olaparib-induced antitumor effect in human stomach adenocarcinoma. <i>Cell Death and Disease</i> , 2020, 11, 898.   | 6.3 | 13        |
| 4  | Chloroquine Inhibits Stemness of Esophageal Squamous Cell Carcinoma Cells Through Targeting CXCR4-STAT3 Pathway. <i>Frontiers in Oncology</i> , 2020, 10, 311.   | 2.8 | 10        |
| 5  | Low-Dose IFN $\beta$ Induces Tumor Cell Stemness in Tumor Microenvironment of Non-Small Cell Lung Cancer. <i>Cancer Research</i> , 2019, 79, 3737-3748.  | 0.9 | 89        |
| 6  | Macrophage-derived CCL22 promotes an immunosuppressive tumor microenvironment via IL-8 in malignant pleural effusion. <i>Cancer Letters</i> , 2019, 452, 244-253.  | 7.2 | 120       |
| 7  | Decitabine enhances tumor recognition by T cells through upregulating the MAGE-A3 expression in esophageal carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108632.  | 5.6 | 19        |
| 8  | Cancer-cell-secreted CXCL11 promoted CD8 <sup>+</sup> T cells infiltration through docetaxel-induced-release of HMGB1 in NSCLC. , 2019, 7, 42.   |     | 122       |
| 9  | Polarization of granulocytic myeloid-derived suppressor cells by hepatitis C core protein is mediated via IL-10/STAT3 signalling. <i>Journal of Viral Hepatitis</i> , 2019, 26, 246-257.   | 2.0 | 10        |
| 10 | Metformin blocks myeloid-derived suppressor cell accumulation through AMPK-DACH1-CXCL1 axis. <i>Oncolmmunology</i> , 2018, 7, e1442167.  | 4.6 | 67        |
| 11 | Metformin-Induced Reduction of CD39 and CD73 Blocks Myeloid-Derived Suppressor Cell Activity in Patients with Ovarian Cancer. <i>Cancer Research</i> , 2018, 78, 1779-1791.  | 0.9 | 202       |
| 12 | Dual TGF $\beta$ and PD-1 blockade synergistically enhances MAGE-A3-specific CD8 <sup>+</sup> T cell response in esophageal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2018, 143, 2561-2574.                    | 5.1 | 68        |
| 13 | Maelstrom Directs Myeloid-Derived Suppressor Cells to Promote Esophageal Squamous Cell Carcinoma Progression via Activation of the Akt1/RelA/IL8 Signaling Pathway. <i>Cancer Immunology Research</i> , 2018, 6, 1246-1259.            | 3.4 | 28        |
| 14 | CD39/CD73 upregulation on myeloid-derived suppressor cells via TGF $\beta$ -mTOR-HIF-1 signaling in patients with non-small cell lung cancer. <i>Oncolmmunology</i> , 2017, 6, e1320011.   | 4.6 | 205       |
| 15 | <i>Pseudomonas aeruginosa</i> -mannose sensitive hemagglutinin injection treated cytokine-induced killer cells combined with chemotherapy in the treatment of malignancies. <i>International Immunopharmacology</i> , 2017, 51, 57-65. | 3.8 | 19        |
| 16 | Selective effect of cytokine-induced killer cells on survival of patients with early-stage melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 299-308.  | 4.2 | 11        |
| 17 | Musashi1, a potential prognostic marker in esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2017, 38, 1724-1732.  | 2.6 | 12        |
| 18 | Correlation between the high expression levels of cancer-germline genes with clinical characteristics in esophageal squamous cell carcinoma. <i>Histology and Histopathology</i> , 2017, 32, 793-803.                                  | 0.7 | 8         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | miR-29a-3p suppresses cell proliferation and migration by downregulating IGF1R in hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 86592-86603.   | 1.8 | 60        |
| 20 | Impaired T cell function in malignant pleural effusion is caused by TGF $\beta$ 2 derived predominantly from macrophages. <i>International Journal of Cancer</i> , 2016, 139, 2261-2269.  | 5.1 | 62        |
| 21 | Inhibition of SALL4 reduces tumorigenicity involving epithelial-mesenchymal transition via Wnt/ $\beta$ -catenin pathway in esophageal squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 98. | 8.6 | 75        |
| 22 | MicroRNA-202 inhibits tumor progression by targeting LAMA1 in esophageal squamous cell carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2016, 473, 821-827.  | 2.1 | 35        |
| 23 | Dynamic changes in CD45RA <sup>+</sup> Foxp3 <sup>high</sup> regulatory T-cells in chronic hepatitis C patients during antiviral therapy. <i>International Journal of Infectious Diseases</i> , 2016, 45, 5-12.                             | 3.3 | 7         |
| 24 | Epigenetic regulation of CD271, a potential cancer stem cell marker associated with chemoresistance and metastatic capacity. <i>Oncology Reports</i> , 2015, 33, 425-432.   | 2.6 | 44        |
| 25 | Efficiency of CD19 chimeric antigen receptor-modified T cells for treatment of B cell malignancies in phase I clinical trials: a meta-analysis. <i>Oncotarget</i> , 2015, 6, 33961-33971.   | 1.8 | 113       |
| 26 | Transforming growth factor-beta1 promotes the migration and invasion of sphere-forming stem-like cell subpopulations in esophageal cancer. <i>Experimental Cell Research</i> , 2015, 336, 141-149.  | 2.6 | 38        |
| 27 | Cytokine induced killer cell-based immunotherapies in patients with different stages of renal cell carcinoma. <i>Cancer Letters</i> , 2015, 362, 192-198.   | 7.2 | 44        |
| 28 | Phenotypic characterization and anti-tumor effects of cytokine-induced killer cells derived from cord blood. <i>Cytotherapy</i> , 2015, 17, 86-97.  | 0.7 | 18        |
| 29 | Combined cancer testis antigens enhanced prediction accuracy for prognosis of patients with hepatocellular carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 3513-28.                               | 0.5 | 11        |
| 30 | Hepatitis C virus (HCV) genotype 2a has a better virologic response to antiviral therapy than HCV genotype 1b. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 7446-56.                                       | 1.3 | 2         |
| 31 | Epigenetic inactivation of SPINT2 is associated with tumor suppressive function in esophageal squamous cell carcinoma. <i>Experimental Cell Research</i> , 2014, 322, 149-158.  | 2.6 | 27        |
| 32 | Immunotherapy targeting esophageal cancer stem cells. , 2013, 1, P178.  |     | 0         |