

Hiramatsu Masayuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10275994/publications.pdf>

Version: 2024-02-01

23
papers

530
citations

687363

13
h-index

752698

20
g-index

24
all docs

24
docs citations

24
times ranked

633
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Cilostazol prevents amyloid β peptide ₂₅₋₃₅ -induced memory impairment and oxidative stress in mice. <i>British Journal of Pharmacology</i> , 2010, 161, 1899-1912. | 5.4 | 85 |
| 2 | Effects of nocistatin on nociceptin-induced impairment of learning and memory in mice. <i>European Journal of Pharmacology</i> , 1999, 367, 151-155. | 3.5 | 71 |
| 3 | Nociceptin/orphanin FQ and nocistatin on learning and memory impairment induced by scopolamine in mice. <i>British Journal of Pharmacology</i> , 1999, 127, 655-660. | 5.4 | 45 |
| 4 | Prenatal nicotine exposure decreases the release of dopamine in the medial frontal cortex and induces atomoxetine-responsive neurobehavioral deficits in mice. <i>Psychopharmacology</i> , 2017, 234, 1853-1869. | 3.1 | 42 |
| 5 | Improvement by low doses of nociceptin on scopolamine-induced impairment of learning and/or memory. <i>European Journal of Pharmacology</i> , 2000, 395, 149-156. | 3.5 | 39 |
| 6 | Prenatal Nicotine Exposure Impairs the Proliferation of Neuronal Progenitors, Leading to Fewer Glutamatergic Neurons in the Medial Prefrontal Cortex. <i>Neuropsychopharmacology</i> , 2016, 41, 578-589. | 5.4 | 38 |
| 7 | Reversion of muscarinic autoreceptor agonist-induced acetylcholine decrease and learning impairment by dynorphin A (1-13), an endogenous μ -opioid receptor agonist. <i>British Journal of Pharmacology</i> , 1998, 123, 920-926. | 5.4 | 28 |
| 8 | Betaine attenuates memory impairment after water-immersion restraint stress and is regulated by the GABAergic neuronal system in the hippocampus. <i>European Journal of Pharmacology</i> , 2017, 796, 122-130. | 3.5 | 28 |
| 9 | Reelin Supplementation Into the Hippocampus Rescues Abnormal Behavior in a Mouse Model of Neurodevelopmental Disorders. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 285. | 3.7 | 24 |
| 10 | Involvement of GAT2/BGT-1 in the preventive effects of betaine on cognitive impairment and brain oxidative stress in amyloid β peptide-injected mice. <i>European Journal of Pharmacology</i> , 2019, 842, 57-63. | 3.5 | 23 |
| 11 | Long-lasting antinociceptive effects of a novel dynorphin analogue, Tyr-D-Ala-Phe-Leu-Arg ¹⁻⁵ -(CH ₂) ₂ -NH-Arg ²⁻² , in mice. <i>British Journal of Pharmacology</i> , 2001, 132, 1948-1956. | 5.4 | 22 |
| 12 | Effect of AceK (acesulfame potassium) on brain function under dietary restriction in mice. <i>Physiology and Behavior</i> , 2018, 188, 291-297. | 2.1 | 22 |
| 13 | Paternal valproic acid exposure in mice triggers behavioral alterations in offspring. <i>Neurotoxicology and Teratology</i> , 2019, 76, 106837. | 2.4 | 15 |
| 14 | Des-tyrosine ¹ dynorphin A-(2-13) improves carbon monoxide-induced impairment of learning and memory in mice. <i>Brain Research</i> , 2000, 859, 303-310. | 2.2 | 14 |
| 15 | Preventive Effects of Continuous Betaine Intake on Cognitive Impairment and Aberrant Gene Expression in Hippocampus of 3xTg Mouse Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 639-652. | 2.6 | 9 |
| 16 | Preventive Effect of Betaine Against Cognitive Impairments in Amyloid β Peptide-Injected Mice Through Sirtuin1 in Hippocampus. <i>Neurochemical Research</i> , 2022, 47, 2333-2344. | 3.3 | 8 |
| 17 | Different modulation of cholinergic neuronal systems by dynorphin A (1-13) in carbon monoxide-exposed mice. <i>Biochemical Pharmacology</i> , 1999, 57, 1321-1329. | 4.4 | 7 |
| 18 | Galantamine improves enhanced impulsivity, impairments of attention and long-term potentiation induced by prenatal nicotine exposure to mice. <i>Biochemical Pharmacology</i> , 2020, 180, 114139. | 4.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | U-50,488H, a selective kappa opioid receptor agonist, ameliorates memory impairments induced by muscarinic autoreceptor agonist, carbachol in mice. <i>Neuroscience Letters</i> , 1997, 236, 45-48. | 2.1 | 4 |
| 20 | Comparison of twice a day and three times a day meropenem administration in elderly patients in a Japanese community hospital. <i>Nagoya Journal of Medical Science</i> , 2018, 80, 391-400. | 0.3 | 1 |
| 21 | PT565. Prenatal nicotine exposure impairs adolescent mouse hippocampal function. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, 8-8. | 2.1 | 0 |
| 22 | Atypical antipsychotic-induced <i>Hdac2</i> transcription via NF- κ B leads to synaptic and cognitive unfavourable effects. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO4-1-2. | 0.0 | 0 |
| 23 | Effects of galantamine on social interaction impairments in cholecystokinin receptor-2 overexpression mice. <i>Journal of Pharmacological Sciences</i> , 2022, 148, 364-368. | 2.5 | 0 |