

# Libo Li

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1028019/libo-li-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131  
papers

6,019  
citations

39  
h-index

75  
g-index

146  
ext. papers

8,260  
ext. citations

8.4  
avg, IF

6.39  
L-index

#	Paper	IF	Citations
131	Application of hierarchically porous metal-organic frameworks in heterogeneous catalysis: A review. <i>Science China Materials</i> , <b>2022</b> , 65, 298-320	7.1	7
130	Integrating tri-mural nanotraps into a microporous metal-organic framework for C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> and C <sub>2</sub> H <sub>2</sub> /C <sub>2</sub> H <sub>4</sub> separation. <i>Separation and Purification Technology</i> , <b>2022</b> , 296, 121404	8.3	0
129	Energy efficient ethylene purification in a commercially viable ethane-selective MOF. <i>Separation and Purification Technology</i> , <b>2021</b> , 282, 120126	8.3	1
128	Efficient Purification of Ethylene from C Hydrocarbons with an CH/CH-Selective Metal-Organic Framework. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 962-969	9.5	22
127	A stable metal-organic framework with well-matched pore cavity for efficient acetylene separation. <i>AIChE Journal</i> , <b>2021</b> , 67, e17152	3.6	4
126	A Rod-Packing Hydrogen-Bonded Organic Framework with Suitable Pore Confinement for Benchmark Ethane/Ethylene Separation. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 10304-10310	16.4	41
125	A Rod-Packing Hydrogen-Bonded Organic Framework with Suitable Pore Confinement for Benchmark Ethane/Ethylene Separation. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 10392-10398	3.6	14
124	A Thermally and Chemically Stable Copper(II) Metal-Organic Framework with High Performance for Gas Adsorption and Separation. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 6550-6558	5.1	5
123	Lysozyme Adsorption on Different Functionalized MXenes: A Multiscale Simulation Study. <i>Langmuir</i> , <b>2021</b> , 37, 5932-5942	4	0
122	An ethane-favored metal-organic framework with tailored pore environment used for efficient ethylene separation. <i>Microporous and Mesoporous Materials</i> , <b>2021</b> , 320, 111096	5.3	8
121	Benchmark C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> Separation in an Ultra-Microporous Metal-Organic Framework via Copper(I)-Alkynyl Chemistry. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 16131-16138	3.6	10
120	Boosting molecular recognition of acetylene in UiO-66 framework through pore environment functionalization. <i>Chemical Engineering Science</i> , <b>2021</b> , 237, 116572	4.4	4
119	Benchmark C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> Separation in an Ultra-Microporous Metal-Organic Framework via Copper(I)-Alkynyl Chemistry. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 15995-16002	16.4	29
118	A Microporous Hydrogen-Bonded Organic Framework for the Efficient Capture and Purification of Propylene. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 20563-20569	3.6	2
117	A Microporous Hydrogen-Bonded Organic Framework for the Efficient Capture and Purification of Propylene. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 20400-20406	16.4	26
116	Rational Construction and Performance Regulation of an In(III)-Tetraisophthalate Framework for One-Step Adsorption-Phase Purification of CH <sub>4</sub> from C Hydrocarbons. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 10819-10829	5.1	8
115	Modification of the pore environment in UiO-type metal-organic framework toward boosting the separation of propane/propylene. <i>Chemical Engineering Journal</i> , <b>2021</b> , 403, 126428	14.7	11

114	Optimized pore environment for efficient high selective C <sub>2</sub> H <sub>2</sub> /C <sub>2</sub> H <sub>4</sub> and C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> separation in a metal-organic framework. <i>Separation and Purification Technology</i> , <b>2021</b> , 256, 117749	8.3	12
113	Ultrafine tuning of the pore size in zeolite A for efficient propyne removal from propylene. <i>Chinese Journal of Chemical Engineering</i> , <b>2021</b> , 37, 217-217	3.2	1
112	The efficient separation of NO/CO using unsaturated Fe sites in MIL-100Fe. <i>Chemical Communications</i> , <b>2021</b> , 57, 6636-6639	5.8	1
111	Molecular dynamics simulation on DNA translocating through MoS <sub>2</sub> nanopores with various structures. <i>Frontiers of Chemical Science and Engineering</i> , <b>2021</b> , 15, 922-934	4.5	2
110	The inorganic cation-tailored "trapdoor" effect of silicoaluminophosphate zeolite for highly selective CO separation. <i>Chemical Science</i> , <b>2021</b> , 12, 8803-8810	9.4	6
109	Recent advances in the synthesis of monolithic metal-organic frameworks. <i>Science China Materials</i> , <b>2021</b> , 64, 1305-1319	7.1	51
108	Ethylene/ethane separation in a stable hydrogen-bonded organic framework through a gating mechanism. <i>Nature Chemistry</i> , <b>2021</b> , 13, 933-939	17.6	45
107	Identical Composition and Distinct Performance: How ZIF-8 Polymorphs Structures Affect the Adsorption/Separation of Ethane and Ethene. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2021</b> , 66, 3483-3492	2.8	3
106	Construction of a Porous Metal-Organic Framework with a High Density of Open Cr Sites for Record N <sub>2</sub> /O <sub>2</sub> Separation. <i>Advanced Materials</i> , <b>2021</b> , 33, e2100866	24	5
105	Enriching Low-Concentration Coalbed Methane Using a Hydrophobic Adsorbent under Humid Conditions. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2021</b> , 60, 12689-12697	3.9	1
104	Stable titanium metal-organic framework with strong binding affinity for ethane removal. <i>Chinese Journal of Chemical Engineering</i> , <b>2021</b> , 42, 35-35	3.2	0
103	Construction of a Porous Metal-Organic Framework with a High Density of Open Cr Sites for Record N <sub>2</sub> /O <sub>2</sub> Separation (Adv. Mater. 37/2021). <i>Advanced Materials</i> , <b>2021</b> , 33, 2170291	24	
102	Construction of saturated coordination titanium-based metal-organic framework for one-step C <sub>2</sub> H <sub>2</sub> /C <sub>2</sub> H <sub>6</sub> /C <sub>2</sub> H <sub>4</sub> separation. <i>Separation and Purification Technology</i> , <b>2021</b> , 276, 119284	8.3	5
101	K-Chabazite Zeolite Nanocrystal Aggregates for Highly Efficient Methane Separation.. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , e202116850	16.4	0
100	Substituent-Induced Electron-Transfer Strategy for Selective Adsorption of N in MIL-101(Cr)-X Metal-Organic Frameworks.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> ,	9.5	3
99	Opportunities and critical factors of porous metal-organic frameworks for industrial light olefins separation. <i>Materials Chemistry Frontiers</i> , <b>2020</b> , 4, 1954-1984	7.8	28
98	A robust Th-azole framework for highly efficient purification of CH <sub>4</sub> from a CH <sub>4</sub> /CH <sub>2</sub> /CH <sub>3</sub> mixture. <i>Nature Communications</i> , <b>2020</b> , 11, 3163	17.4	83
97	Direct Functionalization of the Open Metal Sites in Rare Earth-Based Metal-Organic Frameworks Used for the Efficient Separation of Ethylene. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 6123-6129	3.9	7

96	Research on CO <sub>2</sub> -N <sub>2</sub> O separation using flexible metal organic frameworks. <i>Separation and Purification Technology</i> , <b>2020</b> , 251, 117311	8.3	5
95	Effective ion sieving with Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene membranes for production of drinking water from seawater. <i>Nature Sustainability</i> , <b>2020</b> , 3, 296-302	22.1	204
94	Removal of Ammonia Emissions via Reversible Structural Transformation in M(BDC) (M = Cu, Zn, Cd) Metal-Organic Frameworks. <i>Environmental Science &amp; Technology</i> , <b>2020</b> , 54, 3636-3642	10.3	17
93	Fluorinated Biphenyldicarboxylate-Based Metal-Organic Framework Exhibiting Efficient Propyne/Propylene Separation. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 4030-4036	5.1	17
92	Immobilization of Oxygen Atoms in the Pores of Microporous Metal-Organic Frameworks for C <sub>2</sub> H <sub>2</sub> Separation and Purification. <i>ACS Applied Nano Materials</i> , <b>2020</b> , 3, 2911-2919	5.6	52
91	Atomic Force Microscopy and Molecular Dynamics Simulations for Study of Lignin Solution Self-Assembly Mechanisms in Organic-Aqueous Solvent Mixtures. <i>ChemSusChem</i> , <b>2020</b> , 13, 4420-4427	8.3	43
90	Microporous metal-organic framework with specific functional sites for efficient removal of ethane from ethane/ethylene mixtures. <i>Chemical Engineering Journal</i> , <b>2020</b> , 387, 124137	14.7	15
89	Water-based routes for synthesis of metal-organic frameworks: A review. <i>Science China Materials</i> , <b>2020</b> , 63, 667-685	7.1	103
88	Ammonia Modification on UTSA-280 for C <sub>2</sub> H <sub>4</sub> /C <sub>2</sub> H <sub>6</sub> Separation. <i>Acta Chimica Sinica</i> , <b>2020</b> , 78, 534	3.3	3
87	Ethylenediamine-functionalized metal organic frameworks MIL-100(Cr) for efficient CO <sub>2</sub> /N <sub>2</sub> O separation. <i>Separation and Purification Technology</i> , <b>2020</b> , 235, 116219	8.3	12
86	Solvent effect on xylose conversion under catalyst-free conditions: insights from molecular dynamics simulation and experiments. <i>Green Chemistry</i> , <b>2020</b> , 22, 532-539	10	22
85	Engineering New Defects in MIL-100(Fe) via a Mixed-Ligand Approach To Effect Enhanced Volatile Organic Compound Adsorption Capacity. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 774-782	3.8	69
84	Adsorption and separation of propane/propylene on various ZIF-8 polymorphs: Insights from GCMC simulations and the ideal adsorbed solution theory (IAST). <i>Chemical Engineering Journal</i> , <b>2020</b> , 386, 123945	14.7	21
83	Selective Ethane/Ethylene Separation in a Robust Microporous Hydrogen-Bonded Organic Framework. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 633-640	16.4	86
82	Boosting Ethylene/Ethane Separation within Copper(I)-Chelated Metal-Organic Frameworks through Tailor-Made Aperture and Specific $\pi$ -Complexation. <i>Advanced Science</i> , <b>2020</b> , 7, 1901918	13.6	41
81	Lysozyme Adsorption on Porous Organic Cages: A Molecular Simulation Study. <i>Langmuir</i> , <b>2020</b> , 36, 12294-12303	4	13
80	Microregulation of Pore Channels in Covalent-Organic Frameworks Used for the Selective and Efficient Separation of Ethane. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 52819-52825	9.5	13
79	Selective adsorption of propene over propane on Li-decorated poly (triazine imide). <i>Green Energy and Environment</i> , <b>2020</b> , 7, 307-307	5.7	2

78	An Ultramicroporous Metal-Organic Framework for Sieving Separation of Carbon Dioxide from Methane. <i>Small Structures</i> , <b>2020</b> , 1, 2000022	8.7	16
77	Reversed ethane/ethylene adsorption in a metal-organic framework introduction of oxygen. <i>Chinese Journal of Chemical Engineering</i> , <b>2020</b> , 28, 593-593	3.2	14
76	Reversing CH <sub>4</sub> -CO <sub>2</sub> adsorption selectivity in an ultramicroporous metal-organic framework platform. <i>Chemical Communications</i> , <b>2019</b> , 55, 11354-11357	5.8	25
75	Surface Regulation Towards Stimuli-Responsive Luminescence of Ultrasmall Thiolated Gold Nanoparticles for Ratiometric Imaging. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1806945	15.6	26
74	A metal-organic framework with suitable pore size and dual functionalities for highly efficient post-combustion CO <sub>2</sub> capture. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 3128-3134	13	82
73	Robust Microporous Metal-Organic Frameworks for Highly Efficient and Simultaneous Removal of Propyne and Propadiene from Propylene. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 10315-10320	3.6	12
72	Robust Microporous Metal-Organic Frameworks for Highly Efficient and Simultaneous Removal of Propyne and Propadiene from Propylene. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 10209-10214	16.4	45
71	Porous metal-organic frameworks for gas storage and separation: Status and challenges. <i>EnergyChem</i> , <b>2019</b> , 1, 100006	36.9	235
70	Enhanced Gas Uptake in a Microporous Metal-Organic Framework a Sorbate Induced-Fit Mechanism. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 17703-17712	16.4	94
69	Microporous Metal-Organic Framework with Dual Functionalities for Efficient Separation of Acetylene from Light Hydrocarbon Mixtures. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7,	8.3	39
68	A Metal-Organic Framework with Optimized Porosity and Functional Sites for High Gravimetric and Volumetric Methane Storage Working Capacities. <i>Advanced Materials</i> , <b>2018</b> , 30, e1704792	24	81
67	Efficient separation of CH <sub>4</sub> from CH <sub>4</sub> /CO <sub>2</sub> mixtures in an acid-base resistant metal-organic framework. <i>Chemical Communications</i> , <b>2018</b> , 54, 4846-4849	5.8	46
66	Guest-dependent pressure induced gate-opening effect enables effective separation of propene and propane in a flexible MOF. <i>Chemical Engineering Journal</i> , <b>2018</b> , 346, 489-496	14.7	41
65	Hierarchically structured metal-organic frameworks assembled by hydroxy double salt-template synergy with high space-time yields. <i>CrystEngComm</i> , <b>2018</b> , 20, 1057-1064	3.3	32
64	MXene molecular sieving membranes for highly efficient gas separation. <i>Nature Communications</i> , <b>2018</b> , 9, 155	17.4	530
63	Computer Simulation of DNA Condensation by PAMAM Dendrimer. <i>Macromolecular Theory and Simulations</i> , <b>2018</b> , 27, 1700070	1.5	13
62	Protein Translocation through a MoS <sub>2</sub> Nanopore: A Molecular Dynamics Study. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 2070-2080	3.8	32
61	Fine-tuning of nano-traps in a stable metal-organic framework for highly efficient removal of propyne from propylene. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 6931-6937	13	57

60	Nickel-4'-(3,5-dicarboxyphenyl)-2,2',6',2''-terpyridine Framework: Efficient Separation of Ethylene from Acetylene/Ethylene Mixtures with a High Productivity. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 9489-9494	5.1	22
59	Kinetic separation of propylene over propane in a microporous metal-organic framework. <i>Chemical Engineering Journal</i> , <b>2018</b> , 354, 977-982	14.7	67
58	A Metal-Organic Framework with Suitable Pore Size and Specific Functional Sites for the Removal of Trace Propyne from Propylene. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 15183-15188	16.4	83
57	A Metal-Organic Framework with Suitable Pore Size and Specific Functional Sites for the Removal of Trace Propyne from Propylene. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 15403-15408	3.6	30
56	Molecular sieving of ethylene from ethane using a rigid metal-organic framework. <i>Nature Materials</i> , <b>2018</b> , 17, 1128-1133	27	326
55	Ethane/ethylene separation in a metal-organic framework with iron-peroxo sites. <i>Science</i> , <b>2018</b> , 362, 443-446	33.3	478
54	Paralyzed membrane: Current-driven synthesis of a metal-organic framework with sharpened propene/propane separation. <i>Science Advances</i> , <b>2018</b> , 4, eaau1393	14.3	132
53	Boosting Ethane/Ethylene Separation within Isoreticular Ultramicroporous Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 12940-12946	16.4	186
52	Selective gas diffusion in two-dimensional MXene lamellar membranes: insights from molecular dynamics simulations. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 11734-11742	13	61
51	Computer simulations on the pH-sensitive tri-block copolymer containing zwitterionic sulfobetaine as a novel anti-cancer drug carrier. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2017</b> , 152, 260-268	6	37
50	Exploiting the pore size and functionalization effects in UiO topology structures for the separation of light hydrocarbons. <i>CrystEngComm</i> , <b>2017</b> , 19, 1729-1737	3.3	19
49	Water Transport with Ultralow Friction through Partially Exfoliated g-C <sub>3</sub> N <sub>4</sub> Nanosheet Membranes with Self-Supporting Spacers. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 9102-9108	3.6	24
48	Water Transport with Ultralow Friction through Partially Exfoliated g-C <sub>3</sub> N <sub>4</sub> Nanosheet Membranes with Self-Supporting Spacers. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 8974-8980	16.4	177
47	Optimized Separation of Acetylene from Carbon Dioxide and Ethylene in a Microporous Material. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 8022-8028	16.4	263
46	Flexible-Robust Metal-Organic Framework for Efficient Removal of Propyne from Propylene. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 7733-7736	16.4	177
45	Phase Equilibrium Measurement and Thermodynamic Modeling of the 4-Methylpentan-2-one/3-Methylphenol, and 4-Methylphenol/Water Ternary Systems at 298.2, 313.2, and 323.2 K and 0.1 MPa. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2017</b> , 62, 141-147	2.8	4
44	Separation of C <sub>2</sub> /C <sub>1</sub> hydrocarbons through a gate-opening effect in a microporous metal-organic framework. <i>CrystEngComm</i> , <b>2017</b> , 19, 6896-6901	3.3	21
43	Efficient separation of ethylene from acetylene/ethylene mixtures by a flexible-robust metal-organic framework. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 18984-18988	13	68



42	Computer Simulations on the Channel Membrane Formation by Nonsolvent Induced Phase Separation. <i>Macromolecular Theory and Simulations</i> , <b>2017</b> , 26, 1700027	1.5	14
41	Understanding the Cellular Uptake of pH-Responsive Zwitterionic Gold Nanoparticles: A Computer Simulation Study. <i>Langmuir</i> , <b>2017</b> , 33, 14480-14489	4	20
40	Liquid-Liquid Equilibrium of Ternary Systems of Methyl Isobutyl Ketone + o-Cresol + Water at 298.2, 313.2 and 323.2 K. <i>Journal of Solution Chemistry</i> , <b>2017</b> , 46, 2204-2213	1.8	4
39	Molecular Understanding of the Penetration of Functionalized Gold Nanoparticles into Asymmetric Membranes. <i>Langmuir</i> , <b>2017</b> , 33, 361-371	4	38
38	CO <sub>2</sub> /CH <sub>4</sub> and CH <sub>4</sub> /N <sub>2</sub> separation on isomeric metal organic frameworks. <i>Chinese Journal of Chemical Engineering</i> , <b>2016</b> , 24, 1687-1694	3.2	13
37	Phase Behavior of an Amphiphilic Block Copolymer in Ionic Liquid: A Dissipative Particle Dynamics Study. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2016</b> , 61, 3998-4005	2.8	17
36	Measurement and Correlation of Liquid-Liquid Equilibria for the Ternary Methyl Isobutyl Ketone + Phenol + Water System at (333.15, 343.15 and 353.15) K under Atmospheric Pressure. <i>Journal of Solution Chemistry</i> , <b>2016</b> , 45, 875-884	1.8	14
35	Ammonia capture and flexible transformation of M-2(INA) (M=Cu, Co, Ni, Cd) series materials. <i>Journal of Hazardous Materials</i> , <b>2016</b> , 306, 340-347	12.8	24
34	Amorphous flower-like molybdenum-sulfide@nitrogen-doped-carbon-nanofiber film for use in the hydrogen-evolution reaction. <i>Journal of Colloid and Interface Science</i> , <b>2016</b> , 472, 69-75	9.3	28
33	Tie-Line Data for Aqueous Mixtures of Butyric Acid with Diisopropyl Ether at Various Temperatures. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2016</b> , 61, 760-765	2.8	6
32	Exploiting the gate opening effect in a flexible MOF for selective adsorption of propyne from C <sub>1</sub> /C <sub>2</sub> /C <sub>3</sub> hydrocarbons. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 751-755	13	63
31	Flexible Metal-Organic Frameworks with Discriminatory Gate-Opening Effect for the Separation of Acetylene from Ethylene/Acetylene Mixtures. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 4457-4462	2.3	32
30	Synthesis and Structural Characterization of a Two-Dimensional Magnesium Acetate, Mg <sub>7</sub> (OH) <sub>2</sub> (OAc) <sub>12</sub> (H <sub>2</sub> O) <sub>4</sub> ·4H <sub>2</sub> O, a Precursor to Three-Dimensional Porous Magnesium Acetate. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 3299-3304	2.3	0
29	Functionalized Metal-Organic Frameworks for the Efficient Removal of Low Concentrations of Ammonia. <i>ChemPlusChem</i> , <b>2016</b> , 81, 222-228	2.8	12
28	Liquid-Liquid Equilibria for the Ternary System Mesityl Oxide + Phenol + Water at 298.15, 313.15, and 323.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2016</b> , 61, 2493-2498	2.8	27
27	Zeolite CAN and AFI-Type Zeolitic Imidazolate Frameworks with Large 12-Membered Ring Pore Openings Synthesized Using Bulky Amides as Structure-Directing Agents. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 16232-16235	16.4	39
26	Phase Equilibrium for Phenol Extraction from Aqueous Solution with 2-Pentanone at Different Temperatures. <i>Journal of Solution Chemistry</i> , <b>2016</b> , 45, 1414-1424	1.8	14
25	Simultaneous determination of ascorbic acid, dopamine and uric acid at a nitrogen-doped carbon nanofiber modified electrode. <i>RSC Advances</i> , <b>2015</b> , 5, 11925-11932	3.7	47

24	Reversible flexible structural changes in multidimensional MOFs by guest molecules (I <sub>2</sub> , NH <sub>3</sub> ) and thermal stimulation. <i>Journal of Solid State Chemistry</i> , <b>2015</b> , 226, 114-119	3.3	6
23	Nitrogen and sulfur co-doped carbon dots for highly selective and sensitive detection of Hg (II) ions. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 74, 263-9	11.8	248
22	Protection of open-metal V(III) sites and their associated CO <sub>2</sub> /CH <sub>4</sub> /N <sub>2</sub> /H <sub>2</sub> O adsorption properties in mesoporous V-MOFs. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 456, 197-205	9.3	28
21	A comprehensive study of the enantioseparation of chiral drugs by cyclodextrin using capillary electrophoresis combined with theoretical approaches. <i>Talanta</i> , <b>2015</b> , 142, 28-34	6.2	26
20	Direct electrochemistry of glucose oxidase on novel free-standing nitrogen-doped carbon nanospheres@carbon nanofibers composite film. <i>Scientific Reports</i> , <b>2015</b> , 5, 9885	4.9	40
19	Targeted capture and pressure/temperature-responsive separation in flexible metal-organic frameworks. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 22574-22583	13	24
18	A novel electrochemiluminescence sensor based on Ru(bpy) <sub>3</sub> <sup>2+</sup> /N-doped carbon nanodots system for the detection of bisphenol A. <i>Analytica Chimica Acta</i> , <b>2015</b> , 895, 104-11	6.6	44
17	Liquid Phase Equilibria of the Water + Propionic or Butyric Acid + Methyl tert-Butyl Ketone Ternary Systems at (298.15 and 323.15) K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2015</b> , 60, 2612-2617	2.8	6
16	Liquid-Liquid Equilibria for the Methyl Tert-Butyl Ketone + Phenol + Water Ternary System at 298.15, 313.15 and 323.15 K. <i>Journal of Solution Chemistry</i> , <b>2015</b> , 44, 1891-1899	1.8	14
15	Ternary Liquid-Liquid Equilibria for the System 2-Methoxy-2-methylpropane + m-Cresol + Water at 298.15 and 313.15 K: Experimental Data and Correlation. <i>Journal of Solution Chemistry</i> , <b>2015</b> , 44, 2393-2404	1.8	13
14	Adsorption and separation of CO <sub>2</sub> on Fe(II)-MOF-74: Effect of the open metal coordination site. <i>Journal of Solid State Chemistry</i> , <b>2014</b> , 213, 224-228	3.3	28
13	Enhanced electrochemiluminescence based on Ru(bpy) <sub>3</sub> <sup>2+</sup> -doped silica nanoparticles and graphene composite for analysis of melamine in milk. <i>Analytica Chimica Acta</i> , <b>2014</b> , 824, 57-63	6.6	30
12	Separation of CO <sub>2</sub> /CH <sub>4</sub> and CH <sub>4</sub> /N <sub>2</sub> mixtures using MOF-5 and Cu <sub>3</sub> (BTC) <sub>2</sub> . <i>Journal of Energy Chemistry</i> , <b>2014</b> , 23, 453-460	12	25
11	Separation of CO <sub>2</sub> /CH <sub>4</sub> and CH <sub>4</sub> /N <sub>2</sub> mixtures by M/DOBDC: A detailed dynamic comparison with MIL-100(Cr) and activated carbon. <i>Microporous and Mesoporous Materials</i> , <b>2014</b> , 198, 236-246	5.3	68
10	On-line focusing of 5-hydroxy-tryptamine type 3 receptor antagonists via the combination of field-enhanced sample injection and dynamic pH junction in capillary electrophoresis with amperometric detection. <i>Journal of Chromatography A</i> , <b>2014</b> , 1331, 117-22	4.5	4
9	Small molecule solvation changes due to the presence of salt are governed by the cost of solvent cavity formation and dispersion. <i>Journal of Chemical Physics</i> , <b>2014</b> , 141, 22D518	3.9	7
8	Adsorption and molecular simulation of CO <sub>2</sub> and CH <sub>4</sub> in two-dimensional metal-organic frameworks with the same layered substrate. <i>CrystEngComm</i> , <b>2013</b> , 15, 6782	3.3	11
7	A novel dark-field microscopy technique coupled with capillary electrophoresis for visual analysis of single nanoparticles. <i>Analyst, The</i> , <b>2013</b> , 138, 3705-10	5	10



6	Application of ionic liquid as additive in determination of three $\beta$ -agonists by capillary electrophoresis with amperometric detection. <i>Electrophoresis</i> , <b>2013</b> , 34, 277-83	3.6	25
5	One-dimensional interpenetrated coordination polymers showing step gas sorption properties. <i>CrystEngComm</i> , <b>2013</b> , 15, 1689	3.3	7
4	RESEARCH ON THE ADSORPTION OF O <sub>2</sub> IN METAL-ORGANIC FRAMEWORKS WITH OPEN MANGANESE(II) COORDINATION SITES. <i>Functional Materials Letters</i> , <b>2013</b> , 06, 1350004	1.2	4
3	Adsorption of CO <sub>2</sub> , CH <sub>4</sub> , and N <sub>2</sub> on 8-, 10-, and 12-Membered Ring Hydrophobic Microporous High-Silica Zeolites: DDR, Silicalite-1, and Beta. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 17856-17864	3.9	85
2	Adsorption of CO <sub>2</sub> , CH <sub>4</sub> , and N <sub>2</sub> on Gas Diameter Grade Ion-Exchange Small Pore Zeolites. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2012</b> , 57, 3701-3709	2.8	66
1	Solvent effect on xylose-to-furfural reaction in biphasic systems: combined experiments with theoretical calculations. <i>Green Chemistry</i> ,	1.0	6