

# Andrea I Loewendorf

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1029150/publications.pdf>

Version: 2024-02-01

28  
papers

1,372  
citations

394421

19  
h-index

580821

25  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1813  
citing authors

#	ARTICLE	IF	CITATIONS
1	Placental implantation over prior cesarean scar causes activation of fetal regulatory T cells. <i>Immunity, Inflammation and Disease</i> , 2018, 6, 256-263.	2.7	3
2	Understanding the immune microenvironment at the uteroplacental interface. <i>Placenta</i> , 2017, 57, 332.	1.5	0
3	Maternal Fetal rejection reactions are unconstrained in preeclamptic women. <i>PLoS ONE</i> , 2017, 12, e0188250.	2.5	25
4	Roads Less Traveled: Sexual Dimorphism and Mast Cell Contributions to Migraine Pathology. <i>Frontiers in Immunology</i> , 2016, 7, 140.	4.8	21
5	Preeclampsia is Characterized by Fetal NK Cell Activation and a Reduction in Regulatory T Cells. <i>American Journal of Reproductive Immunology</i> , 2015, 74, 258-267.	1.2	30
6	Immunological considerations in in utero hematopoietic stem cell transplantation (IUHCT). <i>Frontiers in Pharmacology</i> , 2015, 5, 282.	3.5	9
7	438: Disruption of maternal tolerance during pregnancy leads to treg repopulation of the antigenic UPI. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S226-S227.	1.3	1
8	397: Uterine integrity is required to maintain human fetal immunologic naivety. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S206.	1.3	0
9	Normal Human Pregnancy Results in Maternal Immune Activation in the Periphery and at the Uteroplacental Interface. <i>PLoS ONE</i> , 2014, 9, e96723.	2.5	50
10	Inhibition of the TRAIL Death Receptor by CMV Reveals Its Importance in NK Cell-Mediated Antiviral Defense. <i>PLoS Pathogens</i> , 2014, 10, e1004268.	4.7	25
11	Human Cytomegalovirus Glycoprotein UL141 Targets the TRAIL Death Receptors to Thwart Host Innate Antiviral Defenses. <i>Cell Host and Microbe</i> , 2013, 13, 324-335.	11.0	86
12	Concise Review: Immunologic Lessons From Solid Organ Transplantation for Stem Cell-Based Therapies. <i>Stem Cells Translational Medicine</i> , 2013, 2, 136-142.	3.3	11
13	Modulation of T-Cell Mediated Immunity by Cytomegalovirus. , 2012, , 121-139.		3
14	Dissecting the Requirements for Maintenance of the CMV-Specific Memory T-Cell Pool. <i>Viral Immunology</i> , 2011, 24, 351-355.	1.3	19
15	The Mouse Cytomegalovirus Glycoprotein m155 Inhibits CD40 Expression and Restricts CD4 T Cell Responses. <i>Journal of Virology</i> , 2011, 85, 5208-5212.	3.4	14
16	Differential B7-1/CD28 Costimulatory Requirements for Stable and Inflammatory Mouse Cytomegalovirus-Specific Memory CD8 T Cell Populations. <i>Journal of Immunology</i> , 2011, 186, 3874-3881.	0.8	52
17	B7-1-Mediated Costimulation of CD4 T Cells Constrains Cytomegalovirus Persistence. <i>Journal of Virology</i> , 2011, 85, 390-396.	3.4	28
18	Biphasic role of B7-1 in the regulation of mouse cytomegalovirus-specific CD8 <sup>+</sup> T cells. <i>European Journal of Immunology</i> , 2010, 40, 2762-2768.	2.9	58

#	ARTICLE	IF	CITATIONS
19	Modulation of host innate and adaptive immune defenses by cytomegalovirus: timing is everything. <i>Journal of Internal Medicine</i> , 2010, 267, 483-501.	6.0	90
20	CD4+ T Cell Help Has an Epitope-Dependent Impact on CD8+ T Cell Memory Inflation during Murine Cytomegalovirus Infection. <i>Journal of Immunology</i> , 2009, 183, 3932-3941.	0.8	69
21	Lymphotoxin-Mediated Crosstalk between B Cells and Splenic Stroma Promotes the Initial Type I Interferon Response to Cytomegalovirus. <i>Cell Host and Microbe</i> , 2008, 3, 67-76.	11.0	124
22	Cutting Edge: Murine Cytomegalovirus Induces a Polyfunctional CD4 T Cell Response. <i>Journal of Immunology</i> , 2008, 180, 6472-6476.	0.8	95
23	Dendritic Cell Programming by Cytomegalovirus Stunts Naive T Cell Responses via the PD-L1/PD-1 Pathway. <i>Journal of Immunology</i> , 2008, 180, 4836-4847.	0.8	78
24	OX40 Costimulation Promotes Persistence of Cytomegalovirus-Specific CD8 T Cells: A CD4-Dependent Mechanism. <i>Journal of Immunology</i> , 2007, 179, 2195-2202.	0.8	84
25	NK cell activation through the NKG2D ligand MULT-1 is selectively prevented by the glycoprotein encoded by mouse cytomegalovirus gene m145. <i>Journal of Experimental Medicine</i> , 2005, 201, 211-220.	8.5	140
26	Selective Down-Regulation of the NKG2D Ligand H60 by Mouse Cytomegalovirus m155 Glycoprotein. <i>Journal of Virology</i> , 2005, 79, 2920-2930.	3.4	99
27	Identification of a Mouse Cytomegalovirus Gene Selectively Targeting CD86 Expression on Antigen-Presenting Cells. <i>Journal of Virology</i> , 2004, 78, 13062-13071.	3.4	60
28	Transgene analysis proves mRNA trans-splicing at the complex mod(mdg4) locus in <i>Drosophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9724-9729.	7.1	98