Maxim Zavorotnyy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/103049/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ventricular volume, white matter alterations and outcome of major depression and their relationship to endocrine parameters – A pilot study. World Journal of Biological Psychiatry, 2021, 22, 104-118.	2.6	9
2	Clinical Relevance of [18F]Florbetaben and [18F]FDG PET/CT Imaging on the Management of Patients with Dementia. Molecules, 2021, 26, 1282.	3.8	5
3	Electroconvulsive therapy modulates grey matter increase in a hub of an affect processing network. NeuroImage: Clinical, 2020, 25, 102114.	2.7	17
4	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 921-932.	3.2	22
5	Adjunct Therapy With Glycyrrhiza Glabra Rapidly Improves Outcome in Depression—A Pilot Study to Support 11-Beta-Hydroxysteroid Dehydrogenase Type 2 Inhibition as a New Target. Frontiers in Psychiatry, 2020, 11, 605949.	2.6	7
6	Theta-Burst Stimulation for Auditory-Verbal Hallucination in Very-Late-Onset Schizophrenia-Like Psychosis—A Functional Magnetic Resonance Imaging Case Study. Frontiers in Psychiatry, 2020, 11, 294.	2.6	5
7	Healthâ€related Internet use and treatment adherence: A transdiagnostic comparison of outpatients with major depressive disorder and schizophrenia. PsyCh Journal, 2020, 9, 174-184.	1.1	4
8	Intermittent theta-burst stimulation moderates interaction between increment of N-Acetyl-Aspartate in anterior cingulate and improvement of unipolar depression. Brain Stimulation, 2020, 13, 943-952.	1.6	17
9	Electroconvulsive therapy induced gray matter increase is not necessarily correlated with clinical data in depressed patients. Brain Stimulation, 2019, 12, 335-343.	1.6	49
10	Low left amygdala volume is associated with a longer duration of unipolar depression. Journal of Neural Transmission, 2018, 125, 229-238.	2.8	28
11	Influence of single-dose quetiapine on fear network activity – A pharmaco-imaging study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 76, 80-87.	4.8	4
12	S -ketamine compared to etomidate during electroconvulsive therapy in major depression. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 803-813.	3.2	15
13	Effects of electroconvulsive therapy on amygdala function in major depression – a longitudinal functional magnetic resonance imaging study. Psychological Medicine, 2017, 47, 2166-2176.	4.5	48
14	Praxis der Elektrokonvulsionstherapie. , 2017, , 357-380.		1
15	Prediction of Individual Response to Electroconvulsive Therapy via Machine Learning on Structural Magnetic Resonance Imaging Data. JAMA Psychiatry, 2016, 73, 557.	11.0	257
16	Impact of electroconvulsive therapy on magnetoencephalographic correlates of dysfunctional emotional processing in major depression. European Neuropsychopharmacology, 2016, 26, 684-692.	0.7	13
17	Neuropeptide S receptor gene variation modulates anterior cingulate cortex Glx levels during CCK-4 induced panic. European Neuropsychopharmacology, 2015, 25, 1677-1682.	0.7	17
18	Inhibitory repetitive transcranial magnetic stimulation (rTMS) of the dorsolateral prefrontal cortex modulates early affective processing. NeuroImage, 2014, 101, 193-203.	4.2	65

MAXIM ZAVOROTNYY

#	Article	IF	CITATIONS
19	Acute anxiolytic effects of quetiapine during virtual reality exposure—A double-blind placebo-controlled trial in patients with specific phobia. European Neuropsychopharmacology, 2013, 23, 1551-1560.	0.7	23
20	Associations between cognitive performance and cortisol reaction to the DEX/CRH test in patients recovered from depression. Psychoneuroendocrinology, 2013, 38, 447-454.	2.7	24
21	Dopamine D3 receptor gene variation: impact on electroconvulsive therapy response and ventral striatum responsiveness in depression. International Journal of Neuropsychopharmacology, 2013, 16, 1443-1459.	2.1	26
22	Acute Shift in Glutamate Concentrations Following Experimentally Induced Panic with Cholecystokinin Tetrapeptide—A 3T-MRS Study in Healthy Subjects. Neuropsychopharmacology, 2013, 38, 1648-1654.	5.4	31
23	Auditory processing in remitted major depression: a long-term follow-up investigation using 3T-fMRI. Journal of Neural Transmission, 2012, 119, 1565-1573.	2.8	19
24	Prolonged apnea during electroconvulsive therapy in monozygotic twins: case reports. Annals of General Psychiatry, 2011, 10, 30.	2.7	6
25	COMT val158met influence on electroconvulsive therapy response in major depression. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 286-290.	1.7	17
26	Occurence of ultra-rapid cycling during electroconvulsive therapy in bipolar depression. World Journal of Biological Psychiatry, 2009, 10, 987-990.	2.6	13
27	Anxiolytic effects of transcranial magnetic stimulation—an alternative treatment option in anxiety disorders?. Journal of Neural Transmission, 2009, 116, 767-775.	2.8	68
28	Altered Auditive Processing as a Possible Trait-Marker of Major Depressive Disorder. Pharmacopsychiatry, 2009, 42, .	3.3	0
29	Therapeutic strategies for catatonia in paraneoplastic encephalitis. World Journal of Biological Psychiatry, 2008, 9, 236-240.	2.6	21