

# Diem Vuong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1030662/publications.pdf>

Version: 2024-02-01

24  
papers

345  
citations

932766

10  
h-index

839053

18  
g-index

25  
all docs

25  
docs citations

25  
times ranked

569  
citing authors

#	ARTICLE	IF	CITATIONS
1	Improved Survival Prediction by Combining Radiological Imaging and S-100B Levels Into a Multivariate Model in Metastatic Melanoma Patients Treated With Immune Checkpoint Inhibition. <i>Frontiers in Oncology</i> , 2022, 12, 830627.	1.3	2
2	Robustness of radiomic features in magnetic resonance imaging for patients with glioblastoma: Multi-center study. <i>Physics and Imaging in Radiation Oncology</i> , 2022, 22, 131-136.	1.2	12
3	Radiomic Analysis to Predict Outcome in Recurrent Glioblastoma Based on Multi-Center MR Imaging From the Prospective DIRECTOR Trial. <i>Frontiers in Oncology</i> , 2021, 11, 636672.	1.3	15
4	Impact of CT convolution kernel on robustness of radiomic features for different lung diseases and tissue types. <i>British Journal of Radiology</i> , 2021, 94, 20200947.	1.0	16
5	Systematic Review on the Association of Radiomics with Tumor Biological Endpoints. <i>Cancers</i> , 2021, 13, 3015.	1.7	11
6	Preselection of robust radiomic features does not improve outcome modelling in non-small cell lung cancer based on clinical routine FDG-PET imaging. <i>EJNMMI Research</i> , 2021, 11, 79.	1.1	11
7	Quantification of the spatial distribution of primary tumors in the lung to develop new prognostic biomarkers for locally advanced NSCLC. <i>Scientific Reports</i> , 2021, 11, 20890.	1.6	3
8	Radiomics Feature Activation Maps as a New Tool for Signature Interpretability. <i>Frontiers in Oncology</i> , 2020, 10, 578895.	1.3	17
9	Dosimetric and geometric end-to-end accuracy of a magnetic resonance guided linear accelerator. <i>Physics and Imaging in Radiation Oncology</i> , 2020, 16, 109-112.	1.2	13
10	Comparison of robust to standardized CT radiomics models to predict overall survival for non-small cell lung cancer patients. <i>Medical Physics</i> , 2020, 47, 4045-4053.	1.6	23
11	Radiomic biomarkers for head and neck squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 868-878.	1.0	28
12	Radiomics, Tumor Volume, and Blood Biomarkers for Early Prediction of Pseudoprogression in Patients with Metastatic Melanoma Treated with Immune Checkpoint Inhibition. <i>Clinical Cancer Research</i> , 2020, 26, 4414-4425.	3.2	70
13	FDG PET versus CT radiomics to predict outcome in malignant pleural mesothelioma patients. <i>EJNMMI Research</i> , 2020, 10, 81.	1.1	27
14	PO-1571: Radiomics for prediction of metastatic melanoma patient survival after immunotherapy. <i>Radiotherapy and Oncology</i> , 2020, 152, S851.	0.3	0
15	Benchmarking Monte-Carlo dose calculation for MLC CyberKnife treatments. <i>Radiation Oncology</i> , 2019, 14, 172.	1.2	6
16	Interchangeability of radiomic features between [18F]â€‹FDG PET</sc>/<sc>CT</sc> and [18F]â€‹FDG PET</sc>/<sc>MR</sc>. <i>Medical Physics</i> , 2019, 46, 1677-1685.	1.6	22
17	THU0345â€‹...TEXTURE-BASED RADIOMICS FEATURES DISCRIMINATE DIFFERENT STAGES OF EXPERIMENTAL INTERSTITIAL LUNG DISEASE. , 2019, , .		0
18	Delta-radiomics for prediction of pseudoprogression in malignant melanoma treated with immune checkpoint inhibition.. <i>Journal of Clinical Oncology</i> , 2019, 37, 9575-9575.	0.8	1

#	ARTICLE	IF	CITATIONS
19	CT radiomics and PET radiomics: ready for clinical implementation?. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2019, 63, 355-370.	0.4	58
20	Computed-tomography-based radiomics features for staging of interstitial lung disease “ transferability from experimental to human lung fibrosis - a proof-of-concept study. , 2019, , .		4
21	Independent Monte-Carlo dose calculation for MLC based CyberKnife radiotherapy. Physics in Medicine and Biology, 2018, 63, 015015.	1.6	6
22	EP-1842: Benchmarking of Monte Carlo dose calculation for MLC based CyberKnife Radiotherapy. Radiotherapy and Oncology, 2018, 127, S994-S995.	0.3	0
23	76P Robustness of radiomic features in [18F]-FDG PET/CT and [18F]-FDG PET/MR. Journal of Thoracic Oncology, 2018, 13, S41.	0.5	0
24	EP-1480: Patient-specific QA for CyberKnife MLC plans using Monte Carlo. Radiotherapy and Oncology, 2017, 123, S791.	0.3	0