

# Wagner Farid Gattaz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/103136/publications.pdf>

Version: 2024-02-01

150  
papers

6,885  
citations

53794

45  
h-index

69250

77  
g-index

165  
all docs

165  
docs citations

165  
times ranked

8695  
citing authors

#	ARTICLE	IF	CITATIONS
1	BDNF blood levels after electroconvulsive therapy in patients with mood disorders: An updated systematic review and meta-analysis. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 24-33.	2.6	10
2	COX-2 pathway is upregulated in ultra-high risk individuals for psychosis. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 236-241.	2.6	2
3	Antipsychotics preserve telomere length in peripheral blood mononuclear cells after acute oxidative stress injury. <i>Neural Regeneration Research</i> , 2022, 17, 1156.	3.0	3
4	Exacerbation of psychosis risk during the COVID-19 pandemic: The disproportionate impact on the lower income population. <i>Psychiatry Research</i> , 2022, 307, 114319.	3.3	11
5	The role of lithium treatment on comorbid anxiety symptoms in patients with bipolar depression. <i>Journal of Affective Disorders</i> , 2022, 308, 71-75.	4.1	4
6	Decision tree-based classification as a support to diagnosis in the Alzheimer's disease continuum using cerebrospinal fluid biomarkers: insights from automated analysis. <i>Revista Brasileira De Psiquiatria</i> , 2022, , .	1.7	0
7	Prefrontal resting-state connectivity and antidepressant response: no associations in the ELECT-TDCS trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 123-134.	3.2	4
8	Increased PLA2 activity in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1593-1599.	3.2	2
9	Genetic polymorphisms of the serotonin transporter are not related with depression in temporal lobe epilepsy caused by hippocampal sclerosis. <i>Epilepsy and Behavior</i> , 2021, 117, 107854.	1.7	0
10	Influence of migration on the thought process of individuals at ultra-high risk for psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 285-288.	1.7	3
11	Translation and validation of the Structured Interview for Prodromal Syndromes (SIPS) to Portuguese. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 560-562.	1.7	5
12	Cognitive Patterns and Conversion in a Representative Sample of Individuals at Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2021, Publish Ahead of Print, .	1.0	2
13	Use of a Bayesian Network Model to predict psychiatric illness in individuals with "at risk mental states"™ from a general population cohort. <i>Neuroscience Letters</i> , 2021, 770, 136358.	2.1	0
14	Three plasma metabolites in elderly patients differentiate mild cognitive impairment and Alzheimer's™s disease: a pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 483-488.	3.2	10
15	Reduced Annexin A3 in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 489-494.	3.2	9
16	Cognitive changes after tDCS and escitalopram treatment in major depressive disorder: Results from the placebo-controlled ELECT-TDCS trial. <i>Journal of Affective Disorders</i> , 2020, 263, 344-352.	4.1	13
17	<p>Treatment of Patients with Recently Exacerbated Schizophrenia with Paliperidone Palmitate: A Pilot Study of Efficacy and Tolerability</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2063-2072.	2.2	0
18	Childhood maltreatment in individuals at risk of psychosis: Results from the Brazilian SSAPP cohort. <i>International Journal of Social Psychiatry</i> , 2020, 66, 566-575.	3.1	3

#	ARTICLE	IF	CITATIONS
19	Addressing Mood Disorder Diagnosis' Stigma With an Honest, Open, Proud (HOP)-Based Intervention: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 582180.	2.6	5
20	Precision non-implantable neuromodulation therapies: a perspective for the depressed brain. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 403-419.	1.7	19
21	Protein levels of ADAM10, BACE1, and PSEN1 in platelets and leukocytes of Alzheimer's disease patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 963-972.	3.2	27
22	Schizophrenia Treatment with electric Transcranial Stimulation (STARTS): design, rationale and objectives of a randomized, double-blinded, sham-controlled trial. <i>Trends in Psychiatry and Psychotherapy</i> , 2019, 41, 104-111.	0.8	5
23	Antidepressant effects of tDCS are associated with prefrontal gray matter volumes at baseline: Evidence from the ELECT-TDCS trial. <i>Brain Stimulation</i> , 2019, 12, 1197-1204.	1.6	33
24	Disclosing the diagnosis of schizophrenia: A pilot study of the "Coming Out Proud" intervention. <i>International Journal of Social Psychiatry</i> , 2019, 65, 244-251.	3.1	8
25	Clinical and biological effects of long-term lithium treatment in older adults with amnesic mild cognitive impairment: randomised clinical trial. <i>British Journal of Psychiatry</i> , 2019, 215, 668-674.	2.8	91
26	Plasma metabolites in first episode psychoses. <i>Schizophrenia Research</i> , 2019, 206, 468-470.	2.0	6
27	Higher transcription alleles of the MAOA-uVNTR polymorphism are associated with higher seizure frequency in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2019, 149, 26-29.	1.6	5
28	Hearing spirits? Religiosity in individuals at risk for psychosis—Results from the Brazilian SSAPP cohort. <i>Schizophrenia Research</i> , 2019, 204, 353-359.	2.0	20
29	Plasma lipids metabolism in mild cognitive impairment and Alzheimer's disease. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 190-196.	2.6	18
30	Decreased plasmatic spermidine and increased spermine in mild cognitive impairment and Alzheimer's disease patients. <i>Revista De Psiquiatria Clinica</i> , 2019, 46, 120-124.	0.6	15
31	Cognitive outcomes of TMS treatment in bipolar depression: Safety data from a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2018, 235, 20-26.	4.1	44
32	Chronic Lithium Treatment Increases Telomere Length in Parietal Cortex and Hippocampus of Triple-Transgenic Alzheimer's Disease Mice. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 93-101.	2.6	20
33	Glycogen synthase kinase-3 $\beta$ activity and cognitive functioning in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2018, 28, 361-368.	0.7	4
34	Kynurenine is correlated with IL-1 $\beta$ in plasma of schizophrenia patients. <i>Journal of Neural Transmission</i> , 2018, 125, 869-873.	2.8	18
35	Genetic polymorphisms of the 5HT receptors are not related with depression in temporal lobe epilepsy caused by hippocampal sclerosis. <i>Epilepsy and Behavior</i> , 2018, 83, 181-185.	1.7	6
36	Increased platelet glycogen synthase kinase 3beta in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 195, 402-405.	2.0	4

#	ARTICLE	IF	CITATIONS
37	Donepezil effects on cholesterol and oxysterol plasma levels of Alzheimer's disease patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 501-507.	3.2	13
38	BDNF Val66Met polymorphism is not related with temporal lobe epilepsy caused by hippocampal sclerosis in Brazilian population. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 60, 159-162.	2.0	6
39	Treatment of Bipolar Depression with Deep TMS: Results from a Double-Blind, Randomized, Parallel Group, Sham-Controlled Clinical Trial. <i>Neuropsychopharmacology</i> , 2017, 42, 2593-2601.	5.4	69
40	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia – a short version for primary care. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 82-90.	2.4	61
41	The schizophrenia stigma and mass media: a search for news published by wide circulation media in Brazil. <i>International Review of Psychiatry</i> , 2017, 29, 241-247.	2.8	13
42	Network Meta-analysis in Mental Health Research – Reply. <i>JAMA Psychiatry</i> , 2017, 74, 851.	11.0	1
43	Poverty, low education, and the expression of psychotic-like experiences in the general population of São Paulo, Brazil. <i>Psychiatry Research</i> , 2017, 253, 182-188.	3.3	35
44	Repetitive Transcranial Magnetic Stimulation for the Acute Treatment of Major Depressive Episodes. <i>JAMA Psychiatry</i> , 2017, 74, 143.	11.0	355
45	Trial of Electrical Direct-Current Therapy versus Escitalopram for Depression. <i>New England Journal of Medicine</i> , 2017, 376, 2523-2533.	27.0	284
46	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017, 7, e015462.	1.9	119
47	Stereological investigation of the CA1 pyramidal cell layer in untreated and lithium-treated 3xTg-AD and wild-type mice. <i>Annals of Anatomy</i> , 2017, 209, 51-60.	1.9	14
48	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia, part III: Molecular mechanisms. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 330-356.	2.6	33
49	Glycogen synthase kinase-3 $\beta$ in patients with bipolar I disorder: results from a prospective study. <i>Bipolar Disorders</i> , 2016, 18, 334-341.	1.9	8
50	Mental healthcare in South America with a focus on Brazil. <i>Current Opinion in Psychiatry</i> , 2016, 29, 264-269.	6.3	17
51	Glycogen Synthase Kinase-3 $\beta$ : Variation over Time and the Possible Association with Mood and Cognition in Healthy Individuals. <i>Neuropsychobiology</i> , 2016, 73, 108-115.	1.9	5
52	Cognitive impairment in late-life bipolar disorder is not associated with Alzheimer's disease pathological signature in the cerebrospinal fluid. <i>Bipolar Disorders</i> , 2016, 18, 63-70.	1.9	32
53	Long-term lithium treatment increases intracellular and extracellular brain-derived neurotrophic factor (BDNF) in cortical and hippocampal neurons at subtherapeutic concentrations. <i>Bipolar Disorders</i> , 2016, 18, 692-695.	1.9	33
54	Patterns of regional gray matter loss at different stages of schizophrenia: A multisite, cross-sectional VBM study in first-episode and chronic illness. <i>NeuroImage: Clinical</i> , 2016, 12, 1-15.	2.7	107

#	ARTICLE	IF	CITATIONS
55	Lithium activates brain phospholipase A2 and improves memory in rats: implications for Alzheimer's disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 607-618.	3.2	8
56	Pioneering ambient mass spectrometry imaging in psychiatry: Potential for new insights into schizophrenia. <i>Schizophrenia Research</i> , 2016, 177, 67-69.	2.0	11
57	Antidepressant Efficacy of Adjunctive Aerobic Activity and Associated Biomarkers in Major Depression: A 4-Week, Randomized, Single-Blind, Controlled Clinical Trial. <i>PLoS ONE</i> , 2016, 11, e0154195.	2.5	40
58	Lithium Distinctly Modulates the Secretion of Pro- and Anti- Inflammatory Interleukins in Co-Cultures of Neurons and Glial Cells at Therapeutic and Sub-Therapeutic Concentrations. <i>Current Alzheimer Research</i> , 2016, 13, 848-852.	1.4	19
59	Home-Based Psychiatric Outpatient Care Through Videoconferencing for Depression: A Randomized Controlled Follow-Up Trial. <i>JMIR Mental Health</i> , 2016, 3, e36.	3.3	34
60	Long-Term Lithium Treatment Increases cPLA2 and iPLA2 Activity in Cultured Cortical and Hippocampal Neurons. <i>Molecules</i> , 2015, 20, 19878-19885.	3.8	14
61	Epistasis between COMT Val158Met and DRD3 Ser9Gly polymorphisms and cognitive function in schizophrenia: genetic influence on dopamine transmission. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 235-241.	1.7	11
62	Decreased AKT1/mTOR pathway mRNA expression in short-term bipolar disorder. <i>European Neuropsychopharmacology</i> , 2015, 25, 468-473.	0.7	65
63	Decreased Neurotrophic Support is Associated with Cognitive Decline in Non-Demented Subjects. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 423-429.	2.6	71
64	Hippocampal serotonin depletion is related to the presence of generalized tonic-clonic seizures, but not to psychiatric disorders in patients with temporal lobe epilepsy. <i>Epilepsy Research</i> , 2015, 111, 18-25.	1.6	18
65	Plasma levels of soluble TNF receptors 1 and 2 after tDCS and sertraline treatment in major depression: Results from the SELECT-TDCS trial. <i>Journal of Affective Disorders</i> , 2015, 185, 209-213.	4.1	24
66	Conjugated linoleic acid-enriched butter improved memory and up-regulated phospholipase A2 encoding-genes in rat brain tissue. <i>Journal of Neural Transmission</i> , 2015, 122, 1371-1380.	2.8	22
67	Lithium increases platelet serine-9 phosphorylated GSK-3 $\beta$ levels in drug-free bipolar disorder during depressive episodes. <i>Journal of Psychiatric Research</i> , 2015, 62, 78-83.	3.1	47
68	Bimodal Effect of Lithium Plasma Levels on Hippocampal Glutamate Concentrations in Bipolar II Depression: A Pilot Study. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	2.1	18
69	A Longitudinal (6-week) 3T 1H-MRS Study on the Effects of Lithium Treatment on Anterior Cingulate Cortex Metabolites in Bipolar Depression. <i>European Neuropsychopharmacology</i> , 2015, 25, 2311-2317.	0.7	50
70	Cerebrospinal fluid biomarkers in Alzheimer's disease: Diagnostic accuracy and prediction of dementia. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 455-463.	2.4	77
71	Regulation of leukocyte tricarboxylic acid cycle in drug-naïve Bipolar Disorder. <i>Neuroscience Letters</i> , 2015, 605, 65-68.	2.1	12
72	Chronic inhibition of brain phospholipase A2 in adult rats impairs the survival of newborn mature neurons in the hippocampus. <i>Journal of Neural Transmission</i> , 2015, 122, 619-628.	2.8	3

#	ARTICLE	IF	CITATIONS
73	Assessment of non-BDNF neurotrophins and GDNF levels after depression treatment with sertraline and transcranial direct current stimulation in a factorial, randomized, sham-controlled trial (SELECT-TDCS): An exploratory analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 91-96.	4.8	32
74	Reduced activities of phospholipases A <sub>2</sub> in platelets of drug-naïve bipolar disorder patients. <i>Bipolar Disorders</i> , 2015, 17, 97-101.	1.9	10
75	Elevated neurotrophin-3 and neurotrophin 4/5 levels in unmedicated bipolar depression and the effects of lithium. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 243-246.	4.8	27
76	Lower phosphorylated glycogen synthase kinase-3B levels in platelets of patients with schizophrenia: increment by olanzapine treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 167-170.	3.2	10
77	The Absence of CYP3A5*3 Is a Protective Factor to Anticonvulsants Hypersensitivity Reactions: A Case-Control Study in Brazilian Subjects. <i>PLoS ONE</i> , 2015, 10, e0136141.	2.5	11
78	BDNF blood levels after electroconvulsive therapy in patients with mood disorders: A systematic review and meta-analysis. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 411-418.	2.6	89
79	Reduced Cerebrospinal Fluid Levels of Brain-Derived Neurotrophic Factor Is Associated With Cognitive Impairment in Late-Life Major Depression. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014, 69, 845-851.	3.9	54
80	Patterns of stigma toward schizophrenia among the general population: A latent profile analysis. <i>International Journal of Social Psychiatry</i> , 2014, 60, 595-605.	3.1	17
81	Synergistic and additive effects of enriched environment and lithium on the generation of new cells in adult mouse hippocampus. <i>Journal of Neural Transmission</i> , 2014, 121, 695-706.	2.8	4
82	Low platelet iPLA2 activity predicts conversion from mild cognitive impairment to Alzheimer's disease: a 4-year follow-up study. <i>Journal of Neural Transmission</i> , 2014, 121, 193-200.	2.8	26
83	Oxidative stress in early stage Bipolar Disorder and the association with response to lithium. <i>Journal of Psychiatric Research</i> , 2014, 50, 36-41.	3.1	135
84	Lithium increases nitric oxide levels in subjects with bipolar disorder during depressive episodes. <i>Journal of Psychiatric Research</i> , 2014, 55, 96-100.	3.1	24
85	Long-Term Lithium Treatment Reduces Glucose Metabolism in the Cerebellum and Hippocampus of Nondemented Older Adults: An [ <sup>18</sup> F]FDG-PET Study. <i>ACS Chemical Neuroscience</i> , 2014, 5, 484-489.	3.5	19
86	Polymorphism Of CYP2C9 And 3A5 and carbamazepine hypersensitivity reactions in Brazilian subjects. <i>Clinical and Translational Allergy</i> , 2014, 4, P49.	3.2	0
87	Polymorphism Of CYP2C9 And 3A5 and carbamazepine hypersensitivity reactions in Brazilian subjects. <i>Clinical and Translational Allergy</i> , 2014, 4, P118.	3.2	0
88	BDNF plasma levels after antidepressant treatment with sertraline and transcranial direct current stimulation: Results from a factorial, randomized, sham-controlled trial. <i>European Neuropsychopharmacology</i> , 2014, 24, 1144-1151.	0.7	42
89	Switching from oral risperidone to flexibly dosed oral paliperidone extended-release: core symptoms, satisfaction, and quality of life in patients with stable but symptomatic schizophrenia: the RISPALI study. <i>Current Medical Research and Opinion</i> , 2014, 30, 695-709.	1.9	6
90	Leukocyte telomerase activity and antidepressant efficacy in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014, 24, 1139-1143.	0.7	16

#	ARTICLE	IF	CITATIONS
91	Lithium Decreases Plasma Adiponectin Levels in Bipolar Depression. <i>Neuroscience Letters</i> , 2014, 564, 111-114.	2.1	34
92	Lithium efficacy in bipolar depression with flexible dosing: A six-week, open-label, proof-of-concept study. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 1205-1208.	1.8	19
93	Long-Term, Low-Dose Lithium Treatment Does Not Impair Renal Function in the Elderly. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e672-e678.	2.2	67
94	Stigma toward schizophrenia: do all psychiatrists behave the same? Latent profile analysis of a national sample of psychiatrists in Brazil. <i>BMC Psychiatry</i> , 2013, 13, 92.	2.6	33
95	The more information, the more negative stigma towards schizophrenia: Brazilian general population and psychiatrists compared. <i>Psychiatry Research</i> , 2013, 205, 185-191.	3.3	41
96	Correlation between platelet and brain PLA2 activity. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 265-268.	2.2	7
97	Antipsychotic drugs decrease iPLA 2 gene expression in schizophrenia. <i>Schizophrenia Research</i> , 2013, 147, 203-204.	2.0	7
98	A radioenzymatic assay to identify three groups of phospholipase A2 in platelets. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2012, 86, 149-153.	2.2	10
99	Long-term sertraline treatment increases expression and decreases phosphorylation of glycogen synthase kinase-3B in platelets of patients with late-life major depression. <i>Journal of Psychiatric Research</i> , 2012, 46, 1053-1058.	3.1	20
100	Does Lithium Prevent Alzheimer's Disease?. <i>Drugs and Aging</i> , 2012, 29, 335-342.	2.7	122
101	Inhibition of cPLA <sub>2</sub> and sPLA <sub>2</sub> Activities in Primary Cultures of Rat Cortical Neurons by <i>Centella asiatica</i> Water Extract. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.5	9
102	Lithium increases plasma brain-derived neurotrophic factor in acute bipolar mania: A preliminary 4-week study. <i>Neuroscience Letters</i> , 2011, 494, 54-56.	2.1	125
103	Inhibition of phospholipase A2 in rat brain modifies different membrane fluidity parameters in opposite ways. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1612-1617.	4.8	21
104	Higher Serum sTNFR1 Level Predicts Conversion from Mild Cognitive Impairment to Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 22, 1305-1311.	2.6	85
105	Increased platelet GSK3B activity in patients with mild cognitive impairment and Alzheimer's disease. <i>Journal of Psychiatric Research</i> , 2011, 45, 220-224.	3.1	88
106	Increased PLA2 activity in the hippocampus of patients with temporal lobe epilepsy and psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 1617-1620.	3.1	20
107	Inhibition of phospholipase A2 in rat brain decreases the levels of total Tau protein. <i>Journal of Neural Transmission</i> , 2011, 118, 1273-1279.	2.8	22
108	Disease-modifying properties of long-term lithium treatment for amnesic mild cognitive impairment: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 198, 351-356.	2.8	319

#	ARTICLE	IF	CITATIONS
109	Platelet GSK3B activity in patients with late-life depression: Marker of depressive episode severity and cognitive impairment?. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 216-222.	2.6	42
110	Increased soluble TNF receptor 2 in antidepressant-free patients with late-life depression. <i>Journal of Psychiatric Research</i> , 2010, 44, 917-920.	3.1	49
111	Diagnosis and biomarkers of predementia in Alzheimer's disease. <i>BMC Medicine</i> , 2010, 8, 89.	5.5	95
112	Clinical and biological predictors of Alzheimer's disease in patients with amnesic mild cognitive impairment. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 216-222.	1.7	49
113	Serum brain-derived neurotrophic factor level is reduced in antidepressant-free patients with late-life depression. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 550-555.	2.6	56
114	Inhibition of phospholipase A2 increases Tau phosphorylation at Ser214 in embryonic rat hippocampal neurons. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2010, 82, 57-60.	2.2	15
115	Differential roles of phospholipases A2 in neuronal death and neurogenesis: Implications for Alzheimer disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1381-1389.	4.8	29
116	Proteome analysis of schizophrenia brain tissue. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 110-120.	2.6	82
117	Proteomic analysis of dorsolateral prefrontal cortex indicates the involvement of cytoskeleton, oligodendrocyte, energy metabolism and new potential markers in schizophrenia. <i>Journal of Psychiatric Research</i> , 2009, 43, 978-986.	3.1	165
118	Alterations in oligodendrocyte proteins, calcium homeostasis and new potential markers in schizophrenia anterior temporal lobe are revealed by shotgun proteome analysis. <i>Journal of Neural Transmission</i> , 2009, 116, 275-289.	2.8	137
119	Lithium reduces Gsk3b mRNA levels: implications for Alzheimer Disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 16-22.	3.2	93
120	Prefrontal cortex shotgun proteome analysis reveals altered calcium homeostasis and immune system imbalance in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 151-163.	3.2	180
121	Phospholipase A2 activation as a therapeutic approach for cognitive enhancement in early-stage Alzheimer disease. <i>Psychopharmacology</i> , 2009, 202, 37-51.	3.1	60
122	Proteome analysis of schizophrenia patients Wernicke's area reveals an energy metabolism dysregulation. <i>BMC Psychiatry</i> , 2009, 9, 17.	2.6	133
123	Polymorphisms in genes involved in neurodevelopment may be associated with altered brain morphology in schizophrenia: Preliminary evidence. <i>Psychiatry Research</i> , 2009, 165, 1-9.	3.3	61
124	Increased Serum IL-1 $\beta$ Level in Alzheimer's Disease and Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 507-512.	1.5	177
125	Diagnostic transitions in mild cognitive impairment subtypes. <i>International Psychogeriatrics</i> , 2009, 21, 1088-1095.	1.0	86
126	Cholinergic and glutamatergic alterations beginning at the early stages of Alzheimer disease: participation of the phospholipase A2 enzyme. <i>Psychopharmacology</i> , 2008, 198, 1-27.	3.1	82



#	ARTICLE	IF	CITATIONS
127	Cognitive training increases platelet PLA2 activity in healthy elderly subjects. Prostaglandins Leukotrienes and Essential Fatty Acids, 2008, 78, 265-269.	2.2	25
128	Language impairment in euthymic, elderly patients with bipolar disorder but no dementia. International Psychogeriatrics, 2008, 20, 687-696.	1.0	23
129	Mild cognitive impairment: cognitive screening or neuropsychological assessment?. Revista Brasileira De Psiquiatria, 2008, 30, 316-321.	1.7	63
130	Lithium and risk for Alzheimer's disease in elderly patients with bipolar disorder. British Journal of Psychiatry, 2007, 190, 359-360.	2.8	323
131	Inhibition of phospholipase A2 reduces neurite outgrowth and neuronal viability. Prostaglandins Leukotrienes and Essential Fatty Acids, 2007, 76, 47-55.	2.2	38
132	Association between BanI genotype and increased phospholipase A2 activity in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 340-343.	3.2	30
133	Reduced phospholipid breakdown in Alzheimer's brains: a 31P spectroscopy study. Psychopharmacology, 2005, 180, 359-365.	3.1	45
134	Inhibition of calcium-independent phospholipase A2 activity in rat hippocampus impairs acquisition of short- and long-term memory. Psychopharmacology, 2005, 181, 392-400.	3.1	53
135	Childhood meningitis increases the risk for adult schizophrenia. World Journal of Biological Psychiatry, 2005, 6, 44-48.	2.6	43
136	Childhood meningitis, brain maturation and the risk of psychosis*. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 23-26.	3.2	52
137	Inhibition of platelet phospholipase A2 activity by catuaba extract suggests anti-inflammatory properties. Phytotherapy Research, 2004, 18, 942-944.	5.8	25
138	Altered thalamic membrane phospholipids in schizophrenia: a postmortem study. Biological Psychiatry, 2004, 56, 41-45.	1.3	111
139	Rightward cerebral asymmetry in subtypes of schizophrenia according to Leonhard's classification and to DSM-IV: a structural MRI study. Psychiatry Research - Neuroimaging, 2003, 123, 65-79.	1.8	23
140	Increased phospholipase A2 activity in schizophrenia with absent response to niacin. Schizophrenia Research, 2003, 61, 1-6.	2.0	104
141	P-spectroscopy of frontal lobe in schizophrenia: alterations in phospholipid and high-energy phosphate metabolism. Schizophrenia Research, 2002, 58, 117-122.	2.0	43
142	Lack of association between schizophrenia and the phospholipase-A2 genes cPLA2 and sPLA2. American Journal of Medical Genetics Part A, 2001, 105, 246-249.	2.4	38
143	Decreased S100-beta protein in schizophrenia: preliminary evidence. Schizophrenia Research, 2000, 43, 91-95.	2.0	57
144	Phospholipase A2 and the hypofrontality hypothesis of schizophrenia. Prostaglandins Leukotrienes and Essential Fatty Acids, 1996, 55, 109-113.	2.2	44

#	ARTICLE	IF	CITATIONS
145	Intracerebral injection of phospholipase A2 inhibits dopamine-mediated behavior in rats: Possible implications for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1995, 246, 13-16.	3.2	13
146	Decreased phospholipase A2 activity in Alzheimer brains. <i>Biological Psychiatry</i> , 1995, 37, 13-17.	1.3	100
147	Intracerebroventricular injection of phospholipase A2 inhibits apomorphine-induced locomotion in rats. <i>Psychiatry Research</i> , 1995, 58, 165-169.	3.3	7
148	Phospholipase A2 in Schizophrenia. <i>Biological Psychiatry</i> , 1992, 31, 214-216.	1.3	10
149	Increased platelet membrane lysophosphatidylcholine in schizophrenia. <i>Biological Psychiatry</i> , 1991, 30, 837-840.	1.3	58
150	Increased plasma phospholipase-A2 activity in schizophrenic patients: Reduction after neuroleptic therapy. <i>Biological Psychiatry</i> , 1987, 22, 421-426.	1.3	208