Won-Ho Chung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1032852/publications.pdf

Version: 2024-02-01

471509 361022 1,715 36 17 35 citations h-index g-index papers 39 39 39 1575 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The usefulness of inner ear magnetic resonance imaging in patient with Ménière's disease: A narrative review. Precision and Future Medicine, 2022, 6, 138-145.	1.6	O
2	Two Cases of Recurred Vertigo Following Perilymphatic Oval Window Fistula Repair. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2021, 64, 103-107.	0.2	1
3	Results of the Active Middle Ear Implantation in Patients With Mixed Hearing Loss After the Middle Ear Surgery: Prospective Multicenter Study (ROMEO Study). Clinical and Experimental Otorhinolaryngology, 2021, , .	2.1	4
4	Clinical predictors of cybersickness in virtual reality (VR) among highly stressed people. Scientific Reports, 2021, 11, 12139.	3.3	38
5	Effect of Virtual Reality on Stress Reduction and Change of Physiological Parameters Including Heart Rate Variability in People With High Stress: An Open Randomized Crossover Trial. Frontiers in Psychiatry, 2021, 12, 614539.	2.6	27
6	Significance of Pseudo-Conductive Hearing Loss and Positional Nystagmus for Perilymphatic Fistula: Are They Related to Third-Window Effects?. Clinical and Experimental Otorhinolaryngology, 2021, 14, 268-277.	2.1	2
7	Validation of inner ear MRI in patients with Ménière's disease by comparing endolymphatic hydrops from histopathologic specimens. Scientific Reports, 2021, 11, 17738.	3.3	8
8	A Fully Automated Analytic System for Measuring Endolymphatic Hydrops Ratios in Patients With MéniÃ"re Disease via Magnetic Resonance Imaging: Deep Learning Model Development Study. Journal of Medical Internet Research, 2021, 23, e29678.	4.3	7
9	Factors Contributing to the Severity and Laterality of Pisa Syndrome in Parkinson's Disease. Frontiers in Aging Neuroscience, 2021, 13, 716990.	3.4	O
10	Evaluating Reasons for Revision Surgery and Device Failure Rates in Patients Who Underwent Cochlear Implantation Surgery. JAMA Otolaryngology - Head and Neck Surgery, 2020, 146, 414.	2.2	19
11	Automated measurement of hydrops ratio from MRI in patients with Ménière's disease using CNN-based segmentation. Scientific Reports, 2020, 10, 7003.	3.3	28
12	Benefit and predictive factors for speech perception outcomes in pediatric bilateral cochlear implant recipients. Brazilian Journal of Otorhinolaryngology, 2019, 85, 571-577.	1.0	7
13	Predicting cochlear dead regions in patients with hearing loss through a machine learning-based approach: A preliminary study. PLoS ONE, 2019, 14, e0217790.	2.5	12
14	Surgical Outcomes on Hearing and Vestibular Symptoms in Barotraumatic Perilymphatic Fistula. Otology and Neurotology, 2019, 40, e356-e363.	1.3	9
15	Pisa Syndrome in Parkinson's Disease: Pathogenic Roles of Verticality Perception Deficits. Scientific Reports, 2018, 8, 1804.	3.3	20
16	Usefulness of Intravenous Gadolinium Inner Ear MR Imaging in Diagnosis of MéniÃ"re's Disease. Scientific Reports, 2018, 8, 17562.	3.3	25
17	Evaluation of Cerebral White Matter in Prelingually Deaf Children Using Diffusion Tensor Imaging. BioMed Research International, 2018, 2018, 1-7.	1.9	10
18	Framingham Risk Score as a Prognostic Predictor of Sudden Sensorineural Hearing Loss: A Preliminary Study. Annals of Otology, Rhinology and Laryngology, 2017, 126, 382-387.	1.1	8

#	Article	IF	Citations
19	Diagnostic criteria of barotraumatic perilymph fistula based on clinical manifestations. Acta Oto-Laryngologica, 2017, 137, 16-22.	0.9	10
20	Comparison of Endoscopic Tympanoplasty to Microscopic Tympanoplasty. Clinical and Experimental Otorhinolaryngology, 2017, 10, 44-49.	2.1	107
21	Morphological correlation between caloric tests and vestibular hydrops in Ménière's disease using intravenous Gd enhanced inner ear MRI. PLoS ONE, 2017, 12, e0188301.	2.5	33
22	Evaluation of Cochlear Implant Candidates using a Non-linguistic Spectrotemporal Modulation Detection Test. Scientific Reports, 2016, 6, 35235.	3.3	12
23	Factors associated with self-reported outcome in adaptation of hearing aid. Acta Oto-Laryngologica, 2016, 136, 905-911.	0.9	16
24	Reply to letter: The association of postural sensory deficit with freezing of gait in Parkinson's disease. Parkinsonism and Related Disorders, 2016, 31, 141-142.	2.2	1
25	Postural sensory correlates of freezing of gait in Parkinson's disease. Parkinsonism and Related Disorders, 2016, 25, 72-77.	2.2	27
26	Spectrotemporal Modulation Detection and Speech Perception by Cochlear Implant Users. PLoS ONE, 2015, 10, e0140920.	2.5	18
27	Diagnostic criteria for Menière's disease. Journal of Vestibular Research: Equilibrium and Orientation, 2015, 25, 1-7.	2.0	995
28	Cochlear Implantation for Profound Hearing Loss After Multimodal Treatment for Neuroblastoma in Children. Clinical and Experimental Otorhinolaryngology, 2015, 8, 329.	2.1	10
29	Persistent Direction-Fixed Nystagmus Following Canalith Repositioning Maneuver for Horizontal Canal BPPV: A Case of Canalith Jam. Clinical and Experimental Otorhinolaryngology, 2014, 7, 138.	2.1	17
30	Effects of Early Surgical Exploration in Suspected Barotraumatic Perilymph Fistulas. Clinical and Experimental Otorhinolaryngology, 2012, 5, 74.	2.1	25
31	Proapoptotic effects of NF-κB on cisplatin-induced cell death in auditory cell line. Acta Oto-Laryngologica, 2008, 128, 1063-1070.	0.9	32
32	Effects of a single intratympanic gentamicin injection on Meniere's disease. Acta Oto-Laryngologica, 2007, 127, 61-66.	0.9	13
33	Cochlear pathology of the circling mouse: a new mouse model of DFNB6. Acta Oto-Laryngologica, 2007, 127, 244-251.	0.9	30
34	Waveform reliability with different recording electrode placement in facial electroneuronography. Journal of Laryngology and Otology, 2004, 118, 421-425.	0.8	2
35	Clinical Usefulness of Extratympanic Electrocochleography in the Diagnosis of Ménière's Disease. Otology and Neurotology, 2004, 25, 144-149.	1.3	45
36	Inflammatory pseudotumour involving the skull base and cervical spine. Journal of Laryngology and Otology, 2001, 115, 580-4.	0.8	26