

# Luana Toniolo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1034057/publications.pdf>

Version: 2024-02-01

69  
papers

3,002  
citations

186209

28  
h-index

168321

53  
g-index

70  
all docs

70  
docs citations

70  
times ranked

4739  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A short-term treatment with resveratrol improves the inflammatory conditions of Middle-aged mice skeletal muscles. <i>International Journal of Food Sciences and Nutrition</i> , 2022, , 1-8.                       | 1.3 | 6         |
| 2  | Nutrition, Diet and Healthy Aging. <i>Nutrients</i> , 2022, 14, 190.  | 1.7 | 14        |
| 3  | Signatures of muscle disuse in spaceflight and bed rest revealed by single muscle fiber proteomics. , 2022, 1, .  |     | 22        |
| 4  | Are muscle fibres of body builders intrinsically weaker? A comparison with single fibres of aged&#x2013;matched controls. <i>Acta Physiologica</i> , 2021, 231, e13557.   | 1.8 | 13        |
| 5  | Neuromuscular junction instability and altered intracellular calcium handling as early determinants of force loss during unloading in humans. <i>Journal of Physiology</i> , 2021, 599, 3037-3061.                  | 1.3 | 55        |
| 6  | The Potential of Calorie Restriction and Calorie Restriction Mimetics in Delaying Aging: Focus on Experimental Models. <i>Nutrients</i> , 2021, 13, 2346.   | 1.7 | 18        |
| 7  | The effect of leg preference on mechanical efficiency during single-leg extension exercise. <i>Journal of Applied Physiology</i> , 2021, 131, 553-565.  | 1.2 | 4         |
| 8  | Long-term resveratrol treatment improves the capillarization in the skeletal muscles of ageing C57BL/6J mice. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 37-44.                        | 1.3 | 12        |
| 9  | Age Dependent Modification of the Metabolic Profile of the Tibialis Anterior Muscle Fibers in C57BL/6J Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3923.                                   | 1.8 | 22        |
| 10 | Resveratrol, aging, and fatigue. , 2020, , 309-317.   |     | 2         |
| 11 | Musculoskeletal adaptations to strength training in frail elderly: a matter of quantity or quality?. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 663-677.   | 2.9 | 25        |
| 12 | Early Biomarkers of Muscle Atrophy and of Neuromuscular Alterations During 10&#x2013;Day Bed Rest. <i>FASEB Journal</i> , 2020, 34, 1-1.  | 0.2 | 9         |
| 13 | Large Hypertrophy but Unmodified Specific Tension of Single Fibers of Body Builders. <i>FASEB Journal</i> , 2020, 34, 1-1.  | 0.2 | 0         |
| 14 | Age-dependent variations in the expression of myosin isoforms and myogenic factors during the involution of the proximal sesamoidean ligament of sheep. <i>Research in Veterinary Science</i> , 2019, 124, 270-279. | 0.9 | 3         |
| 15 | Skeletal Muscle Fiber Size and Gene Expression in the Oldest-Old With Differing Degrees of Mobility. <i>Frontiers in Physiology</i> , 2019, 10, 313.  | 1.3 | 18        |
| 16 | Neuromuscular Electrical Stimulation Induces Skeletal Muscle Fiber Remodeling and Specific Gene Expression Profile in Healthy Elderly. <i>Frontiers in Physiology</i> , 2019, 10, 1459.                             | 1.3 | 23        |
| 17 | Loss of maximal explosive power of lower limbs after 2&#x2013;weeks of disuse and incomplete recovery after retraining in older adults. <i>Journal of Physiology</i> , 2018, 596, 647-665.                          | 1.3 | 43        |
| 18 | Resveratrol treatment reduces the appearance of tubular aggregates and improves the resistance to fatigue in aging mice skeletal muscles. <i>Experimental Gerontology</i> , 2018, 111, 170-179.                     | 1.2 | 21        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Single Muscle Fiber Proteomics Reveals Fiber-Type-Specific Features of Human Muscle Aging. <i>Cell Reports</i> , 2017, 19, 2396-2409.   | 2.9 | 213       |
| 20 | Neuromuscular electrical stimulation improves skeletal muscle regeneration through satellite cell fusion with myofibers in healthy elderly subjects. <i>Journal of Applied Physiology</i> , 2017, 123, 501-512.   | 1.2 | 43        |
| 21 | Identification and characterization of three novel mutations in the <i>CASQ1</i> gene in four patients with tubular aggregate myopathy. <i>Human Mutation</i> , 2017, 38, 1761-1773.  | 1.1 | 51        |
| 22 | Role of p66shc in skeletal muscle function. <i>Scientific Reports</i> , 2017, 7, 6283.  | 1.6 | 11        |
| 23 | FoxO-dependent atrogenes vary among catabolic conditions and play a key role in muscle atrophy induced by hindlimb suspension. <i>Journal of Physiology</i> , 2017, 595, 1143-1158.   | 1.3 | 75        |
| 24 | Protein Supplementation Does Not Further Increase Latissimus Dorsi Muscle Fiber Hypertrophy after Eight Weeks of Resistance Training in Novice Subjects, but Partially Counteracts the Fast-to-Slow Muscle Fiber Transition. <i>Nutrients</i> , 2016, 8, 331. | 1.7 | 12        |
| 25 | The Regenerative Potential of Female Skeletal Muscle upon Hypobaric Hypoxic Exposure. <i>Frontiers in Physiology</i> , 2016, 7, 303.  | 1.3 | 9         |
| 26 | Age-dependent neuromuscular impairment in prion protein knockout mice. <i>Muscle and Nerve</i> , 2016, 53, 269-279.   | 1.0 | 10        |
| 27 | Greater loss in muscle mass and function but smaller metabolic alterations in older compared with younger men following 2 wk of bed rest and recovery. <i>Journal of Applied Physiology</i> , 2016, 120, 922-929.   | 1.2 | 114       |
| 28 | Expression and identification of 10 sarcomeric MyHC isoforms in human skeletal muscles of different embryological origin. Diversity and similarity in mammalian species. <i>Annals of Anatomy</i> , 2016, 207, 9-20.  | 1.0 | 30        |
| 29 | Gokyo Khumbu/Ama Dablam Trek 2012: effects of physical training and high-altitude exposure on oxidative metabolism, muscle composition, and metabolic cost of walking in women. <i>European Journal of Applied Physiology</i> , 2016, 116, 129-144.           | 1.2 | 17        |
| 30 | <i>In vivo</i> and <i>in vitro</i> evidence that intrinsic upper- and lower-limb skeletal muscle function is unaffected by ageing and disuse in oldest-old humans. <i>Acta Physiologica</i> , 2015, 215, 58-71.   | 1.8 | 57        |
| 31 | Deletion of small ankyrin 1 (sAnk1) isoforms results in structural and functional alterations in aging skeletal muscle fibers. <i>American Journal of Physiology - Cell Physiology</i> , 2015, 308, C123-C138.  | 2.1 | 26        |
| 32 | Protein Supplementation Increases Postexercise Plasma Myostatin Concentration After 8 Weeks of Resistance Training in Young Physically Active Subjects. <i>Journal of Medicinal Food</i> , 2015, 18, 137-143.   | 0.8 | 17        |
| 33 | A Mutation in the <i>CASQ1</i> Gene Causes a Vacuolar Myopathy with Accumulation of Sarcoplasmic Reticulum Protein Aggregates. <i>Human Mutation</i> , 2014, 35, 1163-1170.   | 1.1 | 53        |
| 34 | N-Acetylcysteine, a Potent Anti-Oxidant, Rescues the Malignant Hyperthermia and Environmental Heat Stroke Phenotype of Calsequestrin-1 Knockout Mice. <i>Biophysical Journal</i> , 2013, 104, 202a.   | 0.2 | 0         |
| 35 | BMP signaling controls muscle mass. <i>Nature Genetics</i> , 2013, 45, 1309-1318.   | 9.4 | 379       |
| 36 | O.20 BMP signalling controls muscle mass. <i>Neuromuscular Disorders</i> , 2013, 23, 850-851.   | 0.3 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Signalling pathways regulating muscle mass in ageing skeletal muscle. The role of the IGF1-Akt-mTOR-FoxO pathway. <i>Biogerontology</i> , 2013, 14, 303-323.  | 2.0 | 274       |
| 38 | Myosin Isoforms and Contractile Properties of Single Fibers of Human Latissimus Dorsi Muscle. <i>Biomed Research International</i> , 2013, 2013, 1-7.   | 0.9 | 15        |
| 39 | Mitochondrial Ca <sup>2+</sup> -Handling in Fast Skeletal Muscle Fibers from Wild Type and Calsequestrin-Null Mice. <i>PLoS ONE</i> , 2013, 8, e74919.  | 1.1 | 25        |
| 40 | S1P <sub>2</sub> receptor promotes mouse skeletal muscle regeneration. <i>Journal of Applied Physiology</i> , 2012, 113, 707-713.   | 1.2 | 23        |
| 41 | Rapid Changes in Mitochondrial Ca <sup>2+</sup> -Concentration in Fast Skeletal Muscle Fibers from Wild Type and Calsequestrin Null Mice. <i>Biophysical Journal</i> , 2012, 102, 312a.             | 0.2 | 0         |
| 42 | Nutrition and Acne: Therapeutic Potential of Ketogenic Diets. <i>Skin Pharmacology and Physiology</i> , 2012, 25, 111-117.  | 1.1 | 87        |
| 43 | Inflammation in muscular dystrophy and the beneficial effects of non-steroidal anti-inflammatory drugs. <i>Muscle and Nerve</i> , 2012, 46, 773-784.  | 1.0 | 39        |
| 44 | The SR Calcium Content of Fast Muscle Fibres Lacking Calsequestrin is Reduced and not Sufficient for Sustained Contractions. <i>Biophysical Journal</i> , 2011, 100, 594a.                          | 0.2 | 0         |
| 45 | Improved V̇O <sub>2</sub> uptake kinetics and shift in muscle fiber type in high-altitude trekkers. <i>Journal of Applied Physiology</i> , 2011, 111, 1597-1605.                                    | 1.2 | 40        |
| 46 | Eccentric contractions lead to myofibrillar dysfunction in muscular dystrophy. <i>Journal of Applied Physiology</i> , 2010, 108, 105-111.   | 1.2 | 42        |
| 47 | Effects of Chronic Atrial Fibrillation on Active and Passive Force Generation in Human Atrial Myofibrils. <i>Circulation Research</i> , 2010, 107, 144-152.   | 2.0 | 44        |
| 48 | Inducible Activation of Akt Increases Skeletal Muscle Mass and Force Without Satellite Cell Activation. <i>Biophysical Journal</i> , 2010, 98, 153a.  | 0.2 | 2         |
| 49 | Oxidative stress by monoamine oxidases is causally involved in myofiber damage in muscular dystrophy. <i>Human Molecular Genetics</i> , 2010, 19, 4207-4215.  | 1.4 | 108       |
| 50 | Latissimus Dorsi Fine Needle Muscle Biopsy: A Novel and Efficient Approach to Study Proximal Muscles of Upper Limbs. <i>Journal of Surgical Research</i> , 2010, 164, e257-e263.                    | 0.8 | 16        |
| 51 | Effects of local vibrations on skeletal muscle trophism in elderly people: mechanical, cellular, and molecular events. <i>International Journal of Molecular Medicine</i> , 2009, 24, 503-12.       | 1.8 | 66        |
| 52 | Transcription Profile Analysis of <i>Vastus Lateralis</i> Muscle from Patients with Chronic Fatigue Syndrome. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 795-807. | 1.0 | 19        |
| 53 | Inducible activation of Akt increases skeletal muscle mass and force without satellite cell activation. <i>FASEB Journal</i> , 2009, 23, 3896-3905.   | 0.2 | 196       |
| 54 | Phenotypic expression of 2b myosin heavy chain isoform: a comparative study among species and different muscles. <i>Veterinary Research Communications</i> , 2009, 33, 105-107.                     | 0.6 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Functional Characterization of Muscle Fibres from Patients with Chronic Fatigue Syndrome: Case-Control Study. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 427-436.       | 1.0 | 13        |
| 56 | Myostatin shows a specific expression pattern in pig skeletal and extraocular muscles during pre- and post-natal growth. <i>Differentiation</i> , 2008, 76, 168-181.                                      | 1.0 | 38        |
| 57 | Masticatory myosin unveiled: first determination of contractile parameters of muscle fibers from carnivore jaw muscles. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C1535-C1542. | 2.1 | 39        |
| 58 | Akt activation prevents the force drop induced by eccentric contractions in dystrophin-deficient skeletal muscle. <i>Human Molecular Genetics</i> , 2008, 17, 3686-3696.                                  | 1.4 | 75        |
| 59 | Myosin heavy chain isoforms in human laryngeal muscles: an expression study based on gel electrophoresis. <i>International Journal of Molecular Medicine</i> , 2008, 22, 375-9.                           | 1.8 | 7         |
| 60 | Fiber types in canine muscles: myosin isoform expression and functional characterization. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 292, C1915-C1926.                               | 2.1 | 73        |
| 61 | The sarcomeric myosin heavy chain gene family in the dog: Analysis of isoform diversity and comparison with other mammalian species. <i>Genomics</i> , 2007, 89, 224-236.                                 | 1.3 | 14        |
| 62 | Denervation in murine fast-twitch muscle: short-term physiological changes and temporal expression profiling. <i>Physiological Genomics</i> , 2006, 25, 60-74.  | 1.0 | 70        |
| 63 | Nerve influence on myosin light chain phosphorylation in slow and fast skeletal muscles. <i>FEBS Journal</i> , 2005, 272, 5771-5785.  | 2.2 | 38        |
| 64 | Expression of eight distinct MHC isoforms in bovine striated muscles:evidence for MHC-2B presence only in extraocular muscles. <i>Journal of Experimental Biology</i> , 2005, 208, 4243-4253.             | 0.8 | 71        |
| 65 | Fast fibres in a large animal: fibre types, contractile properties and myosin expression in pig skeletal muscles. <i>Journal of Experimental Biology</i> , 2004, 207, 1875-1886.                          | 0.8 | 81        |
| 66 | New immortalized human stromal cell lines enhancing in vitro expansion of cord blood hematopoietic stem cells. <i>International Journal of Molecular Medicine</i> , 2004, 13, 363.                        | 1.8 | 10        |
| 67 | 2B Myosin Heavy Chain Isoform Expression in Bovine Skeletal Muscle. <i>Veterinary Research Communications</i> , 2004, 28, 201-204.  | 0.6 | 2         |
| 68 | Increased phosphorylation of myosin light chain associated with slow-to-fast transition in rat soleus. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 285, C575-C583.                    | 2.1 | 43        |
| 69 | Myosin heavy chain isoforms in human laryngeal muscles: An expression study based on gel electrophoresis. <i>International Journal of Molecular Medicine</i> , 1998, 22, 375.                             | 1.8 | 2         |