

Valeria Cannillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1034509/publications.pdf>

Version: 2024-02-01

176
papers

5,611
citations

66234

42
h-index

118652

62
g-index

178
all docs

178
docs citations

178
times ranked

4678
citing authors

#	ARTICLE	IF	CITATIONS
1	Spark plasma sintering, mechanical and in-vitro behavior of a novel Sr- and Mg-containing bioactive glass for biomedical applications. <i>Journal of the European Ceramic Society</i> , 2022, 42, 1776-1783.	2.8	4
2	Bioactive Glasses in Periodontal Regeneration: Existing Strategies and Future Prospects—A Literature Review. <i>Materials</i> , 2022, 15, 2194.	1.3	9
3	Comparative Study on Bioactive Filler/Biopolymer Scaffolds for Potential Application in Supporting Bone Tissue Regeneration. <i>ACS Applied Polymer Materials</i> , 2022, 4, 4306-4318.	2.0	7
4	Deposition of bioactive glass coatings based on a novel composition containing strontium and magnesium. <i>Journal of the European Ceramic Society</i> , 2022, 42, 6213-6221.	2.8	8
5	Fabrication and Characterization of Quinary High Entropy-Ultra-High Temperature Diborides. <i>Ceramics</i> , 2021, 4, 108-120.	1.0	11
6	Composite Scaffolds for Bone Tissue Regeneration Based on PCL and Mg-Containing Bioactive Glasses. <i>Biology</i> , 2021, 10, 398.	1.3	30
7	Editorial: Covid-19: Materials Science and Engineering Challenges. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	1
8	Toward the understanding of crystallization, mechanical properties and reactivity of multicomponent bioactive glasses. <i>Acta Materialia</i> , 2021, 213, 116977.	3.8	14
9	Editorial: Bioceramics and/or Bioactive Glass-Based Composites. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	1
10	Bioactive Glass Applications: A Literature Review of Human Clinical Trials. <i>Materials</i> , 2021, 14, 5440.	1.3	90
11	Comparison of Three Manufacturing Techniques for Sustainable Porous Clay Ceramics. <i>Materials</i> , 2021, 14, 167.	1.3	3
12	Effects of a Novel Bioactive Glass Composition on Biological Properties of Human Dental Pulp Stem Cells. <i>Materials</i> , 2020, 13, 4049.	1.3	8
13	Incorporation of Bioactive Glasses Containing Mg, Sr, and Zn in Electrospun PCL Fibers by Using Benign Solvents. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5530.	1.3	20
14	A Comprehensive Review of Bioactive Glass Coatings: State of the Art, Challenges and Future Perspectives. <i>Coatings</i> , 2020, 10, 757.	1.2	62
15	A New Generation of Electrospun Fibers Containing Bioactive Glass Particles for Wound Healing. <i>Materials</i> , 2020, 13, 5651.	1.3	18
16	A Review of Bioactive Glass/Natural Polymer Composites: State of the Art. <i>Materials</i> , 2020, 13, 5560.	1.3	86
17	A Novel Bioactive Glass Containing Therapeutic Ions with Enhanced Biocompatibility. <i>Materials</i> , 2020, 13, 4600.	1.3	13
18	Impact of Surface Functionalization by Nanostructured Silver Thin Films on Thermoplastic Central Venous Catheters: Mechanical, Microscopical and Thermal Analyses. <i>Coatings</i> , 2020, 10, 1034.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Hydroxyapatite/bioactive glass functionally graded materials (FGM) for bone tissue engineering. <i>Journal of the European Ceramic Society</i> , 2020, 40, 4623-4634.	2.8	19
20	Chitosan-Based Bioactive Glass Gauze: Microstructural Properties, In Vitro Bioactivity, and Biological Tests. <i>Materials</i> , 2020, 13, 2819.	1.3	20
21	In vitro studies of solution precursor plasma-sprayed copper-doped hydroxyapatite coatings with increasing copper content. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2020, 108, 2579-2589.	1.6	13
22	A new bioactive glass with extremely high crystallization temperature and outstanding biological performance. <i>Materials Science and Engineering C</i> , 2020, 110, 110699.	3.8	22
23	On the in Vitro Biocompatibility Testing of Bioactive Glasses. <i>Materials</i> , 2020, 13, 1816.	1.3	14
24	Bioactive glasses and glass-ceramics versus hydroxyapatite: Comparison of angiogenic potential and biological responsiveness. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 2601-2609.	2.1	13
25	A New Bioactive Glass/Collagen Hybrid Composite for Applications in Dentistry. <i>Materials</i> , 2019, 12, 2079.	1.3	26
26	Human Mesenchymal Stem Cell Combined with a New Strontium-Enriched Bioactive Glass: An ex-vivo Model for Bone Regeneration. <i>Materials</i> , 2019, 12, 3633.	1.3	25
27	Zinc containing bioactive glasses with ultra-high crystallization temperature, good biological performance and antibacterial effects. <i>Materials Science and Engineering C</i> , 2019, 104, 109910.	3.8	38
28	Design of a novel procedure for the optimization of the mechanical performances of 3D printed scaffolds for bone tissue engineering combining CAD, Taguchi method and FEA. <i>Medical Engineering and Physics</i> , 2019, 69, 92-99.	0.8	14
29	Advanced Open-Celled Structures from Low-Temperature Sintering of a Crystallization-Resistant Bioactive Glass. <i>Materials</i> , 2019, 12, 3653.	1.3	10
30	SBF assays, direct and indirect cell culture tests to evaluate the biological performance of bioglasses and bioglass-based composites: Three paradigmatic cases. <i>Materials Science and Engineering C</i> , 2019, 96, 757-764.	3.8	44
31	Spark plasma sintered CaO-rich bioglass-derived glass-ceramics with different crystallinity ratios: A detailed investigation of their behaviour during biological tests in SBF. <i>Journal of the European Ceramic Society</i> , 2019, 39, 1603-1612.	2.8	3
32	Bioglass and bioceramic composites processed by Spark Plasma Sintering (SPS): biological evaluation Versus SBF test. <i>Biomedical Glasses</i> , 2018, 4, 21-31.	2.4	15
33	A novel bioactive glass containing strontium and magnesium with ultra-high crystallization temperature. <i>Materials Letters</i> , 2018, 213, 67-70.	1.3	43
34	Bone Regeneration by Novel Bioactive Glasses Containing Strontium and/or Magnesium: A Preliminary In-Vivo Study. <i>Materials</i> , 2018, 11, 2223.	1.3	25
35	Direct ink writing of silica-carbon-calcite composite scaffolds from a silicone resin and fillers. <i>Journal of the European Ceramic Society</i> , 2018, 38, 5200-5207.	2.8	17
36	Bioactive Zn-doped hydroxyapatite coatings and their antibacterial efficacy against <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> . <i>Surface and Coatings Technology</i> , 2018, 352, 84-91.	2.2	60

#	ARTICLE	IF	CITATIONS
37	Direct ink writing of silica-bonded calcite scaffolds from preceramic polymers and fillers. <i>Biofabrication</i> , 2017, 9, 025012.	3.7	32
38	A comparative in vivo evaluation of bioactive glasses and bioactive glass-based composites for bone tissue repair. <i>Materials Science and Engineering C</i> , 2017, 79, 286-295.	3.8	39
39	Role of magnesium oxide and strontium oxide as modifiers in silicate-based bioactive glasses: Effects on thermal behaviour, mechanical properties and in-vitro bioactivity. <i>Materials Science and Engineering C</i> , 2017, 72, 566-575.	3.8	74
40	Pulsed Electron Deposition of nanostructured bioactive glass coatings for biomedical applications. <i>Ceramics International</i> , 2017, 43, 15862-15867.	2.3	26
41	Innovative hydroxyapatite/bioactive glass composites processed by spark plasma sintering for bone tissue repair. <i>Journal of the European Ceramic Society</i> , 2017, 37, 1723-1733.	2.8	27
42	Bioglass and bioceramic composites processed by Spark Plasma Sintering (SPS): biological evaluation Versus SBF test. <i>Biomedical Glasses</i> , 2017, 3, .	2.4	0
43	Hydroxyapatite and tricalcium phosphate composites with bioactive glass as second phase: State of the art and current applications. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 1030-1056.	2.1	107
44	Functionally graded materials for orthopedic applications – an update on design and manufacturing. <i>Biotechnology Advances</i> , 2016, 34, 504-531.	6.0	223
45	Composite scaffolds for controlled drug release: Role of the polyurethane nanoparticles on the physical properties and cell behaviour. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015, 44, 53-60.	1.5	42
46	Properties of Al ₂ O ₃ coatings by High Velocity Suspension Flame Spraying (HVSFS): Effects of injection systems and torch design. <i>Surface and Coatings Technology</i> , 2015, 270, 175-189.	2.2	26
47	Bioactive glass/hydroxyapatite composites: Mechanical properties and biological evaluation. <i>Materials Science and Engineering C</i> , 2015, 51, 196-205.	3.8	83
48	Comparison between Suspension Plasma Sprayed and High Velocity Suspension Flame Sprayed bioactive coatings. <i>Surface and Coatings Technology</i> , 2015, 280, 232-249.	2.2	51
49	Classical Bioglass® and innovative CaO-rich bioglass powders processed by Spark Plasma Sintering: A comparative study. <i>Journal of the European Ceramic Society</i> , 2015, 35, 4277-4285.	2.8	29
50	Consolidation of different hydroxyapatite powders by SPS: Optimization of the sintering conditions and characterization of the obtained bulk products. <i>Ceramics International</i> , 2015, 41, 725-736.	2.3	31
51	Novel processing of bioglass ceramics from silicone resins containing micro- and nano-sized oxide particle fillers. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 2502-2510.	2.1	15
52	Microstructural design of functionally graded coatings composed of suspension plasma sprayed hydroxyapatite and bioactive glass. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014, 102, 551-560.	1.6	32
53	Hydroxyapatite-tricalcium phosphate-bioactive glass ternary composites. <i>Ceramics International</i> , 2014, 40, 3805-3808.	2.3	9
54	Preliminary studies on the valorization of animal flour ash for the obtainment of active glasses. <i>Ceramics International</i> , 2014, 40, 5619-5628.	2.3	10

#	ARTICLE	IF	CITATIONS
55	Functional bioactive glass topcoats on hydroxyapatite coatings: Analysis of microstructure and in-vitro bioactivity. <i>Surface and Coatings Technology</i> , 2014, 240, 110-117.	2.2	27
56	Suspension thermal spraying of hydroxyapatite: Microstructure and in vitro behaviour. <i>Materials Science and Engineering C</i> , 2014, 34, 287-303.	3.8	55
57	Sol-gel derived bioactive glasses with low tendency to crystallize: Synthesis, post-sintering bioactivity and possible application for the production of porous scaffolds. <i>Materials Science and Engineering C</i> , 2014, 43, 573-586.	3.8	58
58	Enamelled coatings produced with low-alkaline bioactive glasses. <i>Surface and Coatings Technology</i> , 2014, 248, 1-8.	2.2	19
59	Bioactive glass/ZrO ₂ composites for orthopaedic applications. <i>Biomedical Materials (Bristol)</i> , 2014, 9, 015005.	1.7	12
60	Mg- and/or Sr-doped tricalcium phosphate/bioactive glass composites: Synthesis, microstructure and biological responsiveness. <i>Materials Science and Engineering C</i> , 2014, 42, 312-324.	3.8	43
61	Bioactive glass-based composites for the production of dense sintered bodies and porous scaffolds. <i>Materials Science and Engineering C</i> , 2013, 33, 2138-2151.	3.8	28
62	Suspension plasma sprayed bioactive glass coatings: Effects of processing on microstructure, mechanical properties and in-vitro behaviour. <i>Surface and Coatings Technology</i> , 2013, 220, 52-59.	2.2	51
63	Suspension plasma spraying of optimised functionally graded coatings of bioactive glass/hydroxyapatite. <i>Surface and Coatings Technology</i> , 2013, 236, 118-126.	2.2	42
64	A new hydroxyapatite-based biocomposite for bone replacement. <i>Materials Science and Engineering C</i> , 2013, 33, 1091-1101.	3.8	66
65	Synthesis and Thermal Stability of Hydroxyapatite-Coated Zirconia Nanocomposite Powders. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2012, 42, 128-134.	0.6	0
66	Deposition mechanisms in high velocity suspension spraying: Case study for two bioactive materials. <i>Surface and Coatings Technology</i> , 2012, 210, 28-45.	2.2	20
67	Biomimetic coating on bioactive glass-derived scaffolds mimicking bone tissue. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 3259-3266.	2.1	44
68	Processing and characterization of innovative scaffolds for bone tissue engineering. <i>Journal of Materials Science: Materials in Medicine</i> , 2012, 23, 1397-1409.	1.7	36
69	High-Velocity Suspension Flame Sprayed (HVSFS) Hydroxyapatite Coatings for Biomedical Applications. <i>Journal of Thermal Spray Technology</i> , 2012, 21, 275-287.	1.6	45
70	Low Temperature Sintering of Innovative Bioactive Glasses. <i>Journal of the American Ceramic Society</i> , 2012, 95, 1313-1319.	1.9	55
71	A New Highly Bioactive Composite for Bone Tissue Repair. <i>International Journal of Applied Ceramic Technology</i> , 2012, 9, 455-467.	1.1	12
72	Functionally graded WC-Co/NiAl HVOF coatings for damage tolerance, wear and corrosion protection. <i>Surface and Coatings Technology</i> , 2012, 206, 2585-2601.	2.2	61

#	ARTICLE	IF	CITATIONS
73	High velocity suspension flame sprayed (HVSFS) potassium-based bioactive glass coatings with and without TiO ₂ bond coat. Surface and Coatings Technology, 2012, 206, 3857-3868.	2.2	26
74	Cermet coatings with Fe-based matrix as alternative to WC-CoCr: Mechanical and tribological behaviours. Surface and Coatings Technology, 2012, 206, 4079-4094.	2.2	41
75	Heat treatment of Na ₂ O-CaO-P ₂ O ₅ -SiO ₂ bioactive glasses: Densification processes and postsintering bioactivity. Journal of Biomedical Materials Research - Part A, 2012, 100A, 305-322.	2.1	38
76	Elaboration and mechanical characterization of multi-phase alumina-based ultra-fine composites. Journal of Materials Science, 2012, 47, 1077-1084.	1.7	17
77	A New Highly Bioactive Composite for Scaffold Applications: A Feasibility Study. Materials, 2011, 4, 339-354.	1.3	33
78	In situ Raman spectroscopy investigation of bioactive glass reactivity: Simulated body fluid solution vs TRIS-buffered solution. Materials Characterization, 2011, 62, 1021-1028.	1.9	83
79	Calcium and potassium addition to facilitate the sintering of bioactive glasses. Materials Letters, 2011, 65, 1825-1827.	1.3	43
80	Coefficient of thermal expansion of bioactive glasses: Available literature data and analytical equation estimates. Ceramics International, 2011, 37, 2963-2972.	2.3	46
81	Microstructure and in vitro behaviour of 45S5 bioglass coatings deposited by high velocity suspension flame spraying (HVSFS). Journal of Materials Science: Materials in Medicine, 2011, 22, 1303-1319.	1.7	51
82	Macroporous Bioglass®-derived scaffolds for bone tissue regeneration. Ceramics International, 2011, 37, 1575-1585.	2.3	77
83	A new potassium-based bioactive glass: Sintering behaviour and possible applications for bioceramic scaffolds. Ceramics International, 2011, 37, 145-157.	2.3	36
84	Bioactive glass coatings: A review. Surface Engineering, 2011, 27, 560-572.	1.1	116
85	Bioactivity of thermal plasma synthesized bovine hydroxyapatite/glass ceramic composites. Journal of Physics: Conference Series, 2010, 208, 012099.	0.3	4
86	Characterization and in vitro-bioactivity of natural hydroxyapatite based bio-glass® ceramics synthesized by thermal plasma processing. Ceramics International, 2010, 36, 1757-1766.	2.3	20
87	Potassium based bioactive glass for bone tissue engineering. Ceramics International, 2010, 36, 2449-2453.	2.3	49
88	Highly porous polycaprolactone-45S5 Bioglass® scaffolds for bone tissue engineering. Composites Science and Technology, 2010, 70, 1869-1878.	3.8	90
89	Surface modification of Al-Al ₂ O ₃ composites by laser treatment. Optics and Lasers in Engineering, 2010, 48, 1266-1277.	2.0	9
90	Shell Scaffolds: A new approach towards high strength bioceramic scaffolds for bone regeneration. Materials Letters, 2010, 64, 203-206.	1.3	35

#	ARTICLE	IF	CITATIONS
91	Steel particlesâ€“porcelain stoneware composite tiles: An advanced experimentalâ€“computational approach. <i>Journal of the European Ceramic Society</i> , 2010, 30, 1775-1783.	2.8	1
92	Different approaches to produce coatings with bioactive glasses: Enamelling vs plasma spraying. <i>Journal of the European Ceramic Society</i> , 2010, 30, 2031-2039.	2.8	50
93	Effect of the suspension composition on the microstructural properties of high velocity suspension flame sprayed (HVSFS) Al ₂ O ₃ coatings. <i>Surface and Coatings Technology</i> , 2010, 204, 1163-1179.	2.2	36
94	Wear behaviour of high velocity suspension flame sprayed (HVSFS) Al ₂ O ₃ coatings produced using micron- and nano-sized powder suspensions. <i>Surface and Coatings Technology</i> , 2010, 204, 2657-2668.	2.2	29
95	Microstructure and in-vitro behaviour of a novel High Velocity Suspension Flame Sprayed (HVSFS) bioactive glass coating. <i>Surface and Coatings Technology</i> , 2010, 205, 1145-1149.	2.2	15
96	Structural characterisation of High Velocity Suspension Flame Sprayed (HVSFS) TiO ₂ coatings. <i>Surface and Coatings Technology</i> , 2010, 204, 3902-3910.	2.2	24
97	Damage tolerant functionally graded WCâ€“Co/Stainless Steel HVOF coatings. <i>Surface and Coatings Technology</i> , 2010, 205, 2197-2208.	2.2	44
98	Monte Carlo simulation of microstructure evolution in biphasic-systems. <i>Ceramics International</i> , 2010, 36, 1983-1988.	2.3	5
99	Production of Bioglass® 45S5 â€“ Polycaprolactone composite scaffolds via salt-leaching. <i>Composite Structures</i> , 2010, 92, 1823-1832.	3.1	100
100	A New Generation of Scaffolds for Bone Tissue Engineering. <i>Advances in Science and Technology</i> , 2010, 76, 48-53.	0.2	3
101	An overview of the effects of thermal processing on bioactive glasses. <i>Science of Sintering</i> , 2010, 42, 307-320.	0.5	86
102	Potassium-based composition for a bioactive glass. <i>Ceramics International</i> , 2009, 35, 3389-3393.	2.3	54
103	Role of process type and process conditions on phase content and physical properties of thermal sprayed TiO ₂ coatings. <i>Journal of Materials Science</i> , 2009, 44, 2276-2287.	1.7	27
104	Microstructural and Tribological Investigation of High-Velocity Suspension Flame Sprayed (HVSFS) Al ₂ O ₃ Coatings. <i>Journal of Thermal Spray Technology</i> , 2009, 18, 35-49.	1.6	66
105	Design of Experiments (DOE) for the Optimization of Titaniaâ€“hydroxyapatite Functionally Graded Coatings. <i>International Journal of Applied Ceramic Technology</i> , 2009, 6, 537-550.	1.1	13
106	Advances in High Velocity Suspension Flame Spraying (HVSFS). <i>Surface and Coatings Technology</i> , 2009, 203, 2131-2138.	2.2	34
107	Properties of High Velocity Suspension Flame Sprayed (HVSFS) TiO ₂ coatings. <i>Surface and Coatings Technology</i> , 2009, 203, 1722-1732.	2.2	62
108	Thermal and physical characterisation of apatite/wollastonite bioactive glassâ€“ceramics. <i>Journal of the European Ceramic Society</i> , 2009, 29, 611-619.	2.8	35

#	ARTICLE	IF	CITATIONS
109	In vitro characterisation of plasma-sprayed apatite/wollastonite glass-ceramic biocoatings on titanium alloys. Journal of the European Ceramic Society, 2009, 29, 1665-1677.	2.8	38
110	Microstructural and mechanical changes by chemical ageing of glazed ceramic surfaces. Journal of the European Ceramic Society, 2009, 29, 1561-1569.	2.8	12
111	Microstructural and in vitro characterisation of high-velocity suspension flame sprayed (HVSFS) bioactive glass coatings. Journal of the European Ceramic Society, 2009, 29, 2249-2257.	2.8	41
112	Post-deposition laser treatment of plasma sprayed titania-hydroxyapatite functionally graded coatings. Journal of the European Ceramic Society, 2009, 29, 3147-3158.	2.8	20
113	Effect of porosity on the elastic properties of porcelainized stoneware tiles by a multi-layered model. Ceramics International, 2009, 35, 205-211.	2.3	13
114	Chemical durability and microstructural analysis of glasses soaked in water and in biological fluids. Ceramics International, 2009, 35, 2853-2869.	2.3	20
115	Short range investigation of sub-micron zirconia particles. Journal of Physics: Conference Series, 2009, 167, 012041.	0.3	1
116	Alumina-YAG composites: preparation, experimental characterisation and numerical modelling. International Journal of Materials and Product Technology, 2009, 35, 392.	0.1	1
117	Production and characterization of plasma-sprayed TiO ₂ -hydroxyapatite functionally graded coatings. Journal of the European Ceramic Society, 2008, 28, 2161-2169.	2.8	55
118	Cobalt doped glass for the fabrication of percolated glass-alumina functionally graded materials. Ceramics International, 2008, 34, 447-453.	2.3	4
119	Effects of different production techniques on glass-alumina functionally graded materials. Ceramics International, 2008, 34, 1719-1727.	2.3	6
120	An FIB study of sharp indentation testing on plasma-sprayed TiO ₂ . Materials Letters, 2008, 62, 1557-1560.	1.3	15
121	Investigation of High-Velocity Suspension Flame Sprayed (HVSFS) glass coatings. Materials Letters, 2008, 62, 2772-2775.	1.3	27
122	Local and medium range structure of erbium containing glasses: A molecular dynamics study. Journal of Non-Crystalline Solids, 2008, 354, 173-180.	1.5	5
123	In vitro behaviour of titania-hydroxyapatite functionally graded coatings. Advances in Applied Ceramics, 2008, 107, 259-267.	0.6	8
124	Electrochemical comparison between corrosion resistance of some thermally sprayed coatings. International Journal of Surface Science and Engineering, 2008, 2, 222.	0.4	4
125	Surface acoustic wave depth profiling of a functionally graded material. Journal of Applied Physics, 2007, 102, 053508.	1.1	21
126	Glass-Alumina Functionally Graded Materials Produced by Plasma Spraying. Key Engineering Materials, 2007, 333, 227-230.	0.4	1

#	ARTICLE	IF	CITATIONS
127	Technological properties of celsian reinforced glass matrix composites. <i>Ceramics International</i> , 2007, 33, 1597-1601.	2.3	4
128	Glass-ceramic functionally graded materials produced with different methods. <i>Journal of the European Ceramic Society</i> , 2007, 27, 1293-1298.	2.8	17
129	Characterization of glass-alumina functionally graded coatings obtained by plasma spraying. <i>Journal of the European Ceramic Society</i> , 2007, 27, 1935-1943.	2.8	25
130	Prediction of the elastic properties profile in glass-alumina functionally graded materials. <i>Journal of the European Ceramic Society</i> , 2007, 27, 2393-2400.	2.8	22
131	Microstructural and tribological comparison of HVOF-sprayed and post-treated $M\text{-}Mo\text{-}Cr\text{-}Si$ ($M=Co$) Tj ETQ ₀₁ 1 0.784314 rgB	1.5	55
132	Design and optimisation of glass-celsian composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2006, 37, 23-30.	3.8	12
133	Modeling of ceramic particles filled polymer matrix nanocomposites. <i>Composites Science and Technology</i> , 2006, 66, 1030-1037.	3.8	83
134	Poly(μ -caprolactone)-based nanocomposites: Influence of compatibilization on properties of poly(μ -caprolactone)-silica nanocomposites. <i>Composites Science and Technology</i> , 2006, 66, 886-894.	3.8	70
135	Preparation and experimental characterization of glass-alumina functionally graded materials. <i>Journal of the European Ceramic Society</i> , 2006, 26, 993-1001.	2.8	23
136	Microstructure-based modelling and experimental investigation of crack propagation in glass-alumina functionally graded materials. <i>Journal of the European Ceramic Society</i> , 2006, 26, 3067-3073.	2.8	31
137	Mechanical and tribological properties of electrolytic hard chrome and HVOF-sprayed coatings. <i>Surface and Coatings Technology</i> , 2006, 200, 2995-3009.	2.2	120
138	Glass-alumina composite coatings by plasma spraying. Part II: Microstructure-based modeling of mechanical properties. <i>Surface and Coatings Technology</i> , 2006, 201, 474-486.	2.2	6
139	Glass-alumina composite coatings by plasma spraying. Part I: Microstructural and mechanical characterization. <i>Surface and Coatings Technology</i> , 2006, 201, 458-473.	2.2	29
140	Wear behaviour of thermally sprayed ceramic oxide coatings. <i>Wear</i> , 2006, 261, 1298-1315.	1.5	212
141	Influence of Al ₂ O ₃ addition on thermal and structural properties of erbium doped glasses. <i>Journal of Materials Science</i> , 2006, 41, 2811-2819.	1.7	19
142	Microscale computational simulation and experimental measurement of thermal residual stresses in glass-alumina functionally graded materials. <i>Journal of the European Ceramic Society</i> , 2006, 26, 1411-1419.	2.8	39
143	Glass-alumina functionally graded materials: their preparation and compositional profile evaluation. <i>Journal of the European Ceramic Society</i> , 2006, 26, 2685-2693.	2.8	20
144	Plasma-sprayed graded ceramic coatings on refractory materials for improved chemical resistance. <i>Journal of the European Ceramic Society</i> , 2006, 26, 2561-2579.	2.8	22

#	ARTICLE	IF	CITATIONS
145	Synthesis and Nanocomposite Sintering of Hydroxyapatite-Coated Zirconia Nanopowders. <i>Advances in Science and Technology</i> , 2006, 49, 68-73.	0.2	0
146	Preparation and characterization of epoxy resins filled with submicron spherical zirconia particles. <i>Polimery</i> , 2006, 51, 794-798.	0.4	21
147	Processing glass-pyrochlore composites for nuclear waste encapsulation. <i>Journal of Nuclear Materials</i> , 2005, 341, 12-18.	1.3	42
148	Plasma-sprayed glass-ceramic coatings on ceramic tiles: microstructure, chemical resistance and mechanical properties. <i>Journal of the European Ceramic Society</i> , 2005, 25, 1835-1853.	2.8	47
149	Characterisation of glass matrix composites reinforced with lead zirconate titanate particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 399, 281-291.	2.6	4
150	Mechanical performance and fracture behaviour of glass matrix composites reinforced with molybdenum particles. <i>Composites Science and Technology</i> , 2005, 65, 1276-1283.	3.8	18
151	The Anorthite-Diopside System: Structural and Devitrification Study. Part I: Structural Characterization by Molecular Dynamic Simulations. <i>Journal of the American Ceramic Society</i> , 2005, 88, 714-718.	1.9	8
152	Epoxy-silica nanocomposites: Preparation, experimental characterization, and modeling. <i>Journal of Applied Polymer Science</i> , 2005, 97, 2382-2386.	1.3	86
153	A stochastic model of damage accumulation in complex microstructures. <i>Journal of Materials Science</i> , 2005, 40, 3993-4004.	1.7	6
154	Experimental Characterization and Computational Simulation of Glass-Alumina Functionally Graded Surfaces. <i>Materials Science Forum</i> , 2005, 492-493, 647-652.	0.3	1
155	Sintering of metal fibre reinforced glass matrix composites using microwave radiation. <i>Advances in Applied Ceramics</i> , 2005, 104, 49-54.	0.6	4
156	Structural characterization of neodymium containing glasses by molecular dynamics simulation. <i>Journal of Non-Crystalline Solids</i> , 2005, 351, 1185-1191.	1.5	27
157	Finite element modelling of brittle matrix composites. , 2005, , 356-373.		1
158	Porous Glasses with Controlled Porosity: Processing and Modelling of Mechanical Properties. <i>Key Engineering Materials</i> , 2004, 264-268, 2243-2246.	0.4	1
159	Use of numerical approaches to predict mechanical properties of brittle bodies containing controlled porosity. <i>Journal of Materials Science</i> , 2004, 39, 4335-4337.	1.7	14
160	Control of pore size by metallic fibres in glass matrix composite foams produced by microwave heating. <i>Journal of the European Ceramic Society</i> , 2004, 24, 3203-3208.	2.8	24
161	Processing of novel glass matrix composites by microwave heating. <i>Journal of Materials Processing Technology</i> , 2004, 155-156, 1749-1755.	3.1	30
162	Preparation, characterisation and computational study of poly(ϵ -caprolactone) based nanocomposites. <i>Materials Science and Technology</i> , 2004, 20, 1340-1344.	0.8	44

#	ARTICLE	IF	CITATIONS
163	Investigation of the mechanical properties of Mo-reinforced glass-matrix composites. Journal of Non-Crystalline Solids, 2004, 344, 88-93.	1.5	26
164	Title is missing!. Journal of Porous Materials, 2003, 10, 189-200.	1.3	16
165	Experimental and MD Simulations Study of CaO~ZrO2~SiO2Glasses. Journal of Physical Chemistry B, 2003, 107, 6519-6525.	1.2	13
166	Numerical modelling of the fracture behaviour of a glass matrix composite reinforced with alumina platelets. Composites Part A: Applied Science and Manufacturing, 2003, 34, 43-51.	3.8	31
167	Numerical Models of the Effect of Heterogeneity on the Behavior of Graded Materials. Key Engineering Materials, 2002, 206-213, 2163-2166.	0.4	7
168	Numerical models for thermal residual stresses in Al2O3 platelets/borosilicate glass matrix composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 323, 246-250.	2.6	39
169	Properties/Structure Relationships in Innovative PCL-SiO2 Nanocomposites. Macromolecular Symposia, 2001, 169, 201-210.	0.4	3
170	Enhancing the mechanical properties of porcelain stoneware tiles. Journal of the European Ceramic Society, 2001, 21, 785-793.	2.8	108
171	Title is missing!. Journal of Materials Science Letters, 2001, 20, 1889-1891.	0.5	17
172	SPURIOUS RESONANCES IN NUMERICAL TIME INTEGRATION METHODS FOR LINEAR DYNAMICS. Journal of Sound and Vibration, 2000, 238, 389-399.	2.1	5
173	Computation and simulation of reliability parameters and their variations in heterogeneous materials. Acta Materialia, 2000, 48, 3593-3605.	3.8	27
174	Understanding Crystallization, Mechanical Properties and Reactivity of Multicomponent Bioactive Glasses Through Molecular Dynamics Simulations. SSRN Electronic Journal, 0, , .	0.4	0
175	Hermetic Glass Bodies with Controlled Porosity: Processing and Properties. Ceramic Engineering and Science Proceedings, 0, , 191-202.	0.1	2
176	Effect Of A Heat Treatment On The Bioactivity Of Titania-Hydroxyapatite Functionally Graded Coatings. , 0, , 101-108.		0