

Jorge Guillen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1035104/jorge-guillen-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 papers	2,828 citations	32 h-index	51 g-index
95 ext. papers	3,079 ext. citations	3.3 avg, IF	4.8 L-index

#	Paper	IF	Citations
92	Effects of long-lasting massive dumping of dredged material on bottom sediment and water turbidity during port expansion works. <i>Ocean and Coastal Management</i> , 2022 , 223, 106113	3.9	0
91	The Use of News Information Published in Newspapers to Estimate the Impact of Coastal Storms at a Regional Scale. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 497	2.4	1
90	Small-scale bedforms and associated sediment transport in a macro-tidal lower shoreface. <i>Continental Shelf Research</i> , 2021 , 225, 104483	2.4	1
89	Dynamics of ripples superimposed on a sand ridge on a tideless shoreface. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 242, 106826	2.9	1
88	Bidirectional bedform fields at the head of a submarine canyon (NE Atlantic). <i>Earth and Planetary Science Letters</i> , 2020 , 542, 116321	5.3	8
87	Trace metal variability controlled by hydrodynamic processes in a polluted inner shelf environment (Besòs prodelta, NW Mediterranean). <i>Science of the Total Environment</i> , 2020 , 735, 139482	10.2	3
86	Camera Calibration for Coastal Monitoring Using Available Snapshot Images. <i>Remote Sensing</i> , 2020 , 12, 1840	5	2
85	Sediment characteristics and internal architecture of offshore sand ridges on a tideless continental shelf (western Mediterranean). <i>Earth Surface Processes and Landforms</i> , 2020 , 45, 3592-3606	3.7	0
84	Characterization of bottom sediment resuspension events observed in a micro-tidal bay. <i>Ocean Science</i> , 2019 , 15, 307-319	4	5
83	Large sediment waves over the Gulf of Roses upper continental slope (NW Mediterranean). <i>Marine Geology</i> , 2018 , 399, 84-96	3.3	9
82	Contemporary genesis of sand ridges in a tideless erosional shoreface. <i>Marine Geology</i> , 2018 , 395, 219-233	3.3	5
81	Coastal oceanographic signatures of heat waves and extreme events of dense water formation during the period 2002-2012 (Barcelona, NW Mediterranean). <i>Scientia Marina</i> , 2018 , 82, 189	1.8	6
80	Continental Shelf Landforms. <i>Springer Geology</i> , 2018 , 185-206	0.8	2
79	Formation, evolution and present-day activity of offshore sand ridges on a narrow, tideless continental shelf with limited sediment supply. <i>Marine Geology</i> , 2018 , 397, 93-107	3.3	14
78	Submarine canyon-head morphologies and inferred sediment transport processes in the Alàs-Almanzora canyon system (SW Mediterranean): On the role of the sediment supply. <i>Marine Geology</i> , 2017 , 393, 21-34	3.3	23
77	Sorted Bedforms Along the Egadi Islands Continental Shelf (Southern Tyrrhenian) 2017 , 121-126		
76	Decline of trace metal pollution in the bottom sediments of the Barcelona City continental shelf (NW Mediterranean). <i>Science of the Total Environment</i> , 2017 , 579, 755-767	10.2	20

75	Distribution and sources of organic matter in size-fractionated nearshore sediments off the Barcelona city (NW Mediterranean). <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 189, 267-280	2.9	5
74	ULISES: An Open Source Code for Extrinsic Calibrations and Planview Generations in Coastal Video Monitoring Systems. <i>Journal of Coastal Research</i> , 2017 , 335, 1217-1227	0.6	24
73	Seasonal sediment dynamics on the Barcelona inner shelf (NW Mediterranean): A small Mediterranean river- and wave-dominated system. <i>Continental Shelf Research</i> , 2017 , 145, 80-94	2.4	4
72	Large Sediment Waves Over the Gulf of Roses Continental Slope (NW Mediterranean) 2017 , 259-264		1
71	Sand Ridges on the Mid-Outer Valencia Continental Shelf 2017 , 173-177		
70	Large-Scale Fine-Grained Sediment Waves Over the Gulf of Valencia Continental Slope (NW Mediterranean) 2017 , 265-271		
69	Bio and Anthropogenic Disturbance of Mañl Communities Settled on Subaqueous Dunes on the Mar Menor Continental Shelf (Western Mediterranean) 2017 , 215-219		2
68	Benthic Communities on Shallow Sedimentary Bottoms in the Western Mediterranean 2017 , 199-206		1
67	Contemporary Subaqueous Dune Field Development Over an Abandoned River Mouth (Ebro Delta) 2017 , 89-93		1
66	Subaqueous Dunes Over Sand Ridges on the Murcia Outer Shelf 2017 , 187-192		2
65	Characterization of Benthic Communities in a Subaqueous Dune Field on the Continental Shelf (Mar Menor, Western Mediterranean) 2017 , 207-214		1
64	Sorted Bedforms Developed on Sandy Deposits Derived from Small Ephemeral Streams (Catalan Continental Shelf) 2017 , 127-133		1
63	Morphobathymetric analysis of the large fine-grained sediment waves over the Gulf of Valencia continental slope (NW Mediterranean). <i>Geomorphology</i> , 2016 , 253, 22-37	4.3	46
62	Morphological changes, beach inundation and overwash caused by an extreme storm on a low-lying embayed beach bounded by a dune system (NW Mediterranean). <i>Geomorphology</i> , 2016 , 274, 129-142	4.3	18
61	On the use of variance images for runup and shoreline detection. <i>Coastal Engineering</i> , 2015 , 99, 136-147	4.8	29
60	SAND RIDGES IN THE MID-OUTER SHELF AS POTENTIAL SAND BORROWS AREAS (NW MEDITERRANEAN) 2015 ,		3
59	SEDIMENT TRANSPORT AND DISPERSAL IN THE NEARSHORE OF FLASH-FLOOD RIVERS.. <i>Coastal Engineering Proceedings</i> , 2015 , 1, 51	1.4	
58	Sediment dynamics over sand ridges on a tideless mid-outer continental shelf. <i>Marine Geology</i> , 2015 , 361, 25-40	3.3	25

57	Massive accumulation of highly polluted sedimentary deposits by river damming. <i>Science of the Total Environment</i> , 2014 , 497-498, 369-381	10.2	35
56	Effects of bottom trawling on the Ebro continental shelf sedimentary system (NW Mediterranean). <i>Continental Shelf Research</i> , 2014 , 72, 83-98	2.4	54
55	Formation of fine sediment deposit from a flash flood river in the Mediterranean Sea. <i>Journal of Geophysical Research: Oceans</i> , 2014 , 119, 5837-5853	3.3	15
54	Storm-induced readjustment of an embayed beach after modification by protection works. <i>Geo-Marine Letters</i> , 2013 , 33, 159-172	1.9	21
53	Studies on dinoflagellate cyst assemblages in two estuarine Mediterranean bays: A useful tool for the discovery and mapping of harmful algal species. <i>Harmful Algae</i> , 2013 , 24, 65-79	5.3	47
52	Near-bottom sediment dynamics on highly-protected beaches 2012 ,		1
51	Storm-induced damages along the Catalan coast (NW Mediterranean) during the period 1958-2008. <i>Geomorphology</i> , 2012 , 143-144, 24-33	4.3	64
50	Mixing dynamics on the inner shelf of the Ebro Delta. <i>Scientia Marina</i> , 2012 , 76, 31-43	1.8	7
49	Effects of storm events on the shelf-to-basin sediment transport in the southwestern end of the Gulf of Lions (Northwestern Mediterranean). <i>Natural Hazards and Earth System Sciences</i> , 2011 , 11, 843-850	3.9	18
48	The Systems Approach Framework as a Complementary Methodology of Adaptive Management: a Case Study in the Urban Beaches of Barcelona. <i>Ecology and Society</i> , 2011 , 16,	4.1	10
47	Dynamics of single-barred embayed beaches. <i>Marine Geology</i> , 2011 , 280, 76-90	3.3	30
46	The new Seafloor Observatory (OBSEA) for remote and long-term coastal ecosystem monitoring. <i>Sensors</i> , 2011 , 11, 5850-72	3.8	60
45	Large-scale bedforms along a tideless outer shelf setting in the western Mediterranean. <i>Continental Shelf Research</i> , 2010 , 30, 1802-1813	2.4	28
44	Assessing the Suitability of Video Imaging for Studying the Dynamics of Nearshore Sandbars in Tideless Beaches. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2010 , 48, 2482-2497	8.1	25
43	Comment on Wave climate, sediment supply and the depth of the sandbar transition: A global survey by D.A. George and P.S. Hill [Marine Geology 254 (2008) 121-128]. <i>Marine Geology</i> , 2009 , 264, 258-261	3.3	2
42	Planview Geometry and morphological characteristics of pocket beaches on the Catalan coast (Spain). <i>Geomorphology</i> , 2009 , 108, 191-199	4.3	40
41	Environmental conditions for gravelly and pebbly dunes and sorted bedforms on a moderate-energy inner shelf (Marettimo Island, Italy, western Mediterranean). <i>Continental Shelf Research</i> , 2008 , 28, 245-256	2.4	17
40	Storm-driven shelf-to-canyon suspended sediment transport at the southwestern Gulf of Lions. <i>Continental Shelf Research</i> , 2008 , 28, 1947-1956	2.4	72

39	Alteration of bottom roughness by benthic organisms in a sandy coastal environment. <i>Continental Shelf Research</i> , 2008 , 28, 2382-2392	2.4	17
38	Long-Term Quantification of Beach Users Using Video Monitoring. <i>Journal of Coastal Research</i> , 2008 , 246, 1612-1619	0.6	37
37	Shoreline dynamics and beach rotation of artificial embayed beaches. <i>Marine Geology</i> , 2008 , 253, 51-62	3.3	99
36	Comment on the article Morphodynamic classification of sandy beaches in low energetic marine environment by Gñez-Pujol, L., Orfila, A., Cañellas, B., Alvarez-Ellacuria, A., Mñdez, F.J., Medina, R. and Tintorñ J. <i>Marine Geology</i> , 242, pp. 235-246, 2007. <i>Marine Geology</i> , 2008 , 255, 96-101	3.3	16
35	Morphodynamic response of a two-barred beach to a shoreface nourishment. <i>Coastal Engineering</i> , 2008 , 55, 1185-1196	4.8	40
34	Dynamics of suprabenthos off the Ebro Delta (Catalan Sea: western Mediterranean): Spatial and temporal patterns and relationships with environmental factors. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 75, 501-515	2.9	30
33	Sediment transport processes from the topset to the foreset of a crenulated clinoform (Adriatic Sea). <i>Continental Shelf Research</i> , 2007 , 27, 452-474	2.4	48
32	Suspended sediment fluxes and transport processes in the Gulf of Lions submarine canyons. The role of storms and dense water cascading. <i>Marine Geology</i> , 2006 , 234, 43-61	3.3	208
31	Evidence of sediment gravity flows induced by trawling in the Palamñ (Fonera) submarine canyon (northwestern Mediterranean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2006 , 53, 201-214	2.4	80
30	Sediment dynamics during wet and dry storm events on the Tñ inner shelf (SW Gulf of Lions). <i>Marine Geology</i> , 2006 , 234, 129-142	3.3	101
29	Fine-grained sediment dynamics during a strong storm event in the inner-shelf of the Gulf of Lion (NW Mediterranean). <i>Continental Shelf Research</i> , 2005 , 25, 2410-2427	2.4	68
28	General patterns of circulation, sediment fluxes and ecology of the Palamñ (La Fonera) submarine canyon, northwestern Mediterranean. <i>Progress in Oceanography</i> , 2005 , 66, 89-119	3.8	91
27	Bottom Sediment Variability in the Active Layer of the Inner Shelf off the Ebro Delta. <i>Journal of Coastal Research</i> , 2005 , 213, 482-496	0.6	2
26	Sedimentation of biogenic constituents during the last century in western Bransfield and Gerlache Straits, Antarctica: a relation to currents, primary production, and sea floor relief. <i>Marine Geology</i> , 2004 , 209, 265-277	3.3	32
25	Role of internal waves in the generation of nepheloid layers on the northwestern Alboran slope: Implications for continental margin shaping. <i>Journal of Geophysical Research</i> , 2004 , 109,		82
24	Influence of benthic boundary layer dynamics on wind-induced currents in the Ebro delta inner shelf. <i>Journal of Geophysical Research</i> , 2002 , 107, 7-1		3
23	Sediment accumulation rates and carbon fluxes to bottom sediments at the Western Bransfield Strait (Antarctica). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2002 , 49, 921-933	2.3	53
22	Sediment accumulation rates and carbon burial in the bottom sediment in a high-productivity area: Gerlache Strait (Antarctica). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2002 , 49, 3275-3287	2.3	23

21	Seasonal changes of water mass structure and shelf slope exchanges at the Ebro Shelf (NW Mediterranean). <i>Continental Shelf Research</i> , 2002 , 22, 327-348	2.4	105
20	Near-bottom suspended sediment fluxes on the microtidal low-energy Ebro continental shelf (NW Mediterranean). <i>Continental Shelf Research</i> , 2002 , 22, 285-303	2.4	66
19	Sediment resuspension across a microtidal, low-energy inner shelf. <i>Continental Shelf Research</i> , 2002 , 22, 305-325	2.4	38
18	Downward particle fluxes and sediment accumulation rates in the western Bransfield Strait: Implications of lateral transport for carbon cycle studies in Antarctic marginal seas. <i>Journal of Marine Research</i> , 2002 , 60, 347-365	1.5	16
17	Fluxes and composition of settling particles during summer in an Antarctic shallow bay of Livingston Island, South Shetlands. <i>Polar Biology</i> , 2001 , 24, 670-676	2	15
16	Near-bottom suspended sediment variability caused by storms and near-inertial internal waves on the Ebro mid continental shelf (NW Mediterranean). <i>Marine Geology</i> , 2001 , 178, 81-93	3.3	73
15	Impact of bottom trawling on water turbidity and muddy sediment of an unfished continental shelf. <i>Limnology and Oceanography</i> , 2001 , 46, 1100-1110	4.8	125
14	Deep slope currents and suspended particle fluxes in and around the Foix submarine canyon (NW Mediterranean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2000 , 47, 343-366	2.5	71
13	Field calibration of optical sensors for measuring suspended sediment concentration in the western Mediterranean. <i>Scientia Marina</i> , 2000 , 64, 427-435	1.8	62
12	Water and sediment fluxes on the Ebro Delta shoreface: on the role of low frequency currents. <i>Marine Geology</i> , 1999 , 157, 219-239	3.3	23
11	Shoreline evolution of the Holland coast on a decadal scale. <i>Earth Surface Processes and Landforms</i> , 1999 , 24, 517-536	3.7	49
10	Zinc contamination in the bottom and suspended sediments of the Guadalquivir estuary after the Aznalcollar spill (south-western Spain). Control of hydrodynamic processes. <i>Science of the Total Environment</i> , 1999 , 242, 211-220	10.2	23
9	Sediment Distribution in the Nearshore Zone: Grain Size Evolution in Response to Shoreface Nourishment (Island of Terschelling, The Netherlands). <i>Estuarine, Coastal and Shelf Science</i> , 1997 , 45, 639-652	2.9	27
8	A historical perspective of the morphological evolution in the lower Ebro river. <i>Environmental Geology</i> , 1997 , 30, 174-180		74
7	Morpho-structure and sedimentology of the Holocene Ebro prodelta mud belt (northwestern Mediterranean Sea). <i>Continental Shelf Research</i> , 1996 , 16, 435-456	2.4	46
6	Short- and medium-term grain size changes in deltaic beaches (Ebro Delta, NW Mediterranean). <i>Sedimentary Geology</i> , 1996 , 101, 55-67	2.8	22
5	The "Equilibrium" Distribution of grain size fractions and its implications for cross-shore sediment transport: a conceptual model. <i>Marine Geology</i> , 1996 , 135, 15-33	3.3	43
4	Longshore bar and trough systems in a microtidal, storm-wave dominated coast: The Ebro Delta (Northwestern Mediterranean). <i>Marine Geology</i> , 1993 , 115, 239-252	3.3	22

3	Sediment dynamics and hydrodynamics in the lower course of a river highly regulated by dams: the Ebro River. <i>Sedimentology</i> , 1992 , 39, 567-579	3.3	80
2	The morphodynamic responses of artificial embayed beaches to storm events. <i>Advances in Geosciences</i> ,26, 99-103		7
1	The role of bathymetry and directional wave conditions on observed crescentic bar dynamics. <i>Earth Surface Processes and Landforms</i> ,	3.7	1