

Qing Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1035561/publications.pdf>

Version: 2024-02-01

30
papers

966
citations

516710

16
h-index

477307

29
g-index

32
all docs

32
docs citations

32
times ranked

1302
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of the Music Empathizing inventory in China. <i>Psychology of Music</i> , 2022, 50, 1443-1459.	1.6	3
2	Editorial: Pain and Depression. <i>Frontiers in Psychology</i> , 2022, 13, 865071.	2.1	1
3	Culture, Sex, and Group-Bias in Trait and State Empathy. <i>Frontiers in Psychology</i> , 2021, 12, 561930.	2.1	18
4	A novel method to simultaneously record spinal cord electrophysiology and electroencephalography signals. <i>NeuroImage</i> , 2021, 232, 117892.	4.2	1
5	Post-traumatic stress symptoms in COVID-19 survivors: a self-report and brain imaging follow-up study. <i>Molecular Psychiatry</i> , 2021, 26, 7475-7480.	7.9	56
6	Impact of COVID-19 on psychological wellbeing. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100252.	5.1	11
7	Subcutaneous Peripheral Nerve Stimulation for Treatment of Acute/Subacute Herpes Zoster-related Trigeminal Neuralgia. <i>Clinical Journal of Pain</i> , 2021, 37, 867-871.	1.9	7
8	Dynamic functional network connectivity associated with post-traumatic stress symptoms in COVID-19 survivors. <i>Neurobiology of Stress</i> , 2021, 15, 100377.	4.0	18
9	A Hypothesis of Gender Differences in Self-Reporting Symptom of Depression: Implications to Solve Under-Diagnosis and Under-Treatment of Depression in Males. <i>Frontiers in Psychiatry</i> , 2021, 12, 589687.	2.6	60
10	Can self-report pain sensitivity quantify empathy for others' pain?. <i>Psychophysiology</i> , 2020, 57, e13637.	2.4	15
11	Impact Factors of Empathy in Mainland Chinese Youth. <i>Frontiers in Psychology</i> , 2020, 11, 688.	2.1	11
12	Culture and Sex Interaction and the Self-Report Empathy in Australians and Mainland Chinese. <i>Frontiers in Psychology</i> , 2019, 10, 396.	2.1	22
13	Suicide and other sudden death bereavement of immediate family members: An analysis of grief reactions six-months after death. <i>Journal of Affective Disorders</i> , 2019, 243, 96-102.	4.1	22
14	Validation of the Empathy Quotient in Mainland China. <i>Journal of Personality Assessment</i> , 2018, 100, 333-342.	2.1	30
15	Altered Resting-State Brain Activities in Drug-Naïve Major Depressive Disorder Assessed by fMRI: Associations With Somatic Symptoms Defined by Yin-Yang Theory of the Traditional Chinese Medicine. <i>Frontiers in Psychiatry</i> , 2018, 9, 195.	2.6	9
16	Preliminary study of visual perspective in mental time travel in schizophrenia. <i>Psychiatry Research</i> , 2017, 256, 225-227.	3.3	5
17	Prefrontal cortex connectivity dysfunction in performing the Fists "Edge" Palm task in patients with first-episode schizophrenia and non-psychotic first-degree relatives. <i>NeuroImage: Clinical</i> , 2015, 9, 411-417.	2.7	20
18	Distinguishing bipolar and major depressive disorders by brain structural morphometry: a pilot study. <i>BMC Psychiatry</i> , 2015, 15, 298.	2.6	68

#	ARTICLE	IF	CITATIONS
19	The neuroplastic effect of working memory training in healthy volunteers and patients with schizophrenia: Implications for cognitive rehabilitation. <i>Neuropsychologia</i> , 2015, 75, 149-162.	1.6	45
20	Neurological Soft Signs Are Not “Soft” in Brain Structure and Functional Networks: Evidence From ALE Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2014, 40, 626-641.	4.3	117
21	Individuals with psychometric schizotypy show similar social but not physical anhedonia to patients with schizophrenia. <i>Psychiatry Research</i> , 2014, 216, 161-167.	3.3	33
22	Neurological soft signs discriminate schizophrenia from major depression but not bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 43, 72-78.	4.8	63
23	Extending the utility of the Depression Anxiety Stress scale by examining its psychometric properties in Chinese settings. <i>Psychiatry Research</i> , 2012, 200, 879-883.	3.3	123
24	Neurological soft signs in obsessive-compulsive disorder: The effect of co-morbid psychosis and evidence for familiarity. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 200-205.	4.8	25
25	Relationship between prospective memory and vigilance: Evidence from ERP. <i>Science Bulletin</i> , 2012, 57, 4057-4063.	1.7	2
26	A Study of Trait Anhedonia in Non-Clinical Chinese Samples: Evidence from the Chapman Scales for Physical and Social Anhedonia. <i>PLoS ONE</i> , 2012, 7, e34275.	2.5	85
27	Neurological abnormalities and neurocognitive functions in healthy elder people: A structural equation modeling analysis. <i>Behavioral and Brain Functions</i> , 2011, 7, 32.	3.3	15
28	Neurological Soft Signs in Individuals with Schizotypal Personality Features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 800-804.	2.3	36
29	Coping flexibility in young adults: Comparison between subjects with and without schizotypal personality features. <i>Schizophrenia Research</i> , 2010, 122, 185-192.	2.0	16
30	Facial emotion perception in Chinese patients with schizophrenia and non-psychotic first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 393-400.	4.8	29