George E Jaskiw

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1037545/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Small phenolic and indolic gut-dependent molecules in the primate central nervous system: levels vs. bioactivity. Metabolomics, 2022, 18, 8.	3.0	1
2	STATEMENT IN SUPPORT OF ACADEMICIANS OF UKRAINE. Proceedings of the Shevchenko Scientific Society Medical Sciences, 2022, 66, .	0.3	3
3	Changes in the Serum Metabolome of Patients Treated With Broad-Spectrum Antibiotics. Pathogens and Immunity, 2020, 5, 382.	3.1	2
4	Low-dose risperidone diminishes the intensity and frequency of nightmares in post-traumatic stress disorder. Sleep, 2019, 42, .	1.1	4
5	The phenolic interactome and gut microbiota: opportunities and challenges in developing applications forÂschizophrenia and autism. Psychopharmacology, 2019, 236, 1471-1489.	3.1	8
6	Quantification of phenolic acid metabolites in humans by LC–MS: a structural and targeted metabolomics approach. Bioanalysis, 2018, 10, 1591-1608.	1.5	20
7	L-Tyrosine availability affects basal and stimulated catecholamine indices in prefrontal cortex and striatum of the rat. Neuropharmacology, 2017, 123, 159-174.	4.1	9
8	Large neutral amino acids levels in primate cerebrospinal fluid do not confirm competitive transport under baseline conditions. Brain Research, 2016, 1648, 372-379.	2.2	6
9	Effect of Mobile Phase pH on the Function of Other Optimization Parameters in an HPLC–ECD Assay of Biogenic Amines and Their Metabolites. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 467-471.	1.0	10
10	Presynaptic regulation of extracellular dopamine levels in the medial prefrontal cortex and striatum during tyrosine depletion. Psychopharmacology, 2013, 227, 363-371.	3.1	12
11	A simplified method to quantify dysregulated tyrosine transport in schizophrenia. Schizophrenia Research, 2013, 150, 386-391.	2.0	11
12	Increased tyrosine availability increases brain regional DOPA levels in vivo. Neurochemistry International, 2012, 61, 1001-1006.	3.8	16
13	Tyrosine depletion lowers in vivo DOPA synthesis in ventral hippocampus. European Journal of Pharmacology, 2012, 696, 70-76.	3.5	8
14	Acute lithium administration selectively lowers tyrosine levels in serum and brain. Brain Research, 2011, 1420, 29-36.	2.2	10
15	Relationships between large neutral amino acid levels in plasma, cerebrospinal fluid, brain microdialysate and brain tissue in the rat. Brain Research, 2010, 1334, 45-57.	2.2	23
16	Tyrosine depletion lowers dopamine synthesis and desipramine-induced prefrontal cortex catecholamine levels. Brain Research, 2008, 1190, 39-48.	2.2	23
17	Tyrosine availability modulates potassium-induced striatal catecholamine efflux in vivo. Brain Research, 2008, 1209, 74-84.	2.2	11
18	Gamma-butyrolactone-induced dopamine accumulation in prefrontal cortex is affected by tyrosine availability. European Journal of Pharmacology, 2008, 589, 106-109.	3.5	4

GEORGE E JASKIW

#	Article	IF	CITATIONS
19	In rats chronically treated with clozapine, tyrosine depletion attenuates the clozapine-induced in vivo increase in prefrontal cortex dopamine and norepinephrine levels. Psychopharmacology, 2006, 185, 416-422.	3.1	14
20	Increased striatal dopamine synthesis is associated with decreased tissue levels of tyrosine. Brain Research, 2006, 1115, 26-36.	2.2	16
21	Tyrosine administration does not affect desipramine-induced dopamine levels as measured in vivo in prefrontal cortex. Brain Research, 2005, 1054, 203-206.	2.2	9
22	Clozapine-induced dopamine release in the medial prefrontal cortex is augmented by a moderate concentration of locally administered tyrosine but attenuated by high tyrosine concentrations or by tyrosine depletion. Psychopharmacology, 2005, 179, 713-724.	3.1	15
23	Brain tyrosine depletion attenuates haloperidol-induced striatal dopamine release in vivo and augments haloperidol-induced catalepsy in the rat. Psychopharmacology, 2004, 172, 100-107.	3.1	27
24	A meta-analysis of the response to chronic l-dopa in patients with schizophrenia: therapeutic and heuristic implications. Psychopharmacology, 2004, 171, 365-374.	3.1	23
25	Pharmacokinetics of Quetiapine in Elderly Patients with Selected Psychotic Disorders. Clinical Pharmacokinetics, 2004, 43, 1025-1035.	3.5	28
26	Tyrosine augments clozapine-induced dopamine release in the medial prefrontal cortex of the rat in vivo: effects of access to food. Neuroscience Letters, 2004, 357, 5-8.	2.1	9
27	Clozapine prolongs hypotonic immobility in rats with bilateral 6-hydroxydopamine lesions of the striatum. Neuroscience Letters, 2004, 362, 35-38.	2.1	0
28	Pharmacokinetics of systemically administered tyrosine: a comparison of serum, brain tissue and in vivo microdialysate levels in the rat. Journal of Neurochemistry, 2003, 87, 310-317.	3.9	39
29	Limbic cortical injury sustained during adulthood leads to schizophrenia-like syndrome. Schizophrenia Research, 2002, 58, 205-212.	2.0	4
30	Improved method for the measurement of large neutral amino acids in biological matrices. Biomedical Applications, 2001, 754, 369-376.	1.7	26
31	Tyrosine Augments Acute Clozapine- but not Haloperidol-Induced Dopamine Release in the Medial Prefrontal Cortex of the Rat An in vivo Microdialysis Study. Neuropsychopharmacology, 2001, 25, 149-156.	5.4	19
32	OUTCOME OF CLOZAPINE THERAPY FOR ELDERLY PATIENTS WITH REFRACTORY PRIMARY PSYCHOSIS. International Journal of Geriatric Psychiatry, 1997, 12, 553-558.	2.7	26
33	Ibotenic acid lesion of the ventral hippocampus differentially affects dopamine and its metabolites in the nucleus accumbens and prefrontal cortex in the rat. Brain Research, 1992, 585, 1-6.	2.2	208
34	Serotonin depletion causes long-term reduction of exploration in the rat. Pharmacology Biochemistry and Behavior, 1992, 43, 1247-1252.	2.9	49
35	Effect of ibotenic acid lesions of the medial prefrontal cortex on amphetamine-induced locomotion and regional brain catecholamine concentrations in the rat. Brain Research, 1990, 534, 263-272.	2.2	124