

# Xueping Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1038477/publications.pdf>

Version: 2024-02-01

29  
papers

525  
citations

777949

13  
h-index

759306

22  
g-index

30  
all docs

30  
docs citations

30  
times ranked

755  
citing authors

#	ARTICLE	IF	CITATIONS
1	Different modulation of Panax notoginseng on the absorption profiling of triptolide and tripterine from <i>Tripterygium wilfordii</i> in rat intestine. <i>Chinese Medicine</i> , 2018, 13, 1.	1.6	118
2	Triptolide Induces hepatotoxicity via inhibition of CYP450s in Rat liver microsomes. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 15.	3.7	49
3	Efficacy and Safety of Integrated Traditional Chinese Medicine and Western Medicine on the Treatment of Rheumatoid Arthritis: A Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-15.	0.5	35
4	Emodin-induced microglial apoptosis is associated with TRB3 induction. <i>Immunopharmacology and Immunotoxicology</i> , 2011, 33, 594-602.	1.1	29
5	A Systematic Review about the Efficacy and Safety of <i>Tripterygium wilfordii</i> Hook.f. Preparations Used for the Management of Rheumatoid Arthritis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-13.	0.5	23
6	Catalpol and panax notoginseng saponins synergistically alleviate triptolide-induced hepatotoxicity through Nrf2/ARE pathway. <i>Toxicology in Vitro</i> , 2019, 56, 141-149.	1.1	23
7	Triptolide-induced hepatotoxicity can be alleviated when combined with Panax notoginseng saponins and Catalpol. <i>Journal of Ethnopharmacology</i> , 2018, 214, 232-239.	2.0	22
8	MicroRNA let-7g-5p alleviates murine collagen-induced arthritis by inhibiting Th17 cell differentiation. <i>Biochemical Pharmacology</i> , 2020, 174, 113822.	2.0	22
9	Development and application of a comprehensive lipidomic analysis to investigate <i>Tripterygium wilfordii</i> -induced liver injury. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 4341-4355.	1.9	20
10	Zishen Tongluo formula ameliorates collagen-induced arthritis in mice by modulation of Th17/Treg balance. <i>Journal of Ethnopharmacology</i> , 2020, 250, 112428.	2.0	20
11	Increased involvement of Panax notoginseng in the mechanism of decreased hepatotoxicity induced by <i>Tripterygium wilfordii</i> in rats. <i>Journal of Ethnopharmacology</i> , 2016, 185, 243-254.	2.0	19
12	Efficacy and safety of various anti-rheumatic treatments for patients with rheumatoid arthritis: a network meta-analysis. <i>Archives of Medical Science</i> , 2019, 15, 33-54.	0.4	18
13	Catalpol coordinately regulates phase I and II detoxification enzymes of Triptolide through CAR and NRF2 pathways to reduce Triptolide-induced hepatotoxicity. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110379.	2.5	17
14	Compatibility with Panax notoginseng and <i>Rehmannia glutinosa</i> Alleviates the Hepatotoxicity and Nephrotoxicity of <i>Tripterygium wilfordii</i> via Modulating the Pharmacokinetics of Triptolide. <i>International Journal of Molecular Sciences</i> , 2018, 19, 305.	1.8	16
15	Comparisons of the Pharmacokinetic Profile of Four Bioactive Components after Oral Administration of Gan-Sui-Ban-Xia Decoction Plus-Minus Gansui and Gancao Drug Combination in Normal Rats. <i>Molecules</i> , 2015, 20, 9295-9308.	1.7	14
16	Effects of Qingluo Tongbi Decoction on Gut Flora of Rats with Adjuvant-Induced Arthritis and the Underlying Mechanism. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-11.	0.5	14
17	Efficacy of Chinese herbal medicine in treatment of allergic rhinitis in children: a meta-analysis of 19 randomized controlled trials. <i>Journal of International Medical Research</i> , 2018, 46, 4006-4018.	0.4	12
18	Meta-Analysis of Changes in the Number and Proportion of Regulatory T Cells in Patients with Ankylosing Spondylitis. <i>BioMed Research International</i> , 2020, 2020, 1-15.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Differential long non-coding RNA expression profiles in the peripheral blood and CD4+ T cells of patients with active rheumatoid arthritis. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 461-471.	0.8	10
20	Clinical study of qingluo tongbi granules in treating 63 patients with rheumatoid arthritis of the type of yin-deficiency and heat in collaterals. <i>Journal of Traditional Chinese Medicine</i> , 2004, 24, 83-7.	0.1	7
21	Protection of catalpol against triptolide-induced hepatotoxicity by inhibiting excessive autophagy via the PERK-ATF4-CHOP pathway. <i>PeerJ</i> , 2022, 10, e12759.	0.9	6
22	Interleukin-12 exacerbates symptoms in an MRL/MpJ-Faslpr mouse model of systemic lupus erythematosus. <i>Experimental and Therapeutic Medicine</i> , 2021, 21, 627.	0.8	4
23	miR-143-3p Inhibits the Differentiation of Osteoclast Induced by Synovial Fibroblast and Monocyte Coculture in Adjuvant-Induced Arthritic Rats. <i>BioMed Research International</i> , 2021, 2021, 1-10.	0.9	4
24	Network Pharmacology-Based Prediction and Verification of Qingluo Tongbi Formula to Reduce Liver Toxicity of Tripterygium wilfordii via UGT2B7 in Endoplasmic Reticulum. <i>Medical Science Monitor</i> , 2020, 26, e920376.	0.5	3
25	Further Study of Influence of Panax notoginseng on Intestinal Absorption Characteristics of Triptolide and Tripterygium in Rats with Tripterygium wilfordii. <i>Pharmacognosy Magazine</i> , 2018, 14, 95.	0.3	3
26	Qingluotongbi formula regulates the LXR±-ERS-SREBP-1c pathway in hepatocytes to alleviate the liver injury caused by Tripterygium wilfordii Hook. f.. <i>Journal of Ethnopharmacology</i> , 2022, 287, 114952.	2.0	3
27	Noninfectious Causes of Fever in 128 Patients with Systemic Lupus Erythematosus. <i>Iranian Journal of Public Health</i> , 2019, 48, 62-68.	0.3	1
28	Qingluo Tongbi Formula Alleviates Hepatotoxicity Induced by Tripterygium wilfordii Hook. F. by Regulating Excessive Mitophagy Through the PERK-ATF4 Pathway. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	1
29	Tripterygium glycosides inhibits the pain responses in RA through modulating microRNA-143-3p. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO4-3-45.	0.0	0