## Sung-In Jang

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1038480/publications.pdf

Version: 2024-02-01

471509 149698 4,368 139 17 56 citations h-index g-index papers 149 149 149 3169 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	10.2	2,308
2	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
3	Precarious employment and new-onset severe depressive symptoms: a population-based prospective study in South Korea. Scandinavian Journal of Work, Environment and Health, 2015, 41, 329-337.	3.4	62
4	Relationship between Mobile Phone Addiction and the Incidence of Poor and Short Sleep among Korean Adolescents: a Longitudinal Study of the Korean Children & Panel Survey. Journal of Korean Medical Science, 2017, 32, 1166.	2.5	57
5	Association between eating behaviour and diet quality: eating alone vs. eating with others. Nutrition Journal, 2018, 17, 117.	3.4	46
6	Biochemically-verified Smoking Rate Trends and Factors Associated with Inaccurate Self-reporting of Smoking Habits in Korean Women. Asian Pacific Journal of Cancer Prevention, 2013, 14, 6807-6812.	1.2	45
7	Associations of electronic and conventional cigarette use with periodontal disease in South Korean adults. Journal of Periodontology, 2020, 91, 55-64.	3.4	43
8	Effect of adherence to antihypertensive medication on stroke incidence in patients with hypertension: a population-based retrospective cohort study. BMJ Open, 2017, 7, e014486.	1.9	41
9	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	10.0	38
10	E-health literacy in older adults: an evolutionary concept analysis. BMC Medical Informatics and Decision Making, 2022, 22, 28.	3.0	32
11	Disease management index of potential years of life lost as a tool for setting priorities in national disease control using OECD health data. Health Policy, 2014, 115, 92-99.	3.0	24
12	Sex Difference in the Association between High-sensitivity C-reactive Protein and Depression: The 2016 Korea National Health and Nutrition Examination Survey. Scientific Reports, 2019, 9, 1918.	3.3	23
13	Cigarette type or smoking history: Which has a greater impact on the metabolic syndrome and its components?. Scientific Reports, 2020, 10, 10467.	3.3	22
14	Patterns of Alcohol Consumption and Suicidal Behavior: Findings From the Fourth and Fifth Korea National Health and Nutritional Examination Survey (2007–2011). Journal of Preventive Medicine and Public Health, 2015, 48, 142-150.	1.9	22
15	Alcohol consumption frequency or alcohol intake per drinking session: Which has a larger impact on the metabolic syndrome and its components?. Alcohol, 2018, 71, 15-23.	1.7	21
16	The diagnosis of healthcare policy problems in Korea. Journal of the Korean Medical Association, 2012, 55, 932.	0.3	20
17	Association between Smoking Behavior Patterns and Glycated Hemoglobin Levels in a General Population. International Journal of Environmental Research and Public Health, 2018, 15, 2260.	2.6	20
18	Relationship Between Current Sleep Duration and Past Suicidal Ideation or Attempt Among Korean Adolescents. Journal of Preventive Medicine and Public Health, 2013, 46, 329-335.	1.9	20

#	Article	IF	CITATIONS
19	Effects of diagnosis-related group payment system on appendectomy outcomes. Journal of Surgical Research, 2016, 206, 347-354.	1.6	18
20	Gender Discrimination in the Workplace: Effects on Pregnancy Planning and Childbirth among South Korean Women. International Journal of Environmental Research and Public Health, 2019, 16, 2672.	2.6	18
21	Effects of a mandatory DRG payment system in South Korea: Analysis of multi-year nationwide hospital claims data. BMC Health Services Research, 2019, 19, 776.	2.2	18
22	Association between depressive-symptom trajectories and cognitive function in the late middle-aged and older population: results of the Korean Longitudinal Study of Ageing. Scientific Reports, 2019, 9, 7807.	3.3	18
23	Association between health behaviours and depression: findings from a national cross-sectional study in South Korea. BMC Psychiatry, 2020, 20, 238.	2.6	18
24	Positive correlation between care given by specialists and registered nurses and improved outcomes for stroke patients. Journal of the Neurological Sciences, 2015, 353, 137-142.	0.6	17
25	Sex differences in the association between thyroid-stimulating hormone levels and depressive symptoms among the general population with normal free T4 levels. Journal of Affective Disorders, 2019, 249, 151-158.	4.1	17
26	The effect of shifting medical coverage from National Health Insurance to Medical Aid type I and type II on health care utilization and out-of-pocket spending in South Korea. BMC Health Services Research, 2020, 20, 979.	2.2	17
27	Association between Occupational Noise and Vibration Exposure and Insomnia among Workers in Korea. Life, 2020, 10, 46.	2.4	17
28	Impact of health insurance status changes on healthcare utilisation patterns: a longitudinal cohort study in South Korea. BMJ Open, 2016, 6, e009538.	1.9	16
29	Association between change in lifestyle and cognitive functions among elderly Koreans: findings from the Korean longitudinal study of aging (2006–2016). BMC Geriatrics, 2020, 20, 317.	2.7	16
30	Frailty transitions and cognitive function among South Korean older adults. Scientific Reports, 2021, 11, 10658.	3.3	16
31	Association between depression and risk of Parkinson's disease in South Korean adults. Journal of Affective Disorders, 2021, 292, 75-80.	4.1	16
32	The impact of smoking cessation attempts on stress levels. BMC Public Health, 2019, 19, 267.	2.9	15
33	Association between Blood Heavy Metal Levels and Predicted 10-Year Risk for A First Atherosclerosis Cardiovascular Disease in the General Korean Population. International Journal of Environmental Research and Public Health, 2020, 17, 2134.	2.6	15
34	Association between sleep quality and depressive symptoms. Journal of Affective Disorders, 2022, 310, 258-265.	4.1	15
35	The outcomes of psychiatric inpatients by proportion of experienced psychiatrists and nurse staffing in hospital: New findings on improving the quality of mental health care in South Korea. Psychiatry Research, 2015, 229, 880-886.	3.3	14
36	The effect of competition on the relationship between the introduction of the DRG system and quality of care in Korea. European Journal of Public Health, 2016, 26, 42-47.	0.3	14

#	Article	IF	CITATIONS
37	Impact of Onset of Psychiatric Disorders and Psychiatric Treatment on Mortality Among Patients with Cancer. Oncologist, 2020, 25, e733-e742.	3.7	14
38	Association between sitting time and non-alcoholic fatty liver disease in South Korean population: a cross-sectional study. Lipids in Health and Disease, 2020, 19, 212.	3.0	14
39	Association between Frequency of Breakfast Consumption and Insulin Resistance Using Triglyceride-Glucose Index: A Cross-Sectional Study of the Korea National Health and Nutrition Examination Survey (2016–2018). International Journal of Environmental Research and Public Health, 2020, 17, 3322.	2.6	14
40	Factors Affecting the Quality of Life of Korean Cancer Survivors Who Return to the Workplace. Asian Pacific Journal of Cancer Prevention, 2014, 15, 8783-8788.	1.2	14
41	A Single Measure of Cancer Burden in Korea from 1999 to 2010. Asian Pacific Journal of Cancer Prevention, 2013, 14, 5249-5255.	1.2	14
42	Statin adherence and risk of all-cause, cancer, and cardiovascular mortality among dyslipidemia patients: A time-dependent analysis. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2207-2214.	2.6	13
43	The Effect of Socioeconomic Status on All-Cause Maternal Mortality: A Nationwide Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 4606.	2.6	13
44	Associations of Handgrip Strength and Handgrip Strength Asymmetry With Depression in the Elderly in Korea: A Cross-sectional Study. Journal of Preventive Medicine and Public Health, 2021, 54, 63-72.	1.9	13
45	Trends of US Hospitalist and Suggestions for Introduction of Korean Hospitalist. Korean Journal of Medicine, 2015, 89, 1.	0.3	13
46	Depression in the Family of Patients With Dementia in Korea. American Journal of Alzheimer's Disease and Other Dementias, 2016, 31, 481-491.	1.9	12
47	The effect of increasing the coinsurance rate on outpatient utilization of healthcare services in South Korea. BMC Health Services Research, 2017, 17, 152.	2.2	12
48	Sex differences in type of exercise associated with depression in South Korean adults. Scientific Reports, 2020, 10, 18271.	3.3	12
49	Association Between Sleep Quality and Anxiety in Korean Adolescents. Journal of Preventive Medicine and Public Health, 2022, 55, 173-181.	1.9	12
50	Impact of payment system change from per-case to per-diem on high severity patient's length of stay. Medicine (United States), 2016, 95, e4839.	1.0	11
51	Hospitalizations and mortality among patients with fetal alcohol spectrum disorders: a prospective study. Scientific Reports, 2020, 10, 19512.	3.3	11
52	Association of Cigarette Type Initially Smoked With Suicidal Behaviors Among Adolescents in Korea From 2015 to 2018. JAMA Network Open, 2021, 4, e218803.	5.9	11
53	Family Members of Cancer Patients in Korea Are at an Increased Risk of Medically Diagnosed Depression. Journal of Preventive Medicine and Public Health, 2018, 51, 100-108.	1.9	11
54	Association between change in handgrip strength and cognitive function in Korean adults: a longitudinal panel study. BMC Geriatrics, 2021, 21, 671.	2.7	11

#	Article	lF	Citations
55	Associations of volume and other hospital characteristics on mortality within 30 days of acute myocardial infarction in South Korea. BMJ Open, 2015, 5, e009186.	1.9	10
56	Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist. BMC Psychiatry, 2016, 16, 96.	2.6	10
57	Dose-response relationship between gamma-glutamyltransferase and the risk of atherosclerotic cardiovascular diseases in Korean adults. Atherosclerosis, 2020, 292, 152-159.	0.8	10
58	Synergistic association of high-sensitivity C-reactive protein and body mass index with insulin resistance in non-diabetic adults. Scientific Reports, 2020, 10, 18417.	3.3	10
59	Association between occupational noise and vibration and anxiety in the South Korean working population: a cross-sectional study. Journal of Occupational Medicine and Toxicology, 2022, 17, 1.	2.2	10
60	Effective strategy for improving health care outcomes: Multidisciplinary care in cerebral infarction patients. Health Policy, 2015, 119, 1039-1045.	3.0	9
61	Association of Bedtime with both Suicidal Ideation and Suicide Planning among Korean Adolescents. International Journal of Environmental Research and Public Health, 2019, 16, 3817.	2.6	9
62	Association of exposure to secondhand smoke at home with early age at menarche in South Korea. Public Health, 2020, 185, 144-149.	2.9	9
63	Associations between substandard housing and depression: insights from the Korea welfare panel study. BMC Psychiatry, 2021, 21, 12.	2.6	9
64	Development and Evolution of Hospital Medicine in Korea. Journal of Hospital Medicine, 2021, 16, 247-250.	1.4	9
65	Association between depression and the risk of Alzheimer's disease using the Korean National Health Insurance Service-Elderly Cohort. Scientific Reports, 2021, 11, 22591.	3.3	9
66	The Financial Burden Associated with Medical Costs among Childhood Cancer Patients and Their Families Related to Their Socioeconomic Status: The Perspective of National Health Insurance Service. International Journal of Environmental Research and Public Health, 2020, 17, 6020.	2.6	8
67	Association between commensality with depression and suicidal ideation of Korean adults: the sixth and seventh Korean National Health and Nutrition Examination Survey, 2013, 2015, 2017. Nutrition Journal, 2020, 19, 131.	3.4	8
68	Association between Pulse Pressure and Onset of Dementia in an Elderly Korean Population: A Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 1657.	2.6	8
69	Association between successful aging transitions and depressive symptoms among older Korean adults: findings from the Korean longitudinal study of aging (2006–2018). BMC Geriatrics, 2021, 21, 352.	2.7	8
70	Synergistic associations of visual and self-reported hearing acuity with low handgrip strength in older adults: a population-based cross-sectional study. BMC Geriatrics, 2021, 21, 513.	2.7	8
71	The Association between Social Contacts and Depressive Symptoms among Elderly Koreans. Psychiatry Investigation, 2018, 15, 861-868.	1.6	8
72	Length of stay and readmission in lumbar intervertebral disc disorder inpatients by hospital characteristics and volumes. Health Policy, 2016, 120, 1008-1016.	3.0	7

#	Article	IF	Citations
73	Alcohol Mixed with Energy Drinks (AmED) and Negative Alcohol-Related Consequences among South Korean College Students. International Journal of Environmental Research and Public Health, 2019, 16, 1127.	2.6	7
74	Long working hours are associated with unmet dental needs in south Korean male adults who have experienced dental pain. BMC Oral Health, 2019, 19, 256.	2.3	7
75	Synergistic Effects and Sex Differences in Anthropometric Measures of Obesity and Elevated High-Sensitivity C-Reactive Protein Levels. International Journal of Environmental Research and Public Health, 2020, 17, 8279.	2.6	7
76	The effect of menopausal hormone therapy on gastrointestinal cancer risk and mortality in South Korea: a population-based cohort study. BMC Gastroenterology, 2021, 21, 440.	2.0	7
77	Depressive symptoms in individuals with family members requiring ADL assistance. Environmental Health and Preventive Medicine, 2019, 24, 49.	3.4	6
78	The association between intimate partner violence onset and gender-specific depression: A longitudinal study of a nationally representative sample. Journal of Affective Disorders, 2019, 250, 79-84.	4.1	6
79	Association Between the Location of Secondhand Smoke Exposure and Depressive Symptoms among South Korean Adolescents. International Journal of Environmental Research and Public Health, 2020, 17, 5116.	2.6	6
80	Is Work Hour Mismatch Associated with Depression?. Safety and Health at Work, 2021, 12, 96-101.	0.6	6
81	Investigation of the Association between Smoking Behavior and Metabolic Syndrome Using Lipid Accumulation Product Index among South Korean Adults. International Journal of Environmental Research and Public Health, 2021, 18, 4151.	2.6	6
82	Changes in child abuse experience associated to sleep quality: results of the Korean Children & Children & Youth Panel Survey. BMC Public Health, 2021, 21, 1210.	2.9	6
83	Comparison of Patient Satisfaction in Inpatient Care Provided by Hospitalists and Nonhospitalists in South Korea. International Journal of Environmental Research and Public Health, 2021, 18, 8101.	2.6	6
84	The temporal association of excessive health expenditure with suicidal ideation among primary income earners: a cross-sectional design using the Korean Welfare Panel Survey (KoWePS). BMJ Open, 2015, 5, e007421-e007421.	1.9	5
85	Association between family dinner and BMI in adults: data from the 2013 to 2015 Korean National Health and Nutrition Examination Survey. Public Health Nutrition, 2019, 22, 681-688.	2.2	5
86	The effects of on-call work on mental health issues among wage workers in the Republic of Korea. Psychology, Health and Medicine, 2020, 25, 675-686.	2.4	5
87	The Association Between the Changes in General, Family, and Financial Aspects of Quality of Life and Their Effects on Cognitive Function in an Elderly Population: The Korean Longitudinal Study of Aging, 2008–2016. International Journal of Environmental Research and Public Health, 2020, 17, 1106.	2.6	5
88	Association between Living with Patients with Dementia and Family Caregivers' Depressive Symptoms—Living with Dementia Patients and Family Caregivers' Depressive Symptoms. International Journal of Environmental Research and Public Health, 2021, 18, 4372.	2.6	5
89	Improved Inpatient Care through Greater Patient–Doctor Contact under the Hospitalist Management Approach: A Real-Time Assessment. International Journal of Environmental Research and Public Health, 2021, 18, 5718.	2.6	5
90	Association of Alcohol Drinking Patterns with Metabolic Syndrome and Its Components in Korean Adults: The Korea National Health and Nutrition Examination Survey 2016–2018. International Journal of Environmental Research and Public Health, 2021, 18, 6433.	2.6	5

#	Article	IF	Citations
91	The Effect of Mandatory Diagnosis-Related Groups Payment System. Health Policy and Management, 2016, 26, 135-147.	0.3	5
92	Association between social phobia and the risk of arrhythmia using the Korean National Sample Cohort: a retrospective cohort study. BMC Psychiatry, 2022, 22, 39.	2.6	5
93	Association between tinnitus and depressive symptoms in the South Korean population. PLoS ONE, 2021, 16, e0261257.	2.5	5
94	Association between all-cause mortality and insurance status transition among the elderly population in a rural area in Korea: Kangwha Cohort Study. Health Policy, 2015, 119, 680-687.	3.0	4
95	Differences in Fracture Incidence According to Caregiver Type in Stroke Survivors. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2849-2856.	1.6	4
96	Association of habitual alcohol use on risk-taking behaviors while using a car: The Korean National Health and Nutrition Examination Survey 2009–2013. Accident Analysis and Prevention, 2020, 144, 105651.	5.7	4
97	Self-reported campus alcohol policy and college alcohol consumption: a multilevel analysis of 4592 Korean students from 82 colleges. Substance Abuse Treatment, Prevention, and Policy, 2020, 15, 9.	2.2	4
98	Association of Mixed Use of Electronic and Conventional Cigarettes and Exposure to Secondhand Smoke With Prediabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e44-e56.	3.6	4
99	Association between Parents' Country of Birth and Adolescent Depressive Symptoms: the Early Stages of Multicultural Society. Journal of Korean Medical Science, 2018, 33, e116.	2.5	4
100	Setting a Health Policy Research Agenda for Controlling Cancer Burden in Korea. Cancer Research and Treatment, 2015, 47, 149-157.	3.0	4
101	Relationship between parents' occupational characteristics and untreated dental caries in offspring: A population-based study of data from the Korean National Health and Nutrition Examination Survey, 2008–2015. Scandinavian Journal of Work, Environment and Health, 2018, 44, 303-311.	3.4	4
102	Disparities in diabetes-related avoidable hospitalization among diabetes patients with disability using a nationwide cohort study. Scientific Reports, 2022, 12, 1794.	3.3	4
103	Association Between Graphic Health Warning Labels on Cigarette Packs and Smoking Cessation Attempts in Korean Adolescent Smokers: A Cross-Sectional Study. Frontiers in Public Health, 2022, 10, 789707.	2.7	4
104	The effect of suicide attempts on suicide ideation by family members in fast developed country, Korea. Comprehensive Psychiatry, 2016, 66, 132-138.	3.1	3
105	Effects of social integration on depressive symptoms in Korea: analysis from the Korean Longitudinal Study of Aging (2006–12). Australian Health Review, 2017, 41, 222.	1.1	3
106	Association between serum 25-hydroxyvitamin D levels and pulmonary function, among Korean adults, during 2010–2014, by sex, age, and body mass index. Respiratory Medicine, 2018, 140, 32-38.	2.9	3
107	Gender Differences With Regard to Perceived Job Insecurity and Insomnia in a Working Population. Journal of Occupational and Environmental Medicine, 2019, 61, e474-e479.	1.7	3
108	Association between social participation and mental health consultation in individuals with suicidal ideation: a cross-sectional study. BMC Psychiatry, 2020, 20, 305.	2.6	3

#	Article	IF	Citations
109	The Association of Smoking Exposure at Home with Attempts to Quit Smoking and Cessation Success: A Survey of South Korean Adolescents Who Smoke. International Journal of Environmental Research and Public Health, 2020, 17, 4129.	2.6	3
110	Associations between Meal Companions and Obesity in South Korean Adults. International Journal of Environmental Research and Public Health, 2020, 17, 2697.	2.6	3
111	Association between the severity of new-onset depression and unmet healthcare needs of South Korean adults. PLoS ONE, 2021, 16, e0256222.	2.5	3
112	Effects of material hardship on depression among adults in South Korea: insights from by the Korea Welfare Panel Study 2008–2017. International Journal for Equity in Health, 2021, 20, 202.	3.5	3
113	Association Between Cohabitation Status and Sleep Quality in Families of Persons With Dementia in Korea: A Cross-sectional Study. Journal of Preventive Medicine and Public Health, 2021, 54, 317-329.	1.9	3
114	Sex Differences Associated With Hepatitis B Virus Surface Antigen Seropositivity Unwareness in Hepatitis B Virus Surface Antigen-positive Adults: 2007â€2012 Korea National Health and Nutrition Examination Survey. Journal of Preventive Medicine and Public Health, 2015, 48, 74-83.	1.9	3
115	Association between statin adherence and the risk of stroke among South Korean adults with hyperlipidemia. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 560-566.	2.6	3
116	Association between the Perceived Household Financial Decline Due to COVID-19 and Smartphone Dependency among Korean Adolescents. International Journal of Environmental Research and Public Health, 2022, 19, 3303.	2.6	3
117	Risk of suicide death in psychiatric patients according to the level of continuity of care and area deprivation: A population-based nested case-control study. Journal of Psychiatric Research, 2022, 151, 279-285.	3.1	3
118	Is a Price Increase Policy Enough for Adolescent Smokers?: Factors Affecting the Effectiveness of Increasing Cigarette Prices Among Korean Adolescent Smokers. Nicotine and Tobacco Research, 2016, 18, 2013-2019.	2.6	2
119	How did market competition affect outpatient utilization under the diagnosis-related group-based payment system?. International Journal for Quality in Health Care, 2017, 29, 399-405.	1.8	2
120	Do cost containment policies save money and influence physicians' prescribing behavior? Lessons from South Korea's drug policy for diabetes medication. International Journal for Quality in Health Care, 2019, 31, 96-102.	1.8	2
121	Associations between lipid profiles of adolescents and their mothers based on a nationwide health and nutrition survey in South Korea. BMJ Open, 2019, 9, e024731.	1.9	2
122	Association between Use of Nutritional Labeling and the Metabolic Syndrome and Its Components. International Journal of Environmental Research and Public Health, 2019, 16, 4486.	2.6	2
123	Weight control success and depression by gender with respect to weight control behaviors. Obesity Research and Clinical Practice, 2019, 13, 168-175.	1.8	2
124	Chronic alcoholism and all-cause mortality among disabled individuals: Findings from the Korea National Health Insurance Service-National Sample Cohort. Alcohol, 2020, 89, 57-62.	1.7	2
125	Suicidal ideation from parents to their children: An association between parent's suicidal ideation and their children's suicidal ideation in South Korea. Comprehensive Psychiatry, 2020, 101, 152181.	3.1	2
126	Alcohol Consumption Frequency of Parents and Stress Status of Their Children: Korea National Health and Nutrition Examination Survey (2007–2016). International Journal of Environmental Research and Public Health, 2020, 17, 257.	2.6	2

#	Article	IF	Citations
127	Association Between the Use of Hypnotics and the Risk of Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 81, 1381-1389.	2.6	2
128	Impact of changes in housing tenure and affordability status on depressive symptoms: Evidence from a longitudinal study. Journal of Affective Disorders, 2021, 295, 40-49.	4.1	2
129	The Impact of Transitions in Caregiving Status on Depressive Symptoms among Older Family Caregivers: Findings from the Korean Longitudinal Study of Aging. International Journal of Environmental Research and Public Health, 2021, 18, 42.	2.6	2
130	Association of Household Income Level with Vitamin and Mineral Intake. Nutrients, 2022, 14, 38.	4.1	2
131	Risk of Anorectal Cancer Associated with Benign Anal Inflammatory Diseases: A Retrospective Matched Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 7467.	2.6	2
132	Beyond Volume. Medicine (United States), 2016, 95, e3035.	1.0	1
133	The Association of Maternal Accompaniment at Family Dinners and Depressive Symptoms of Korean Adolescents. International Journal of Environmental Research and Public Health, 2020, 17, 1743.	2.6	1
134	Household income changes and suicidal ideation in South Korea: Findings from a longitudinal study. Suicide and Life-Threatening Behavior, 2021, 51, 795-806.	1.9	1
135	The effect of depression status change on daily cigarette smoking amount according to sex: an eleven-year follow up study of the Korea Welfare Panel Study. BMC Public Health, 2021, 21, 1304.	2.9	1
136	Annual Disease Experience by Type and Correlations with Unmet Healthcare Needs among ROK Military Personnel. Military Medicine, 2020, 185, e944-e951.	0.8	0
137	Association between Stroke Quality Assessments and Mortality within 30 Days among Patients Who Underwent Hemorrhagic Stroke Surgeries in South Korea. Cerebrovascular Diseases, 2022, 51, 82-91.	1.7	0
138	Effects of spouse's employment status on depression. Archives of Environmental and Occupational Health, 2021, 76, 1-7.	1.4	0
139	Screening for Diabetes Complications during the COVID-19 Outbreak in South Korea. International Journal of Environmental Research and Public Health, 2022, 19, 5436.	2.6	O