

Coen H Van Gool

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1038495/publications.pdf>

Version: 2024-02-01

25
papers

23,643
citations

394421

19
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

46203
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national age ^a sex specific all-cause and cause-specific mortality for 240 causes of death, 1990 ^a –2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 385, 117-171.	13.7	5,847
2	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1545-1602.	13.7	5,298
3	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990 ^a –2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 386, 743-800.	13.7	4,951
4	The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015, 1, 505.	7.1	2,269
5	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1603-1658.	13.7	1,612
6	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990 ^a –2013: quantifying the epidemiological transition. <i>Lancet</i> , The, 2015, 386, 2145-2191.	13.7	1,544
7	Global, regional, and national levels and causes of maternal mortality during 1990 ^a –2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2014, 384, 980-1004.	13.7	1,230
8	Relationship between changes in depressive symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2003, 32, 81-87.	1.6	164
9	Effects of exercise adherence on physical function among overweight older adults with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005, 53, 24-32.	6.7	158
10	Associations Between Lifestyle and Depressed Mood: Longitudinal Results From the Maastricht Aging Study. <i>American Journal of Public Health</i> , 2007, 97, 887-894.	2.7	98
11	Lifestyle Factors and Incident Mobility Limitation in Obese and Non ^a obese Older Adults. <i>Obesity</i> , 2007, 15, 3122-3132.	3.0	84
12	Impact of depression on disablement in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Social Science and Medicine</i> , 2005, 60, 25-36.	3.8	68
13	Reconsideration of the scheme of the international classification of functioning, disability and health: incentives from the Netherlands for a global debate. <i>Disability and Rehabilitation</i> , 2018, 40, 603-611.	1.8	58
14	The Disabling Effect of Diseases: A Study on Trends in Diseases, Activity Limitations, and Their Interrelationships. <i>American Journal of Public Health</i> , 2012, 102, 163-170.	2.7	44
15	Determinants of high and low attendance to diet and exercise interventions among overweight and obese older adults. <i>Contemporary Clinical Trials</i> , 2006, 27, 227-237.	1.8	43
16	Trends in activity limitations: the Dutch older population between 1990 and 2007. <i>International Journal of Epidemiology</i> , 2011, 40, 1056-1067.	1.9	38
17	Accounting for multimorbidity can affect the estimation of the Burden of Disease: a comparison of approaches. <i>Archives of Public Health</i> , 2016, 74, 37.	2.4	38
18	Chronic Disease and Lifestyle Transitions. <i>Journal of Aging and Health</i> , 2007, 19, 416-438.	1.7	34

#	ARTICLE	IF	CITATIONS
19	Late-Life Depressed Mood and Weight Change Contribute to the Risk of Each Other. American Journal of Geriatric Psychiatry, 2010, 18, 236-244.	1.2	21
20	Unhealthy Lifestyles Do Not Mediate the Relationship Between Socioeconomic Status and Incident Depressive Symptoms: The Health ABC study. American Journal of Geriatric Psychiatry, 2013, 21, 664-674.	1.2	18
21	Do we really need to open a classification box on personal factors in ICF?. Disability and Rehabilitation, 2016, 38, 1327-1328.	1.8	14
22	Reconsideration ICF scheme. Disability and Rehabilitation, 2018, 40, 121-122.	1.8	6
23	Taking multi-morbidity into account when attributing DALYs to risk factors: comparing dynamic modeling with the GBD2010 calculation method. BMC Public Health, 2017, 17, 197.	2.9	3
24	Toward a Harmonized WHO Family of International Classifications Content Model. Studies in Health Technology and Informatics, 2020, 270, 1409-1410.	0.3	3
25	DYNAMO-HIA-2: a tool to calculate the complete counterfactual disability-adjusted life-years (DALYs) of risk factor exposure. Lancet, The, 2013, 381, S21.	13.7	0