

Jing Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1038748/publications.pdf>

Version: 2024-02-01

64
papers

1,630
citations

706676

14
h-index

371746

37
g-index

74
all docs

74
docs citations

74
times ranked

2132
citing authors

#	ARTICLE	IF	CITATIONS
1	Stereoacuity and its determinants in 7-year-old children: the Lhasa Childhood Eye Study. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2022, 260, 599-608.	1.0	1
2	Terrestrosin D ameliorates skin lesions in an imiquimod-induced psoriasis-like murine model by inhibiting the interaction between Substance P and Dendritic cells. <i>Phytomedicine</i> , 2022, 95, 153864.	2.3	6
3	Comparison of Botulinum toxin type A with surgery for the treatment of intermittent exotropia in children. <i>BMC Ophthalmology</i> , 2022, 22, 53.	0.6	2
4	Distribution, Progression, and Associated Factors of Refractive Status of Children in Lhasa, Tibet, after COVID-19 Quarantine. <i>Ophthalmic Research</i> , 2022, 65, 321-327.	1.0	7
5	Functional changes in the visual cortex in preoperative and postoperative patients with intermittent exotropia: study protocol for a non-randomised case-control clinical trial. <i>BMJ Open</i> , 2022, 12, e055848.	0.8	3
6	New loci for refractive errors and ocular biometric parameters in young Chinese Han adults. <i>Science China Life Sciences</i> , 2022, 65, 2050-2061.	2.3	6
7	Distribution of ocular biometry in young Chinese eyes: The Anyang University Students Eye Study. <i>Acta Ophthalmologica</i> , 2021, 99, 621-627.	0.6	9
8	Retinal and circumpapillary nerve fiber layer thickness and associated factors in children. <i>Eye</i> , 2021, 35, 2802-2811.	1.1	5
9	Prevalence of Amblyopia and Associated Risk Factors in Tibetan Grade One Children. <i>Ophthalmic Research</i> , 2021, 64, 280-289.	1.0	6
10	Increased Prolactin is an Adaptive Response to Protect Against Metabolic Disorders in Obesity. <i>Endocrine Practice</i> , 2021, 27, 728-735.	1.1	6
11	Current status of gastroesophageal reflux disease after sleeve gastrectomy: Still a long way to go. <i>BioScience Trends</i> , 2021, 15, 305-312.	1.1	6
12	Association Between Body Mass Index and Thyroid Function in Euthyroid Chinese Adults. <i>Medical Science Monitor</i> , 2021, 27, e930865.	0.5	13
13	Decreased Functional Connectivity of the Primary Visual Cortex and the Correlation With Clinical Features in Patients With Intermittent Exotropia. <i>Frontiers in Neurology</i> , 2021, 12, 638402.	1.1	10
14	Quality of life in adult intermittent exotropia and the risk factors. <i>International Journal of Ophthalmology</i> , 2021, 14, 442-447.	0.5	4
15	Difference of refractive status before and after cycloplegic refraction: the Lhasa Childhood Eye Study. <i>Japanese Journal of Ophthalmology</i> , 2021, 65, 526-536.	0.9	7
16	Distribution of IOP and its relationship with refractive error and other factors: the Anyang University Students Eye Study. <i>International Journal of Ophthalmology</i> , 2021, 14, 554-559.	0.5	7
17	Circulating prolactin level is increased in metabolically healthy obesity. <i>Endocrine Connections</i> , 2021, 10, 484-491.	0.8	13
18	Systems Pharmacology Approach and Experiment Evaluation Reveal Multidimensional Treatment Strategy of LiangXueJieDu Formula for Psoriasis. <i>Frontiers in Pharmacology</i> , 2021, 12, 626267.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Hypericin-mediated photodynamic therapy for the treatment of cancer: a review. <i>Journal of Pharmacy and Pharmacology</i> , 2021, 73, 425-436.	1.2	39
20	Liraglutide Decreases Liver Fat Content and Serum Fibroblast Growth Factor 21 Levels in Newly Diagnosed Overweight Patients with Type 2 Diabetes and Nonalcoholic Fatty Liver Disease. <i>Journal of Diabetes Research</i> , 2021, 2021, 1-8.	1.0	14
21	Prevalence and pattern of refractive error and visual impairment among schoolchildren: the Lhasa childhood eye study. <i>BMC Ophthalmology</i> , 2021, 21, 363.	0.6	2
22	Altered Spontaneous Brain Activity Patterns and Functional Connectivity in Adults With Intermittent Exotropia: A Resting-State fMRI Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 746882.	1.4	10
23	Pinhole does not increase screening accuracy of detecting decreased best corrected visual acuity in schoolchildren. <i>BMC Ophthalmology</i> , 2021, 21, 416.	0.6	3
24	The Impact of Study-at-Home During the COVID-19 Pandemic on Myopia Progression in Chinese Children. <i>Frontiers in Public Health</i> , 2021, 9, 720514.	1.3	19
25	Serum Bilirubin Level Is Increased in Metabolically Healthy Obesity. <i>Frontiers in Endocrinology</i> , 2021, 12, 792795.	1.5	4
26	Aloe-emodin: A review of its pharmacology, toxicity, and pharmacokinetics. <i>Phytotherapy Research</i> , 2020, 34, 270-281.	2.8	268
27	Prevalence and associated risk factors for childhood strabismus in Lhasa, Tibet, China: a cross-sectional, school-based study. <i>BMC Ophthalmology</i> , 2020, 20, 463.	0.6	6
28	Stress aggravates and prolongs imiquimod-induced psoriasis-like epidermal hyperplasia and IL-1 β /IL-23p40 production. <i>Journal of Leukocyte Biology</i> , 2020, 108, 267-281.	1.5	16
29	Lhasa childhood eye study: the rationale, methodology, and baseline data of a 5-year follow-up of school-based cohort study in the Tibetan plateau region of Southwest China. <i>BMC Ophthalmology</i> , 2020, 20, 250.	0.6	11
30	Prevalence of heterophoria in a population of school children in central China: the Anyang Childhood Eye Study. <i>International Journal of Ophthalmology</i> , 2020, 13, 801-805.	0.5	8
31	Prevalence of Heterophoria in Tibetan Grade-One Students: The Lhasa Childhood Eye Study. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-7.	0.6	3
32	4'-O- β -D-glucosyl-5-O-methylvisamminol ameliorates imiquimod-induced psoriasis-like dermatitis and inhibits inflammatory cytokines production by suppressing the NF- κ B and MAPK signaling pathways. <i>Brazilian Journal of Medical and Biological Research</i> , 2020, 53, e10109.	0.7	8
33	Retinal vascular diameter changes assessed with a computer-assisted software after strabismus surgery. <i>International Journal of Ophthalmology</i> , 2020, 13, 620-624.	0.5	4
34	Different Analysis of β -Cell Dysfunction as Fasting Glucose Progresses in Obese and Nonobese Newly Diagnosed Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-8.	1.0	4
35	Acupuncture Needling, Electroacupuncture, and Fire Needling Improve Imiquimod-Induced Psoriasis-Like Skin Lesions through Reducing Local Inflammatory Responses. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-9.	0.5	10
36	Comparison of therapeutic effects of acarbose and metformin under different β -cell function status in Chinese patients with type 2 diabetes. <i>Endocrine Journal</i> , 2019, 66, 443-450.	0.7	7

#	ARTICLE	IF	CITATIONS
37	A new polymorph of isoimperatorin. <i>Pharmaceutical Development and Technology</i> , 2018, 23, 849-856.	1.1	2
38	Association Between Thyroid Hormones, Thyroid Antibodies, and Cardiometabolic Factors in Non-Obese Individuals With Normal Thyroid Function. <i>Frontiers in Endocrinology</i> , 2018, 9, 130.	1.5	36
39	Emodin induces apoptosis in human hepatocellular carcinoma HepaRG cells via the mitochondrial caspase-dependent pathway. <i>Oncology Reports</i> , 2018, 40, 1985-1993.	1.2	35
40	Aloe-emodin Induces Apoptosis in Human Liver HL-7702 Cells through Fas Death Pathway and the Mitochondrial Pathway by Generating Reactive Oxygen Species. <i>Phytotherapy Research</i> , 2017, 31, 927-936.	2.8	31
41	Induction of Apoptosis in HepaRG Cell Line by Aloe-Emodin through Generation of Reactive Oxygen Species and the Mitochondrial Pathway. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 685-696.	1.1	59
42	Cassiae semen: A review of its phytochemistry and pharmacology. <i>Molecular Medicine Reports</i> , 2017, 16, 2331-2346.	1.1	54
43	Quantitative measurement of retinal vascular diameter changes in the early postoperative period after strabismus surgery. <i>Journal of AAPOS</i> , 2017, 21, 274-277.	0.2	5
44	Preparation and physicochemical characterization of T-OA PLGA microspheres. <i>Chinese Journal of Natural Medicines</i> , 2017, 15, 912-916.	0.7	7
45	Predictive Value of Gene Polymorphisms on Recurrence after the Withdrawal of Antithyroid Drugs in Patients with Graves' Disease. <i>Frontiers in Endocrinology</i> , 2017, 8, 258.	1.5	5
46	Antithyroid Drug Therapy for Graves' Disease and Implications for Recurrence. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-8.	0.6	25
47	Exploring the relationship between the visual acuity interocular differences and stereopsis in strabismus and amblyopia patients. <i>Journal of Vision</i> , 2017, 17, 1066.	0.1	0
48	Retinal vessels caliber changes after strabismus surgery: results of 6mo follow-up. <i>International Journal of Ophthalmology</i> , 2016, 9, 1325-8.	0.5	0
49	PPAR α Agonist Fenofibrate Reduced the Secreting Load of β -Cells in Hypertriglyceridemia Patients with Normal Glucose Tolerance. <i>PPAR Research</i> , 2016, 2016, 1-7.	1.1	5
50	Chemical Constituents from <i>Daphne giraldii</i> Nitsche and Their Contents Simultaneous Determination by HPLC. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-5.	0.5	7
51	Emodin: A Review of its Pharmacology, Toxicity and Pharmacokinetics. <i>Phytotherapy Research</i> , 2016, 30, 1207-1218.	2.8	466
52	Preparation and physicochemical characterization of a solid dispersion of (3, 5)-Tj ETQq0 0 0 rGB /Overlock 10 Tf 50 147 Td (6-trimethyl polyvinylpyrrolidone). <i>Chinese Journal of Natural Medicines</i> , 2015, 13, 861-866.	0.7	1
53	Simultaneous Determination of Typhaneoside and Isorhamnetin-3-O-Neohesperidoside in Rats After Oral Administration of Pollen Typhae Extract by UPLC-MS/MS. <i>Journal of Chromatographic Science</i> , 2015, 53, 866-871.	0.7	14
54	Concentration Prediction of Total Flavonoids in Aurantii Fructus Extraction Process: Locally Weighted Regression versus Kinetic Model Equation Based on Fick's Law. <i>Chinese Herbal Medicines</i> , 2015, 7, 69-74.	1.2	2

#	ARTICLE	IF	CITATIONS
55	Pharmacokinetics and brain distribution studies of ginsenoside Rd in rats via intranasal administration by LC-MS/MS. <i>Analytical Methods</i> , 2015, 7, 8809-8816.	1.3	2
56	Prevalence, causes and associations of amblyopia in year 1 students in Central China. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2014, 252, 137-143.	1.0	29
57	Prevalence of Amblyopia and Strabismus in a Population of 7th-Grade Junior High School Students in Central China: The Anyang Childhood Eye Study (ACES). <i>Ophthalmic Epidemiology</i> , 2014, 21, 197-203.	0.8	77
58	Design, Methodology and Baseline Data of a School-based Cohort Study in Central China: The Anyang Childhood Eye Study. <i>Ophthalmic Epidemiology</i> , 2013, 20, 348-359.	0.8	123
59	Retinal Nerve Fiber Layer Thickness in a Population of 12-Year-Old Children in Central China Measured by iVue-100 Spectral-Domain Optical Coherence Tomography: The Anyang Childhood Eye Study. , 2013, 54, 8104.		57
60	Efficacy of laser peripheral iridoplasty and iridotomy on medically refractory patients with acute primary angle closure: a three year outcome. <i>Chinese Medical Journal</i> , 2013, 126, 41-5.	0.9	1
61	Screening for amblyopia among grade-1 students in primary school with uncorrected vision and stereopsis test in central China. <i>Chinese Medical Journal</i> , 2013, 126, 903-8.	0.9	1
62	Comparative study of anterior segment measurement with Pentacam and anterior segment optical coherence tomography. <i>Canadian Journal of Ophthalmology</i> , 2010, 45, 627-631.	0.4	21
63	Measurement of anterior chamber volume with rotating scheinpflug camera and anterior segment optical coherence tomography. <i>Chinese Medical Journal</i> , 2010, 123, 203-7.	0.9	3
64	Paediatric vision screening in Urban Lhasa from the Tibetan Plateau of Southwest China. <i>Eye</i> , 0, , .	1.1	0