

Tadeu Uggere De Andrade

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10389721/publications.pdf>

Version: 2024-02-01

25
papers

324
citations

1039406

9
h-index

839053

18
g-index

26
all docs

26
docs citations

26
times ranked

475
citing authors

#	ARTICLE	IF	CITATIONS
1	In vitro and in vivo anti-inflammatory activity and chemical composition of <i>Renealmia petasites</i> Gagnep. <i>Inflammopharmacology</i> , 2021, 29, 451-465.	1.9	3
2	Low and high doses of oxandrolone promote pathological cardiac remodeling in young male rats. <i>Steroids</i> , 2021, 170, 108814.	0.8	2
3	Eight weeks of treatment with nandrolone decanoate in female rats promotes disruption in the redox homeostasis and impaired renal function. <i>Life Sciences</i> , 2020, 242, 117227.	2.0	4
4	Worsening of Oxidative Stress, DNA Damage, and Atherosclerotic Lesions in Aged LDLr ^{-/-} Mice after Consumption of Guarana Soft Drinks. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-13.	1.9	5
5	Comparison between two programs for image analysis, machine learning and subsequent classification. <i>Tissue and Cell</i> , 2019, 58, 12-16.	1.0	10
6	Hematological value references for free-living saffron finch (<i>Sicalis flaveola</i>) using a machine-learning-based classifier. <i>Comparative Clinical Pathology</i> , 2019, 28, 937-941.	0.3	1
7	The benefits of soluble non-bacterial fraction of kefir on blood pressure and cardiac hypertrophy in hypertensive rats are mediated by an increase in baroreflex sensitivity and decrease in angiotensin-converting enzyme activity. <i>Nutrition</i> , 2018, 51-52, 66-72.	1.1	34
8	In Vitro and In Vivo Anti-inflammatory Effects of <i>Struthanthus vulgaris</i> . <i>Planta Medica</i> , 2017, 83, 770-777.	0.7	5
9	Chronic administration of antioxidant resin from <i>Virola oleifera</i> attenuates atherogenesis in LDLr ^{-/-} mice. <i>Journal of Ethnopharmacology</i> , 2017, 206, 65-72.	2.0	7
10	Objective detection of apoptosis in rat renal tissue sections using light microscopy and free image analysis software with subsequent machine learning. <i>Tissue and Cell</i> , 2017, 49, 22-27.	1.0	7
11	Serca2a and Na ⁺ /Ca ²⁺ exchanger are involved in left ventricular function following cardiac remodelling of female rats treated with anabolic androgenic steroid. <i>Toxicology and Applied Pharmacology</i> , 2016, 301, 22-30.	1.3	7
12	<i>Struthanthus vulgaris</i> ointment prevents an over expression of inflammatory response and accelerates the cutaneous wound healing. <i>Journal of Ethnopharmacology</i> , 2016, 190, 319-327.	2.0	26
13	Novel data for free-living saffron finch (<i>Sicalis flaveola</i>): reference hematological value and body mass. <i>Comparative Clinical Pathology</i> , 2016, 25, 465-468.	0.3	1
14	Relationship between male hormonal status, Bezold-Jarisch reflex function, and ACE activity (cardiac) Tj ETQq0 0,0,rgBT /Overlock 10	0.7	3
15	Antioxidant, antimicrobial and wound healing properties of <i>Struthanthus vulgaris</i> . <i>Pharmaceutical Biology</i> , 2016, 54, 331-337.	1.3	30
16	Nandrolone decanoate induces cardiac and renal remodeling in female rats, without modification in physiological parameters: The role of ANP system. <i>Life Sciences</i> , 2015, 137, 65-73.	2.0	18
17	Phytochemical and <i>in vitro</i> and <i>in vivo</i> biological investigation on the antihypertensive activity of mango leaves (<i>Mangifera indica</i> L.). <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015, 9, 244-256.	1.0	27
18	Antihypertensive Effect of <i>Carica papaya</i> Via a Reduction in ACE Activity and Improved Baroreflex. <i>Planta Medica</i> , 2014, 80, 1580-1587.	0.7	26

#	ARTICLE	IF	CITATIONS
19	Nandrolone decanoate determines cardiac remodelling and injury by an imbalance in cardiac inflammatory cytokines and ACE activity, blunting of the Bezold-Jarisch reflex, resulting in the development of hypertension. <i>Steroids</i> , 2013, 78, 379-385.	0.8	51
20	In vivo hypotensive effect and in vitro inhibitory activity of some Cyperaceae species. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2013, 49, 803-809.	1.2	3
21	Role of the renin-angiotensin system in the nandrolone-decanoate-induced attenuation of the Bezold-Jarisch reflex. <i>Canadian Journal of Physiology and Pharmacology</i> , 2011, 89, 891-897.	0.7	11
22	Long-term treatment with supraphysiological doses of nandrolone decanoate reduces the sensitivity of Bezold-Jarisch reflex control of heart rate and blood pressure. <i>Pharmacological Research</i> , 2009, 59, 379-384.	3.1	31
23	ROLE OF CARDIAC HYPERTROPHY IN REDUCING THE SENSITIVITY OF CARDIOPULMONARY REFLEX CONTROL OF RENAL SYMPATHETIC NERVE ACTIVITY IN SPONTANEOUSLY HYPERTENSIVE RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 1104-1108.	0.9	11
24	Finasteride promotes worsening of the cardiac deleterious effects of nandrolone decanoate and protects against genotoxic and cytotoxic damage. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 0, 56, .	1.2	0
25	Chronic and acute effects of kefir: the role of angiotensin converting enzyme inhibition instead of nitric oxide balance. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 0, 57, .	1.2	0