Wayne A Bardwell

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10390591/wayne-a-bardwell-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49 2,848 30 49 g-index

49 g-index

49 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
49	Association of Anxiety and Depression in Obstructive Sleep Apnea Patients: A Systematic Review and Meta-Analysis. <i>Behavioral Sleep Medicine</i> , 2020 , 18, 35-57	4.2	43
48	Impact of Positive Pressure Treatment of the Airway on Health-Related Quality of Life in Elderly Patients With Obstructive Sleep Apnea. <i>Biological Research for Nursing</i> , 2018 , 20, 452-461	2.6	6
47	Association between cancer stigma and depression among cancer survivors: a nationwide survey in Korea. <i>Psycho-Oncology</i> , 2013 , 22, 2372-8	3.9	71
46	Mood Predicts Response to Placebo CPAP. <i>Sleep Disorders</i> , 2012 , 2012, 404196	1.7	1
45	A Model for Studying Neuropsychological Effects of Sleep Intervention: The Effect of 3-week Continuous Positive Airway Pressure Treatment. <i>Drug Discovery Today: Disease Models</i> , 2011 , 8, 147-154	4 ^{1.3}	6
44	Depressed mood and flow-mediated dilation: a systematic review and meta-analysis. <i>Psychosomatic Medicine</i> , 2011 , 73, 360-9	3.7	74
43	Long-term course of pain in breast cancer survivors: a 4-year longitudinal study. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 579-86	4.4	35
42	Poor physical health predicts time to additional breast cancer events and mortality in breast cancer survivors. <i>Psycho-Oncology</i> , 2011 , 20, 252-9	3.9	54
41	Obesidad y calidad de sueß: predictores de la depresiß y la ansiedad en pacientes con sßdrome de apnea-hipopnea del sueß. <i>Revista De Neurologia</i> , 2011 , 52, 515	24	4
40	Number of Lapses during the Psychomotor Vigilance Task as an Objective Measure of Fatigue. <i>Journal of Clinical Sleep Medicine</i> , 2010 , 06, 163-168	3.1	44
39	Adverse impact of mood on flow-mediated dilation. <i>Psychosomatic Medicine</i> , 2010 , 72, 122-7	3.7	48
38	Relationships between cardiorespiratory fitness, physical activity, and psychosocial variables in overweight and obese breast cancer survivors. <i>International Journal of Behavioral Medicine</i> , 2010 , 17, 264-70	2.6	24
37	Endothelial function: the impact of objective and subjective socioeconomic status on flow-mediated dilation. <i>Annals of Behavioral Medicine</i> , 2010 , 39, 222-31	4.5	29
36	Medical comorbidities predict mortality in women with a history of early stage breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 859-65	4.4	78
35	Number of lapses during the psychomotor vigilance task as an objective measure of fatigue. <i>Journal of Clinical Sleep Medicine</i> , 2010 , 6, 163-8	3.1	22
34	The effects of ethnic discrimination and socioeconomic status on endothelin-1 among blacks and whites. <i>American Journal of Hypertension</i> , 2009 , 22, 698-704	2.3	35
33	Relationship between inflammation and cognitive function in obstructive sleep apnea. <i>Sleep and Breathing</i> , 2009 , 13, 35-41	3.1	26

(2006-2009)

32	CPAP and behavioral therapies in patients with obstructive sleep apnea: effects on daytime sleepiness, mood, and cognitive function. <i>Sleep Medicine Reviews</i> , 2009 , 13, 223-33	10.2	112
31	Correlation between hemoglobin and fatigue in women undergoing adjuvant chemotherapy without erythropoietin-stimulating-agent support. <i>Clinical Breast Cancer</i> , 2008 , 8, 522-6	3	4
30	Which measures of obesity are related to depressive symptoms and in whom?. <i>Psychosomatics</i> , 2008 , 49, 23-8	2.6	28
29	Breast Cancer and Fatigue. Sleep Medicine Clinics, 2008, 3, 61-71	3.6	63
28	Caffeine intake is independently associated with neuropsychological performance in patients with obstructive sleep apnea. <i>Sleep and Breathing</i> , 2008 , 12, 199-205	3.1	8
27	The relative importance of specific risk factors for insomnia in women treated for early-stage breast cancer. <i>Psycho-Oncology</i> , 2008 , 17, 9-18	3.9	106
26	The Effect of Demographic Variables on Ethnic Experience. <i>Journal of Applied Biobehavioral Research</i> , 2007 , 9, 65-79	1.7	
25	Comparison of the effects of depressive symptoms and apnea severity on fatigue in patients with obstructive sleep apnea: a replication study. <i>Journal of Affective Disorders</i> , 2007 , 97, 181-6	6.6	60
24	Effect of a 2 week CPAP treatment on mood states in patients with obstructive sleep apnea: a double-blind trial. <i>Sleep and Breathing</i> , 2007 , 11, 239-44	3.1	41
23	Correlates of physical activity level in breast cancer survivors participating in the Women's Healthy Eating and Living (WHEL) Study. <i>Breast Cancer Research and Treatment</i> , 2007 , 101, 225-32	4.4	93
22	Influence of a diet very high in vegetables, fruit, and fiber and low in fat on prognosis following treatment for breast cancer: the Women & Healthy Eating and Living (WHEL) randomized trial. JAMA - Journal of the American Medical Association, 2007, 298, 289-98	27.4	511
21	Effects of 2-week nocturnal oxygen supplementation and continuous positive airway pressure treatment on psychological symptoms in patients with obstructive sleep apnea: a randomized placebo-controlled study. <i>Behavioral Sleep Medicine</i> , 2007 , 5, 21-38	4.2	54
20	Neuropsychological effects of 2-week continuous positive airway pressure treatment and supplemental oxygen in patients with obstructive sleep apnea: a randomized placebo-controlled study. <i>Journal of Clinical Sleep Medicine</i> , 2007 , 3, 380-6	3.1	25
19	Neuropsychological Effects of 2-Week Continuous Positive Airway Pressure Treatment and Supplemental Oxygen in Patients with Obstructive Sleep Apnea: A Randomized Placebo-Controlled Study. <i>Journal of Clinical Sleep Medicine</i> , 2007 , 03, 380-386	3.1	63
18	Objective cancer-related variables are not associated with depressive symptoms in women treated for early-stage breast cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2420-7	2.2	160
17	The toll of ethnic discrimination on sleep architecture and fatigue. <i>Health Psychology</i> , 2006 , 25, 635-42	5	107
16	Dietary factors and vasomotor symptoms in breast cancer survivors: the WHEL Study. <i>Menopause</i> , 2006 , 13, 423-33	2.5	42
15	Depressive symptoms, eating psychopathology, and physical activity in obese breast cancer survivors. <i>Psycho-Oncology</i> , 2006 , 15, 453-62	3.9	19

14	Fatigue varies by social class in African Americans but not Caucasian Americans. <i>International Journal of Behavioral Medicine</i> , 2006 , 13, 252-8	2.6	17
13	Negative mood endures after completion of high-altitude military training. <i>Annals of Behavioral Medicine</i> , 2005 , 29, 64-9	4.5	21
12	Plasma carotenoids and recurrence-free survival in women with a history of breast cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 6631-8	2.2	77
11	Health-related quality of life in women previously treated for early-stage breast cancer. <i>Psycho-Oncology</i> , 2004 , 13, 595-604	3.9	49
10	Fatigue in obstructive sleep apnea: driven by depressive symptoms instead of apnea severity?. <i>American Journal of Psychiatry</i> , 2003 , 160, 350-5	11.9	103
9	Independent contribution of psychological factors to fibrin turnover in subjects with sleep apnoea and/or systemic hypertension. <i>Clinical Science</i> , 2002 , 103, 331-7	6.5	6
8	Psychologic correlates of compliance with continuous positive airway pressure. <i>Sleep</i> , 2002 , 25, 758-62	1.1	106
7	Neuropsychological effects of one-week continuous positive airway pressure treatment in patients with obstructive sleep apnea: a placebo-controlled study. <i>Psychosomatic Medicine</i> , 2001 , 63, 579-84	3.7	83
6	Association between polysomnographic sleep measures and health-related quality of life in obstructive sleep apnea. <i>Journal of Sleep Research</i> , 2001 , 10, 303-8	5.8	59
5	Response bias influences mental health symptom reporting in patients with obstructive sleep apnea. <i>Annals of Behavioral Medicine</i> , 2001 , 23, 313-7	4.5	23
4	The Impact of Ethnicity and Response Bias on the Self-Report of Negative Affect1. <i>Journal of Applied Biobehavioral Research</i> , 2001 , 6, 27-38	1.7	48
3	Types of coping strategies are associated with increased depressive symptoms in patients with obstructive sleep apnea. <i>Sleep</i> , 2001 , 24, 905-9	1.1	30
2	Does obstructive sleep apnea confound sleep architecture findings in subjects with depressive symptoms?. <i>Biological Psychiatry</i> , 2000 , 48, 1001-9	7.9	33
1	Psychological correlates of sleep apnea. <i>Journal of Psychosomatic Research</i> , 1999 , 47, 583-96	4.1	97