

# Nuria LÃ³pez-Ariztegui

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1039572/publications.pdf>

Version: 2024-02-01

21  
papers

294  
citations

1163117

8  
h-index

940533

16  
g-index

25  
all docs

25  
docs citations

25  
times ranked

261  
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-motor symptoms burden, mood, and gait problems are the most significant factors contributing to a poor quality of life in non-demented Parkinson's disease patients: Results from the COPPADIS Study Cohort. <i>Parkinsonism and Related Disorders</i> , 2019, 66, 151-157.	2.2	71
2	Non-motor symptom burden is strongly correlated to motor complications in patients with Parkinson's disease. <i>European Journal of Neurology</i> , 2020, 27, 1210-1223.	3.3	40
3	COPPADIS 2015 Cohort of Patients with Parkinson's Disease in Tj ETQq1 1 0.784314 rgBT 1000 subjects included. Results from the baseline evaluation. <i>European Journal of Neurology</i> , 2019, 26, 1399-1407.	3.3	32
4	Predictors of clinically significant quality of life impairment in Parkinson's disease. <i>Npj Parkinson's Disease</i> , 2021, 7, 118.	5.3	17
5	Sleep Problems Are Related to a Worse Quality of Life and a Greater Non-Motor Symptoms Burden in Parkinson's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 642-658.	2.3	15
6	The impact of freezing of gait on functional dependency in Parkinson's disease with regard to motor phenotype. <i>Neurological Sciences</i> , 2020, 41, 2883-2892.	1.9	13
7	Quality of life and non-motor symptoms in Parkinson's disease patients with subthreshold depression. <i>Journal of the Neurological Sciences</i> , 2020, 418, 117109.	0.6	11
8	Staging Parkinson's Disease Combining Motor and Nonmotor Symptoms Correlates with Disability and Quality of Life. <i>Parkinson's Disease</i> , 2021, 2021, 1-16.	1.1	10
9	Predictors of Global Non-Motor Symptoms Burden Progression in Parkinson's Disease. Results from the COPPADIS Cohort at 2-Year Follow-Up. <i>Journal of Personalized Medicine</i> , 2021, 11, 626.	2.5	10
10	Constipation Predicts Cognitive Decline in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-up and Comparison with a Control Group. <i>Journal of Parkinson's Disease</i> , 2022, 12, 315-331.	2.8	10
11	Depression is Associated with Impulse-compulsive Behaviors in Parkinson's disease. <i>Journal of Affective Disorders</i> , 2021, 280, 77-89.	4.1	9
12	Predictors of Loss of Functional Independence in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up and Comparison with a Control Group. <i>Diagnostics</i> , 2021, 11, 1801.	2.6	9
13	Clinical utility of a personalized and long-term monitoring device for Parkinson's disease in a real clinical practice setting: An expert opinion survey on STAT-ON, <i>Neurologia</i> , 2023, 38, 326-333.	0.7	7
14	Identifying comorbidities and lifestyle factors contributing to the cognitive profile of early Parkinson's disease. <i>BMC Neurology</i> , 2021, 21, 477.	1.8	7
15	Non-motor symptom burden in patients with Parkinson's disease with impulse control disorders and compulsive behaviours: results from the COPPADIS cohort. <i>Scientific Reports</i> , 2020, 10, 16893.	3.3	6
16	Falls Predict Acute Hospitalization in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2021, , 1-20.	2.8	5
17	Motor Fluctuations Development Is Associated with Non-Motor Symptoms Burden Progression in Parkinson's Disease Patients: A 2-Year Follow-Up Study. <i>Diagnostics</i> , 2022, 12, 1147.	2.6	5
18	Parkinson's Disease Motor Subtypes Change with the Progression of the Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up. <i>Journal of Parkinson's Disease</i> , 2022, 12, 935-955.	2.8	3

#	ARTICLE	IF	CITATIONS
19	Central Levodopa Influx and the Clinical Motor Response to Levodopa in Patients With Parkinson Disease Complicated With Motor Fluctuations and Dyskinesias. <i>Clinical Neuropharmacology</i> , 2009, 32, 321-325.	0.7	2
20	Diplopia Is Frequent and Associated with Motor and Non-Motor Severity in Parkinson™s Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up. <i>Diagnostics</i> , 2021, 11, 2380.	2.6	2
21	«El convento de las monjas torcidas». Sndrome de Pisa y camptocormia inducido por antipsicticos. <i>Neurocirugia</i> , 2021, 32, 148-152.	0.4	1