
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/103965/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Gene Expression Profiling of B Cell Chronic Lymphocytic Leukemia Reveals a Homogeneous Phenotype Related to Memory B Cells. Journal of Experimental Medicine, 2001, 194, 1625-1638. | 8.5 | 823 |
| 2 | Brentuximab vedotin with chemotherapy for CD30-positive peripheral T-cell lymphoma (ECHELON-2): a global, double-blind, randomised, phase 3 trial. Lancet, The, 2019, 393, 229-240. | 13.7 | 517 |
| 3 | Nongastric marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue. Blood, 2003, 101, 2489-2495. | 1.4 | 494 |
| 4 | Bortezomib-Melphalan-Prednisone-Thalidomide Followed by Maintenance With Bortezomib-Thalidomide Compared With Bortezomib-Melphalan-Prednisone for Initial Treatment of Multiple Myeloma: A Randomized Controlled Trial. Journal of Clinical Oncology, 2010, 28, 5101-5109. | 1.6 | 400 |
| 5 | Aspirin, Warfarin, or Enoxaparin Thromboprophylaxis in Patients With Multiple Myeloma Treated With Thalidomide: A Phase III, Open-Label, Randomized Trial. Journal of Clinical Oncology, 2011, 29, 986-993. | 1.6 | 302 |
| 6 | ABVD Compared With BEACOPP Compared With CEC for the Initial Treatment of Patients With Advanced Hodgkin's Lymphoma: Results From the HD2000 Gruppo Italiano per lo Studio dei Linfomi Trial. Journal of Clinical Oncology, 2009, 27, 805-811. | 1.6 | 256 |
| 7 | Splenic marginal zone lymphoma: a prognostic model for clinical use. Blood, 2006, 107, 4643-4649. | 1.4 | 217 |
| 8 | Genome-wide DNA profiling of marginal zone lymphomas identifies subtype-specific lesions with an impact on the clinical outcome. Blood, 2011, 117, 1595-1604. | 1.4 | 173 |
| 9 | Genomic and expression profiling identifies the B-cell associated tyrosine kinase Syk as a possible therapeutic target in mantle cell lymphoma. British Journal of Haematology, 2006, 132, 303-316. | 2.5 | 169 |
| 10 | ABVD Versus Modified Stanford V Versus MOPPEBVCAD With Optional and Limited Radiotherapy in Intermediate- and Advanced-Stage Hodgkin's Lymphoma: Final Results of a Multicenter Randomized Trial by the Intergruppo Italiano Linfomi. Journal of Clinical Oncology, 2005, 23, 9198-9207. | 1.6 | 167 |
| 11 | CD49d Is the Strongest Flow Cytometry–Based Predictor of Overall Survival in Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2014, 32, 897-904. | 1.6 | 162 |
| 12 | Molecular Classification of Multiple Myeloma: A Distinct Transcriptional Profile Characterizes Patients Expressing CCND1 and Negative for 14q32 Translocations. Journal of Clinical Oncology, 2005, 23, 7296-7306. | 1.6 | 123 |
| 13 | Gene expression profiling of plasma cell dyscrasias reveals molecular patterns associated with distinct IGH translocations in multiple myeloma. Oncogene, 2005, 24, 2461-2473. | 5.9 | 118 |
| 14 | Polarimetric Radar Observations in the Ice Region of Precipitating Clouds at C-Band and X-Band Radar Frequencies. Journal of Applied Meteorology and Climatology, 2013, 52, 1147-1169. | 1.5 | 107 |
| 15 | The Chuva Project: How Does Convection Vary across Brazil?. Bulletin of the American Meteorological Society, 2014, 95, 1365-1380. | 3.3 | 100 |
| 16 | Prognostic factors in symptomatic Waldenstrom's macroglobulinemia. Seminars in Oncology, 2003, 30, 211-215. | 2.2 | 99 |
| 17 | Long-Term Results of the HD2000 Trial Comparing ABVD Versus BEACOPP Versus COPP-EBV-CAD in Untreated Patients With Advanced Hodgkin Lymphoma: A Study by Fondazione Italiana Linfomi. Journal of Clinical Oncology, 2016, 34, 1175-1181. | 1.6 | 94 |
| 18 | Kaposi's Sarcoma-Associated Herpesvirus Infection and Multiple Myeloma. Science, 1997, 278, 1969-1973. | 12.6 | 92 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Stereotyped patterns of B-cell receptor in splenic marginal zone lymphoma. Haematologica, 2010, 95, 1792-1796. | 3.5 | 91 |
| 20 | Prognostic value of end-of-induction PET response after first-line immunochemotherapy for follicular lymphoma (GALLIUM): secondary analysis of a randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 1530-1542. | 10.7 | 91 |
| 21 | Microvessel density, a surrogate marker of angiogenesis, is significantly related to survival in multiple myeloma patients. British Journal of Haematology, 2002, 118, 817-820. | 2.5 | 87 |
| 22 | Bisphosphonate-associated osteonecrosis of the jaw: a review of 35 cases and an evaluation of its frequency in multiple myeloma patients. Leukemia and Lymphoma, 2007, 48, 56-64. | 1.3 | 86 |
| 23 | Pamidronate versus observation in asymptomatic myeloma: final results with long-term follow-up of a randomized study. Leukemia and Lymphoma, 2011, 52, 771-775. | 1.3 | 86 |
| 24 | Persistence of minimal residual disease in bone marrow predicts outcome in follicular lymphomas treated with a rituximab-intensive program. Blood, 2013, 122, 3759-3766. | 1.4 | 82 |
| 25 | Safety and efficacy of bortezomibâ€based regimens for multiple myeloma patients with renal impairment: a retrospective study of Italian Myeloma Network GIMEMA. European Journal of Haematology, 2010, 84, 223-228. | 2.2 | 77 |
| 26 | Monocyte count at diagnosis is a prognostic parameter in diffuse large B-cell lymphoma: results from a large multicenter study involving 1191 patients in the pre- and post-rituximab era. Haematologica, 2014, 99, 125-130. | 3.5 | 77 |
| 27 | Cyclophosphamide, doxorubicin, vincristine, prednisone and rituximab versus epirubicin, cyclophosphamide, vinblastine, prednisone and rituximab for the initial treatment of elderly "fit― patients with diffuse large B-cell lymphoma: results from the ANZINTER3 trial of the Intergruppo Italiano Linfomi. Leukemia and Lymphoma. 2012. 53. 581-588. | 1.3 | 74 |
| 28 | Peripheral neuropathy in IgM monoclonal gammopathy and wAkenstrom's macroglobulinemia: A frequent complication in elderly males with low MAG-reactive serum monoclonal component. American Journal of Hematology, 1994, 45, 25-31. | 4.1 | 73 |
| 29 | Immunoglobulin M Monoclonal Gammopathies of Undetermined Significance and Indolent Waldenström's Macroglobulinemia Recognize the Same Determinants of Evolution Into Symptomatic Lymphoid Disorders: Proposal for a Common Prognostic Scoring System. Journal of Clinical Oncology, 2005, 23, 4662-4668. | 1.6 | 73 |
| 30 | Immunohistochemical Analysis of Cyclin D1 Shows Deregulated Expression in Multiple Myeloma with the t(11;14). American Journal of Pathology, 2000, 156, 1505-1513. | 3.8 | 72 |
| 31 | Outcome of frail elderly patients with diffuse large B-cell lymphoma prospectively identified by Comprehensive Geriatric Assessment: results from a study of the Fondazione Italiana Linfomi. Leukemia and Lymphoma, 2014, 55, 38-43. | 1.3 | 72 |
| 32 | Upregulation of translational machinery and distinct genetic subgroups characterise hyperdiploidy in multiple myeloma. British Journal of Haematology, 2007, 136, 565-573. | 2.5 | 66 |
| 33 | Salvage chemoimmunotherapy with rituximab, ifosfamide and etoposide (Râ€ŀE regimen) in patients with primary CNS lymphoma relapsed or refractory to highâ€dose methotrexateâ€based chemotherapy. Hematological Oncology, 2013, 31, 143-150. | 1.7 | 66 |
| 34 | Molecular spectrum of <i>BRAF, NRAS</i> and <i>KRAS</i> gene mutations in plasma cell dyscrasias: implication for MEK-ERK pathway activation. Oncotarget, 2015, 6, 24205-24217. | 1.8 | 65 |
| 35 | Prognostic Validation of the International Classification of Immunoglobulin M Gammopathies: A Survival Advantage for Patients with Immunoglobulin M Monoclonal Gammopathy of Undetermined Significance?. Clinical Cancer Research, 2005, 11, 1786-1790. | 7.0 | 61 |
| 36 | Analysis of FGFR3 gene mutations in multiple myeloma patients with t(4;14). British Journal of Haematology, 2001, 114, 362-364. | 2.5 | 59 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Overview of the first HyMeX Special Observation Period over Italy: observations and model results. Hydrology and Earth System Sciences, 2014, 18, 1953-1977. | 4.9 | 58 |
| 38 | On precipitation measurements collected by a weather radar and a rain gauge network. Natural Hazards and Earth System Sciences, 2013, 13, 605-623. | 3.6 | 56 |
| 39 | Outcome prediction of diffuse large B-cell lymphomas associated with hepatitis C virus infection: a study on behalf of the Fondazione Italiana Linfomi. Haematologica, 2014, 99, 489-496. | 3.5 | 55 |
| 40 | Rituximab Maintenance Compared With Observation After Brief First-Line R-FND Chemoimmunotherapy With Rituximab Consolidation in Patients Age Older Than 60 Years With Advanced Follicular Lymphoma: A Phase III Randomized Study by the Fondazione Italiana Linfomi. Journal of Clinical Oncology, 2013, 31, 3351-3359. | 1.6 | 54 |
| 41 | DNA methylation profiling identifies two splenic marginal zone lymphoma subgroups with different clinical and genetic features. Blood, 2015, 125, 1922-1931. | 1.4 | 53 |
| 42 | Use of the GPM Constellation for Monitoring Heavy Precipitation Events Over the Mediterranean Region. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 2733-2753. | 4.9 | 51 |
| 43 | Radiotherapy of cutaneous B cell lymphomas: Our experience in 31 cases. International Journal of Radiation Oncology Biology Physics, 1993, 27, 385-389. | 0.8 | 50 |
| 44 | Introduction of rituximab in front-line and salvage therapies has improved outcome of advanced-stage follicular lymphoma patients. Cancer, 2007, 109, 2077-2082. | 4.1 | 50 |
| 45 | Characterization of oncogene dysregulation in multiple myeloma by combined FISH and DNA microarray analyses. Genes Chromosomes and Cancer, 2005, 42, 117-127. | 2.8 | 49 |
| 46 | Correction of X-Band Radar Observation for Propagation Effects Based on the Self-Consistency Principle. Journal of Atmospheric and Oceanic Technology, 2006, 23, 1668-1681. | 1.3 | 47 |
| 47 | Genomic lesions associated with a different clinical outcome in diffuse large B ell lymphoma treated with R HOPâ€21. British Journal of Haematology, 2010, 151, 221-231. | 2.5 | 47 |
| 48 | Gains of <i>MYC</i> locus and outcome in patients with diffuse large B ell lymphoma treated with Râ€CHOP. British Journal of Haematology, 2011, 155, 274-277. | 2.5 | 47 |
| 49 | Long-Term Follow-Up Analysis of HD9601 Trial Comparing ABVD Versus Stanford V Versus MOPP/EBV/CAD in Patients With Newly Diagnosed Advanced-Stage Hodgkin's Lymphoma: A Study From the Intergruppo Italiano Linfomi. Journal of Clinical Oncology, 2011, 29, 4227-4233. | 1.6 | 47 |
| 50 | CD26 expression in mature B ell neoplasia: its possible role as a new prognostic marker in B LL. Hematological Oncology, 2009, 27, 140-147. | 1.7 | 46 |
| 51 | Real-Time Rain Rate Evaluation via Satellite Downlink Signal Attenuation Measurement. Sensors, 2017, 17, 1864. | 3.8 | 46 |
| 52 | The Physiopathology of T- Cell Acute Lymphoblastic Leukemia: Focus on Molecular Aspects. Frontiers in Oncology, 2020, 10, 273. | 2.8 | 46 |
| 53 | Bortezomib―and thalidomideâ€induced peripheral neuropathy in multiple myeloma: clinical and molecular analyses of a phase 3 study. American Journal of Hematology, 2014, 89, 1085-1091. | 4.1 | 45 |
| 54 | Identification of the Melting Layer through Dual-Polarization Radar Measurements at Vertical Incidence. Journal of Atmospheric and Oceanic Technology, 2006, 23, 829-839. | 1.3 | 44 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Improvement of vertical profiles of raindrop size distribution from micro rain radar using 2D video disdrometer measurements. Atmospheric Research, 2016, 169, 404-415. | 4.1 | 44 |
| 56 | Radiation therapy improves treatment outcome in patients with diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2011, 52, 1867-1872. | 1.3 | 43 |
| 57 | Epstein-Barr Virus-Associated Lymphoma in Crohn's Disease. Inflammatory Bowel Diseases, 2004, 10, 425-429. | 1.9 | 41 |
| 58 | A compendium of <i>DIS3</i> mutations and associated transcriptional signatures in plasma cell dyscrasias. Oncotarget, 2015, 6, 26129-26141. | 1.8 | 40 |
| 59 | Molecular spectrum of <i>TP53</i> mutations in plasma cell dyscrasias by next generation sequencing: an Italian cohort study and overview of the literature. Oncotarget, 2016, 7, 21353-21361. | 1.8 | 40 |
| 60 | Absolute Monocyte Count and Lymphocyte-Monocyte Ratio Predict Outcome in Nodular Sclerosis Hodgkin Lymphoma: Evaluation Based on Data From 1450 Patients. Mayo Clinic Proceedings, 2015, 90, 756-764. | 3.0 | 39 |
| 61 | Prognostic relevance of serum Â2 microglobulin in patients with follicular lymphoma treated with anthracycline-containing regimens. A GISL study. Haematologica, 2007, 92, 1482-1488. | 3.5 | 38 |
| 62 | MATILDE chemotherapy regimen for primary CNS lymphoma. Neurology, 2014, 82, 1370-1373. | 1.1 | 38 |
| 63 | Neutrophilâ€lymphocyte ratio at diagnosis is an independent prognostic factor in patients with nodular sclerosis Hodgkin lymphoma: results of a large multicenter study involving 990 patients. Hematological Oncology, 2017, 35, 561-566. | 1.7 | 36 |
| 64 | Integrative genomic analysis reveals distinct transcriptional and genetic features associated with chromosome 13 deletion in multiple myeloma. Haematologica, 2007, 92, 56-65. | 3.5 | 34 |
| 65 | Microphysical Retrievals from Dual-Polarization Radar Measurements at X Band. Journal of Atmospheric and Oceanic Technology, 2008, 25, 729-741. | 1.3 | 34 |
| 66 | Safety and efficacy of bortezomib-melphalan-prednisone-thalidomide followed by bortezomib-thalidomide maintenance (VMPT-VT) versus bortezomib-melphalan-prednisone (VMP) in untreated multiple myeloma patients with renal impairment. Blood, 2011, 118, 5759-5766. | 1.4 | 34 |
| 67 | MicroRNA as potential biomarker in HCV-associated diffuse large B-cell lymphoma. Journal of Clinical Pathology, 2014, 67, 697-701. | 2.0 | 34 |
| 68 | Comparison of different fittings of drop spectra for rainfall retrievals. Advances in Water Resources, 2015, 83, 55-67. | 3.8 | 34 |
| 69 | Compendium of <i><scp>FAM</scp>46C</i> gene mutations in plasma cell dyscrasias. British Journal of Haematology, 2016, 174, 642-645. | 2.5 | 34 |
| 70 | Immune Thrombocytopenia in Patients with Chronic Lymphocytic Leukemia Is Associated with Stereotyped B-cell Receptors. Clinical Cancer Research, 2012, 18, 1870-1878. | 7.0 | 33 |
| 71 | Evaluation of Gamma Raindrop Size Distribution Assumption through Comparison of Rain Rates of Measured and Radar-Equivalent Gamma DSD. Journal of Applied Meteorology and Climatology, 2014, 53, 1618-1635. | 1.5 | 33 |
| 72 | The Precipitation Structure of the Mediterranean Tropical-Like Cyclone Numa: Analysis of GPM Observations and Numerical Weather Prediction Model Simulations. Remote Sensing, 2019, 11, 1690. | 4.0 | 33 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Italian Society of Hematology, Italian Society of Experimental Hematology, and Italian Group for Bone Marrow Transplantation Guidelines for the Management of Indolent, Nonfollicular B-Cell Lymphoma (Marginal Zone, Lymphoplasmacytic, and Small Lymphocytic Lymphoma). Clinical Lymphoma, Myeloma and Leukemia. 2015, 15, 75-85. | 0.4 | 32 |
| 74 | Heterogeneous pattern of chromosomal breakpoints involving theMYC locus in multiple myeloma. Genes Chromosomes and Cancer, 2003, 37, 261-269. | 2.8 | 31 |
| 75 | Influence of Disdrometer Type on Weather Radar Algorithms from Measured DSD: Application to Italian Climatology. Atmosphere, 2018, 9, 360. | 2.3 | 31 |
| 76 | Bendamustine salvage therapy for T cell neoplasms. Annals of Hematology, 2013, 92, 1249-1254. | 1.8 | 30 |
| 77 | The impact of lightning and radar reflectivity factor data assimilation on the very short-term rainfall forecasts of RAMS@ISAC: application to two case studies in Italy. Natural Hazards and Earth System Sciences, 2019, 19, 1839-1864. | 3.6 | 30 |
| 78 | Diffuse large B ell lymphoma with concordant bone marrow involvement has peculiar genomic profile and poor clinical outcome. Hematological Oncology, 2011, 29, 38-41. | 1.7 | 29 |
| 79 | Chromosome 1 abnormalities in elderly patients with newly diagnosed multiple myeloma treated with novel therapies. Haematologica, 2014, 99, 1611-1617. | 3.5 | 29 |
| 80 | Circulating tumor DNA as a liquid biopsy in plasma cell dyscrasias. Haematologica, 2018, 103, e245-e248. | 3.5 | 29 |
| 81 | Lenalidomide-based induction and maintenance in elderly newly diagnosed multiple myeloma patients: updated results of the EMN01 randomized trial. Haematologica, 2020, 105, 1937-1947. | 3.5 | 29 |
| 82 | Characterization of Mediterranean hail-bearing storms using an operational polarimetric X-band radar. Atmospheric Measurement Techniques, 2015, 8, 4681-4698. | 3.1 | 28 |
| 83 | Khorana score and histotype predicts incidence of early venous thromboembolism in non-Hodgkin lymphomas. Thrombosis and Haemostasis, 2017, 117, 1615-1621. | 3.4 | 27 |
| 84 | Investigation of Weather Radar Quantitative Precipitation Estimation Methodologies in Complex Orography. Atmosphere, 2017, 8, 34. | 2.3 | 27 |
| 85 | Prognostic or predictive value of circulating cytokines and angiogenic factors for initial treatment of multiple myeloma in the GIMEMA MM0305 randomized controlled trial. Journal of Hematology and Oncology, 2019, 12, 4. | 17.0 | 27 |
| 86 | New Perspectives on Polycythemia Vera: From Diagnosis to Therapy. International Journal of Molecular Sciences, 2020, 21, 5805. | 4.1 | 27 |
| 87 | Immunoglobulin heavy chain genes somatic hypermutations and chromosome 11q22â€23 deletion in classic mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research. British Journal of Haematology, 2004, 124, 289-298. | 2.5 | 26 |
| 88 | What Is the Shape of a Raindrop? An Answer from Radar Measurements. Journals of the Atmospheric Sciences, 2006, 63, 3033-3044. | 1.7 | 26 |
| 89 | Reply to "COVID-19 in persons with haematological cancers― a focus on myeloid neoplasms and risk factors for mortality. Leukemia, 2020, 34, 1957-1960. | 7.2 | 26 |
| 90 | A multicenter retrospective clinical study of CD5/CD10â€negative chronic B cell leukemias. American Journal of Hematology, 2008, 83, 349-354. | 4.1 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Multi-sensor analysis of convective activity in central Italy during the HyMeX SOP 1.1. Atmospheric Measurement Techniques, 2016, 9, 535-552. | 3.1 | 25 |
| 92 | Monocytosis has adverse prognostic significance and impacts survival in patients with T-cell lymphomas. Leukemia Research, 2013, 37, 619-623. | 0.8 | 24 |
| 93 | Fludarabine, Cyclophosphamide, and Rituximab in Salvage Therapy of Waldenström's Macroglobulinemia. Clinical Lymphoma, Myeloma and Leukemia, 2013, 13, 231-234. | 0.4 | 24 |
| 94 | Treatment of Indolent B-Cell Nonfollicular Lymphomas: Final Results of the LLO1 Randomized Trial of the Gruppo Italiano per lo Studio dei Linfomi. Journal of Clinical Oncology, 2003, 21, 1459-1465. | 1.6 | 23 |
| 95 | Immunoreactivity for p27KIP1 and cyclin E is an independent predictor of survival in primary gastric nonâ€Hodgkin's lymphoma. International Journal of Cancer, 2001, 94, 599-604. | 5.1 | 21 |
| 96 | Considerations in the treatment of multiple myeloma: a consensus statement from Italian experts. European Journal of Haematology, 2009, 82, 93-105. | 2.2 | 21 |
| 97 | The Prognostic Value of F-18 Fluorodeoxyglucose Bone Marrow Uptake in Patients With Recent Diagnosis of Multiple Myeloma. Clinical Nuclear Medicine, 2010, 35, 1-5. | 1.3 | 21 |
| 98 | Fludarabine, cyclophosphamide, and rituximab in patients with advanced, untreated, indolent B ell nonfollicular lymphomas. Cancer, 2012, 118, 3954-3961. | 4.1 | 21 |
| 99 | Biological Difference Between Epstein–Barr Virus Positive and Negative Post-transplant Lymphoproliferative Disorders and Their Clinical Impact. Frontiers in Oncology, 2020, 10, 506. | 2.8 | 21 |
| 100 | Attenuation and Differential Attenuation Correction of C-Band Radar Observations Using a Fully Self-Consistent Methodology. IEEE Geoscience and Remote Sensing Letters, 2007, 4, 326-330. | 3.1 | 20 |
| 101 | Immunogenetics features and genomic lesions in splenic marginal zone lymphoma. British Journal of Haematology, 2010, 151, 435-439. | 2.5 | 20 |
| 102 | Influence of Beam Broadening on the Accuracy of Radar Polarimetric Rainfall Estimation. Journal of Hydrometeorology, 2015, 16, 1356-1371. | 1.9 | 20 |
| 103 | Cell cycle regulators in multiple myeloma: Prognostic implications of p53 nuclear accumulation. Human Pathology, 2003, 34, 41-47. | 2.0 | 19 |
| 104 | The Influence of Antenna Radome on Weather Radar Calibration and Its Real-Time Assessment. Journal of Atmospheric and Oceanic Technology, 2013, 30, 676-689. | 1.3 | 19 |
| 105 | Angiogenesis occurs in hairy cell leukaemia (HCL) and in NOD/SCID mice transplanted with the HCL line Bonna-12. British Journal of Haematology, 2003, 120, 695-698. | 2.5 | 18 |
| 106 | Primary plasma cell leukemia in the era of new drugs: Has something changed?. Critical Reviews in Oncology/Hematology, 2012, 82, 141-149. | 4.4 | 18 |
| 107 | Description and preliminary results of a 100 square meter rain gauge. Journal of Hydrology, 2018, 556, 827-834. | 5.4 | 18 |
| 108 | Clinical and molecular characteristics of lymphoplasmacytic lymphoma not associated with an IgM monoclonal protein: A multicentric study of the Rete Ematologica Lombarda (REL) network. American Journal of Hematology, 2019, 94, 1193-1199. | 4.1 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | An Examination of the Validity of the Mean Raindrop-Shape Model for Dual-Polarization Radar Rainfall Retrievals. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 2752-2761. | 6.3 | 16 |
| 110 | Proposal and Validation of Prognostic Scoring Systems for IgG and IgA Monoclonal Gammopathies of Undetermined Significance. Clinical Cancer Research, 2009, 15, 4439-4445. | 7.0 | 15 |
| 111 | Safety and efficacy of lenalidomide in combination with rituximab in recurrent indolent non-follicular lymphoma: final results of a phase II study conducted by the Fondazione Italiana Linfomi. Haematologica, 2016, 101, e196-e199. | 3.5 | 15 |
| 112 | Primary plasma cell leukemia 2.0: advances in biology and clinical management. Expert Review of Hematology, 2016, 9, 1063-1073. | 2.2 | 15 |
| 113 | A Support Vector Machine Hydrometeor Classification Algorithm for Dual-Polarization Radar. Atmosphere, 2017, 8, 134. | 2.3 | 15 |
| 114 | Lymphomas associated with chronic hepatitis C virus infection: A prospective multicenter cohort study from the Rete Ematologica Lombarda (REL) clinical network. Hematological Oncology, 2019, 37, 160-167. | 1.7 | 15 |
| 115 | Rainfall and DSD Parameters Comparison between Micro Rain Radar, Two-Dimensional Video and Parsivel2 Disdrometers, and S-Band Dual-Polarization Radar. Journal of Atmospheric and Oceanic Technology, 2020, 37, 621-640. | 1.3 | 15 |
| 116 | Retrieval of snow precipitation rate from polarimetric X-band radar measurements in Southern Italy Apennine mountains. Atmospheric Research, 2020, 236, 104796. | 4.1 | 14 |
| 117 | Characterization of snowfall estimated by in situ and ground-based remote-sensing observations at Terra Nova Bay, Victoria Land, Antarctica. Journal of Glaciology, 2020, 66, 1006-1023. | 2.2 | 14 |
| 118 | Validation of GPM Rainfall and Drop Size Distribution Products through Disdrometers in Italy. Remote Sensing, 2021, 13, 2081. | 4.0 | 14 |
| 119 | Quantitative Precipitation Estimation over Antarctica Using Different Ze-SR Relationships Based on Snowfall Classification Combining Ground Observations. Remote Sensing, 2022, 14, 82. | 4.0 | 14 |
| 120 | The clinical and biological features of a series of immunophenotypic variant of B LL. European Journal of Haematology, 2010, 85, 120-129. | 2.2 | 13 |
| 121 | Analysis of dual polarization images of precipitating clouds collected by the COSMO SkyMed constellation. Atmospheric Research, 2014, 144, 21-37. | 4.1 | 13 |
| 122 | Impact of multiple radar reflectivity data assimilation on the numerical simulation of aÂflash flood event during the HyMeX campaign. Hydrology and Earth System Sciences, 2017, 21, 5459-5476. | 4.9 | 13 |
| 123 | Continuous therapy in standard- and high-risk newly-diagnosed multiple myeloma: A pooled analysis of 2 phase III trials. Critical Reviews in Oncology/Hematology, 2018, 132, 9-16. | 4.4 | 13 |
| 124 | Global methylation patterns in primary plasma cell leukemia. Leukemia Research, 2018, 73, 95-102. | 0.8 | 13 |
| 125 | The role of the Italian scientific community in the first HyMeX SOP: an outstanding multidisciplinary experience. Meteorologische Zeitschrift, 2015, 24, 261-267. | 1.0 | 13 |
| 126 | Can a Unique Model Describe the Raindrop Shape–Size Relation? A Clue from Polarimetric Radar Measurements. Journal of Atmospheric and Oceanic Technology, 2009, 26, 1829-1842. | 1.3 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------------|
| 127 | Bisphosphonates associated osteonecrosis of the jaw: A longâ€ŧerm followâ€up of a series of 35 cases observed by GISL and evaluation of its frequency over time. American Journal of Hematology, 2009, 84, 850-852. | 4.1 | 12 |
| 128 | Integrated profiling of diffuse large B ell lymphoma with 7q gain. British Journal of Haematology, 2011, 153, 499-503. | 2.5 | 12 |
| 129 | Italian real life experience with ibrutinib: results of a large observational study on 77 relapsed/refractory mantle cell lymphoma. Oncotarget, 2018, 9, 23443-23450. | 1.8 | 12 |
| 130 | Low dose alemtuzumab in patients with fludarabine-refractory chronic lymphocytic leukemia. Leukemia and Lymphoma, 2012, 53, 424-429. | 1.3 | 11 |
| 131 | NEAT1 Long Isoform Is Highly Expressed in Chronic Lymphocytic Leukemia Irrespectively of Cytogenetic Groups or Clinical Outcome. Non-coding RNA, 2020, 6, 11. | 2.6 | 11 |
| 132 | Phase II fludarabine and cyclophosphamide for the treatment of indolent B cell non-follicular lymphomas: final results of the LLO2 trialof the Gruppo Italiano per lo Studio dei Linfomi (GISL). Annals of Hematology, 2011, 90, 323-330. | 1.8 | 10 |
| 133 | Total body computed tomography scan in the initial workâ€up of Binet stage A chronic lymphocytic leukemia patients: Results of the prospective, multicenter Oâ€CLL1â€GISL study. American Journal of Hematology, 2013, 88, 539-544. | 4.1 | 10 |
| 134 | Evaluation of Rainfall Estimation Derived From Commercial Interactive DVB Receivers Using Disdrometer, Rain Gauge, and Weather Radar. IEEE Transactions on Geoscience and Remote Sensing, 2021, 59, 8978-8991. | 6.3 | 10 |
| 135 | Response-Guided ABVD Chemotherapy plus Involved-Field Radiation Therapy for Intermediate-Stage Hodgkin Lymphoma in the Pre–Positron Emission Tomography Era: A Gruppo Italiano Studio Linfomi (GISL) Prospective Trial. Clinical Lymphoma and Myeloma, 2009, 9, 138-144. | 1.4 | 9 |
| 136 | First-Line Treatment of Multiple Myeloma in Elderly Patients: the GIMEMA (Gruppo Italiano Malattie) Tj ETQq0 0 10, 906-922. | 0 rgBT /Ov 2.1 | verlock 10 Tf 9 |
| 137 | Microwave radar signatures of precipitation from S band to Ka band: application to GPM mission. European Journal of Remote Sensing, 2012, 45, 75-88. | 3.5 | 9 |
| 138 | A phase II study of bendamustine in combination with rituximab as initial treatment for patients with indolent non-follicular non-Hodgkin lymphoma. Leukemia and Lymphoma, 2016, 57, 880-887. | 1.3 | 9 |
| 139 | Treatment Intensification With Autologous Stem Cell Transplantation and Lenalidomide Maintenance Improves Survival Outcomes of Patients With Newly Diagnosed Multiple Myeloma in Complete Response. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, 533-540. | 0.4 | 9 |
| 140 | Lamivudine prophylaxis prevents hepatitis B virus reactivation in anti-HBc positive patients under rituximab for non-Hodgkin lymphoma. Digestive and Liver Disease, 2019, 51, 419-424. | 0.9 | 9 |
| 141 | Prospective Study of Indolent Non-follicular Non-Hodgkin's Lymphoma: Validation of Gruppo Italiano Per Lo Studio Dei Linfomi (GISL) Prognostic Criteria for Watch and Wait Policy. Leukemia and Lymphoma, 2002, 43, 1933-1938. | 1.3 | 8 |
| 142 | The length of treatment of aggressive non-Hodgkin's lymphomas established according to the international prognostic index score: long-term results of the GISL LAO3 study. European Journal of Haematology, 2006, 76, 217-229. | 2.2 | 8 |
| 143 | Serum level of CD26 predicts time to first treatment in early Bâ€chronic lymphocytic leukemia. European Journal of Haematology, 2009, 83, 208-214. | 2.2 | 8 |
| 144 | Responseâ€adjusted ISS (RaISS) is a simple and reliable prognostic scoring system for predicting progressionâ€free survival in transplanted patients with multiple myeloma. American Journal of Hematology, 2012, 87, 150-154. | 4.1 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Maintenance in myeloma patients achieving complete response after upfront therapy: a pooled analysis. Journal of Cancer Research and Clinical Oncology, 2018, 144, 1357-1366. | 2.5 | 8 |
| 146 | Bortezomib, cyclophosphamide, dexamethasone versus lenalidomide, cyclophosphamide, dexamethasone in multiple myeloma patients at first relapse. British Journal of Haematology, 2020, 188, 907-917. | 2.5 | 8 |
| 147 | Prevalence and prognostic significance of sMUC-1 levels in plasma cell dyscrasias. British Journal of Haematology, 2003, 121, 772-774. | 2.5 | 7 |
| 148 | Bendamustine in relapsed/refractory multiple myeloma: the "real-life―side of the moon. Leukemia and Lymphoma, 2015, 56, 1510-1513. | 1.3 | 7 |
| 149 | Application of Next-Generation Sequencing for the Genomic Characterization of Patients with Smoldering Myeloma. Cancers, 2020, 12, 1332. | 3.7 | 7 |
| 150 | Weather Radar and Rain-Gauge Data Fusion for Quantitative Precipitation Estimation: Two Case Studies. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 6639-6649. | 6.3 | 7 |
| 151 | Ensuring continuity of care of hematologic patients during COVID-19 pandemic in a tertiary hospital in Lombardy (Italy). Blood Advances, 2020, 4, 2996-2999. | 5.2 | 7 |
| 152 | Cross-validation of active and passive microwave snowfall products over the continental United States. Journal of Hydrometeorology, 2021, , . | 1.9 | 7 |
| 153 | Anthracyclineâ€fludarabineâ€containing regimens with or without rituximab in the treatment of patients with advanced follicular lymphoma. Cancer, 2009, 115, 1906-1913. | 4.1 | 6 |
| 154 | Molecular events underlying interleukinâ€6 independence in a subclone of the CMAâ€03 multiple myeloma cell line. Genes Chromosomes and Cancer, 2014, 53, 154-167. | 2.8 | 6 |
| 155 | Defining the best cutâ€off value for lymphopenia in diffuse large B cell lymphoma treated with immunoâ€chemotherapy. British Journal of Haematology, 2014, 167, 133-136. | 2.5 | 6 |
| 156 | Validation of the Advanced Polarimetric Doppler Weather Radar Simulator with Polar55C real observations. , 2014, , . | | 6 |
| 157 | Performance Evaluations of Rain Microphysical Retrieval Using Gpm Dual-Wavelength Radar by Way of Comparison With the Self-Consistent Numerical Method. IEEE Transactions on Geoscience and Remote Sensing, 2018, 56, 5705-5716. | 6.3 | 6 |
| 158 | Modeling COSMO-SkyMed measurements of precipitating clouds over the sea using simultaneous weather radar observations. Atmospheric Research, 2014, 144, 38-56. | 4.1 | 5 |
| 159 | Polarimetric radar for civil aircrafts to support pilots' decision in bad weather conditions. , 2015, , . | | 5 |
| 160 | Frequency and clinical relevance of coding and noncoding <i>NOTCH1</i> mutations in early stage Binet A chronic lymphocytic leukemia patients. Hematological Oncology, 2020, 38, 406-408. | 1.7 | 5 |
| 161 | An EnKF-based method to produce rainfall maps from simulated satellite-to-ground MW-link signal attenuation. Journal of Hydrometeorology, 2021, 22, 1333-1350. | 1.9 | 5 |
| 162 | An integrated procedure for rainfall estimation using C-band dual-polarization weather radars. , 2008 | | 4 |

2008, , .

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Validation of a dual-polarization SAR storm observation model. , 2011, , . | | 4 |
| 164 | Unilateral Exophthalmos and Multiple Subcutaneous Nodules As a Result of Extranodal Marginal Zone Lymphoma. Journal of Clinical Oncology, 2012, 30, e69-e73. | 1.6 | 4 |
| 165 | Tomography applied to radiobase network for real time estimation of the rainfall rate fields. Atmospheric Research, 2013, 119, 62-69. | 4.1 | 4 |
| 166 | Validation concepts with ground radars for global precipitation mission during the post launch era. , 2013, , . | | 4 |
| 167 | Icing hazard for civil aviation. , 2015, , . | | 4 |
| 168 | A Self-Consistent Numerical Method for Microphysical Retrieval in Rain Using GPM Dual-Wavelength Radar. Journal of Atmospheric and Oceanic Technology, 2016, 33, 2205-2223. | 1.3 | 4 |
| 169 | A Multicenter Phase II Study of Twice-Weekly Bortezomib plus Rituximab in Patients with Relapsed Follicular Lymphoma: Long-Term Follow-Up. Acta Haematologica, 2017, 137, 7-14. | 1.4 | 4 |
| 170 | The Potential of SmartInb Networks for Rainfall Estimation. , 2018, , . | | 4 |
| 171 | UGT1A1 genotype does not affect tyrosine kinase inhibitors efficacy and safety in chronic myeloid leukemia. American Journal of Hematology, 2019, 94, E283-E285. | 4.1 | 4 |
| 172 | A CooDerative Studv on ProMACE-dytaBOM in Aggressive Non-Hodgkin's Lymphomas. Leukemia and Lymphoma, 1994, 13, 111-118. | 1.3 | 3 |
| 173 | Simulation and modeling of rainfall radar measurements for hydrological applications. Natural Hazards, 1994, 9, 109-122. | 3.4 | 3 |
| 174 | Clinical categories identified by a new prognostic index reflect biological characteristics of patients in early chronic lymphocytic leukemia: The Gruppo Italiano Studio Linfomi (GISL) experience. Leukemia Research, 2010, 34, e217-e218. | 0.8 | 3 |
| 175 | Retrieving rainfall fields through tomographic processing applied to radio base network signals. Proceedings of SPIE, 2011, , . | 0.8 | 3 |
| 176 | Panobinostat in combination with bortezomib and dexamethasone as induction therapy in patients with multiple myeloma, candidates for autologous transplant. Leukemia and Lymphoma, 2015, 56, 1901-1902. | 1.3 | 3 |
| 177 | Lenalidomide in Pretreated Mantle Cell Lymphoma Patients: An Italian Observational Multicenter Retrospective Study in Daily Clinical Practice (the Lenamant Study). Oncologist, 2018, 23, 1033-1038. | 3.7 | 3 |
| 178 | Integrating clinical, morphological, and molecular data to assess prognosis in patients with primary myelofibrosis at diagnosis: A practical approach. Hematological Oncology, 2019, 37, 424-433. | 1.7 | 3 |
| 179 | Heavy Precipitation Systems in the Mediterranean Area: The Role of GPM. Advances in Global Change Research, 2020, , 819-841. | 1.6 | 3 |
| | | | |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | OPP-EBV-CAD Regimen as Salvage Treatment in Advanced Refractory or Resistant Multiple Myeloma. Leukemia and Lymphoma, 2000, 40, 87-94. | 1.3 | 2 |
| 182 | Long term outcome of patients with localized aggressive non-Hodgkin lymphoma treated with PROMECE-CYTABOM plus involved-field radiation therapy: a study by the Gruppo Italiano Studio Linfomi. Leukemia and Lymphoma, 2010, 51, 422-429. | 1.3 | 2 |
| 183 | Analysis of precipitation in repeated acquisitions collected by the COSMO SkyMed constellation in polarimetric mode. , 2011, , . | | 2 |
| 184 | Super-cooled liquid water droplets detection using dual-polarization radar. , 2016, , . | | 2 |
| 185 | Absolute monocyte count at diagnosis could improve the prognostic role of early <scp>FDG</scp> â€ <scp>PET</scp> in classical Hodgkin lymphoma patients. British Journal of Haematology, 2018, 180, 600-602. | 2.5 | 2 |
| 186 | A case report of systemic mastocytosis associated with multiple hematologic non–mast cell lineage diseases. Hematological Oncology, 2019, 37, 205-211. | 1.7 | 2 |
| 187 | Ground-Based Weather Radar to Investigate Thunderstorms. Springer Remote Sensing/photogrammetry, 2018, , 113-135. | 0.4 | 2 |
| 188 | Evidence of sublimation in the vertical profiles of radar reflectivity and its impact on snowfall estimation at the ground at Mario Zucchelli Antarctic Station. , 2022, , . | | 2 |
| 189 | B-Cell Nasal Lymphoma Mimicking Hyperplastic Chronic Rhinitis. Otolaryngology - Head and Neck Surgery, 2006, 135, 165-167. | 1.9 | 1 |
| 190 | Immunoreactivity for cyclin D1 is a reliable marker of gene aberration in plasma cell myeloma but does not specify patients prognosis. Leukemia Research, 2008, 32, 1628-1632. | 0.8 | 1 |
| 191 | Effects of precipitation on images collected using different operational modes of Cosmo Sky Med. , 2012, , . | | 1 |
| 192 | X-band avionic weather radar simulator: Output testing and analysis. , 2015, , . | | 1 |
| 193 | Ice water content assessment in the single-, dual-, and triple-frequency radar scenarios. Remote Sensing of Environment, 2021, 254, 112242. | 11.0 | 1 |
| 194 | Scanning and transmission electron microscopy of clonal peripheral blood lymphocytes in low grade non-Hodgkin's B-cell lymphomas with predominant splenomegaly. Microscopy Research and Technique, 1994, 28, 345-355. | 2.2 | 0 |
| 195 | <title>Comparison and integration of active and passive microwave for rainfall monitoring: a study case</title> . , 1997, 2959, 129. | | 0 |
| 196 | Rain microphysics estimation using X-band dual polarization radar measurements. , 2007, , . | | 0 |
| 197 | Treatment of newly diagnosed multiple myeloma. Current Hematologic Malignancy Reports, 2008, 3, 107-114. | 2.3 | 0 |
| 198 | Reflectivity and Differential Reflectivity Rainfall Algorithm Performance at X-band. , 2008, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Analysis of the mean raindrop shape model for dual polarization radar rainfall estimation. , 2009, , . | | 0 |
| 200 | Retrieval of raindrop shape-size relation using dual polarization radar measurements. , 2010, , . | | 0 |
| 201 | Genomeâ€wide <scp>DNA</scp> profiling identifies clonal heterogeneity in marginal zone lymphomas. British Journal of Haematology, 2014, 164, 896-899. | 2.5 | Ο |
| 202 | Performance evaluation of rain products from a polarimetric X-band radar by using a new raw data processing chain. , 2015, , . | | 0 |
| 203 | C/S algorithm based on properties of dual-polarization radar measurements derived from disdrometer data. AlP Conference Proceedings, 2016, , . | 0.4 | 0 |
| 204 | The NEFOCAST project: Quantitative precipitation estimation based on interactive satellite terminals. , 2017, , . | | 0 |
| 205 | Interpretation of weather radar returns from single and distributed scatterers. , 2018, , . | | Ο |
| 206 | Weather radar performance monitoring using a metallic-grid ground-scatterer. , 2017, , . | | 0 |
| 207 | Validation of space-borne radar precipitation retrievals using disdrometer data over Italy. , 2020, , . | | Ο |
| 208 | On the influence of the vertical variability on the Earth-to-satellite communication link rain retrievals. , 2022, , . | | 0 |