
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10399876/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	What type of plastic do sea turtles in Korean waters mainly ingest? Quantity, shape, color, size, polymer composition, and original usage. Environmental Pollution, 2022, 298, 118849.	3.7	9
2	Underwater hidden microplastic hotspots: Historical ocean dumping sites. Water Research, 2022, 216, 118254.	5.3	15
3	Microplastics and nanoplastics in the marine-atmosphere environment. Nature Reviews Earth & Environment, 2022, 3, 393-405.	12.2	121
4	Ecological risk assessment of microplastics in coastal, shelf, and deep sea waters with a consideration of environmentally relevant size and shape. Environmental Pollution, 2021, 270, 116217.	3.7	102
5	Relative importance of aqueous leachate versus particle ingestion as uptake routes for microplastic additives (hexabromocyclododecane) to mussels. Environmental Pollution, 2021, 270, 116272.	3.7	29
6	Nationwide monitoring of microplastics in bivalves from the coastal environment of Korea. Environmental Pollution, 2021, 270, 116175.	3.7	113
7	Prevalence of small high-density microplastics in the continental shelf and deep sea waters of East Asia. Water Research, 2021, 200, 117238.	5.3	45
8	A comparison of spectroscopic analysis methods for microplastics: Manual, semi-automated, and automated Fourier transform infrared and Raman techniques. Marine Pollution Bulletin, 2021, 173, 113101.	2.3	27
9	A close relationship between microplastic contamination and coastal area use pattern. Water Research, 2020, 171, 115400.	5.3	150
10	Rapid Production of Micro- and Nanoplastics by Fragmentation of Expanded Polystyrene Exposed to Sunlight. Environmental Science & Technology, 2020, 54, 11191-11200.	4.6	144
11	Can Zooplankton Be Entangled by Microfibers in the Marine Environment?: Laboratory Studies. Water (Switzerland), 2020, 12, 3302.	1.2	2
12	The physical oceanography of the transport of floating marine debris. Environmental Research Letters, 2020, 15, 023003.	2.2	469
13	Spatial distribution of microplastic in the surface waters along the coast of Korea. Marine Pollution Bulletin, 2020, 155, 110729.	2.3	47
14	Microplastic contamination of table salts from Taiwan, including a global review. Scientific Reports, 2019, 9, 10145.	1.6	87
15	An interlaboratory comparison exercise for the determination of microplastics in standard sample bottles. Marine Pollution Bulletin, 2019, 146, 831-837.	2.3	79
16	Spatiotemporal distribution and annual load of microplastics in the Nakdong River, South Korea. Water Research, 2019, 160, 228-237.	5.3	335
17	Multiple approaches to assessing the risk posed by anthropogenic plastic debris. Marine Pollution Bulletin, 2019, 141, 188-193.	2.3	6
18	Abundance and characteristics of microplastics in market bivalves from South Korea. Environmental Pollution, 2019, 245, 1107-1116.	3.7	309

#	Article	IF	CITATIONS
19	Abundance, composition, and distribution of microplastics larger than 20â€Î¼m in sand beaches of South Korea. Environmental Pollution, 2018, 238, 894-902.	3.7	160
20	Formation of microplastics by polychaetes (Marphysa sanguinea) inhabiting expanded polystyrene marine debris. Marine Pollution Bulletin, 2018, 131, 365-369.	2.3	72
21	Horizontal and Vertical Distribution of Microplastics in Korean Coastal Waters. Environmental Science & Technology, 2018, 52, 12188-12197.	4.6	218
22	Marine Microplastics: Abundance, Distribution, and Composition. , 2018, , 1-26.		46
23	Combined Effects of UV Exposure Duration and Mechanical Abrasion on Microplastic Fragmentation by Polymer Type. Environmental Science & amp; Technology, 2017, 51, 4368-4376.	4.6	896
24	Widespread detection of a brominated flame retardant, hexabromocyclododecane, in expanded polystyrene marine debris and microplastics from South Korea and the Asia-Pacific coastal region. Environmental Pollution, 2017, 231, 785-794.	3.7	118
25	Characteristics of meso-sized plastic marine debris on 20 beaches in Korea. Marine Pollution Bulletin, 2017, 123, 92-96.	2.3	53
26	Releasing of hexabromocyclododecanes from expanded polystyrenes in seawater -field and laboratory experiments. Chemosphere, 2017, 185, 798-805.	4.2	71
27	Identification methods in microplastic analysis: a review. Analytical Methods, 2017, 9, 1384-1391.	1.3	628
28	Styrofoam Debris as a Source of Hazardous Additives for Marine Organisms. Environmental Science & Technology, 2016, 50, 4951-4960.	4.6	166
29	Identification and quantification of microplastics using Nile Red staining. Marine Pollution Bulletin, 2016, 113, 469-476.	2.3	388
30	Assessment of Persistent Organic and Heavy Metal Contamination in Busan Coast: Application of Sediment Quality Index. Ocean and Polar Research, 2016, 38, 171-184.	0.3	7
31	Marine neustonic microplastics around the southeastern coast of Korea. Marine Pollution Bulletin, 2015, 96, 304-312.	2.3	182
32	Occurrence and Distribution of Microplastics in the Sea Surface Microlayer in Jinhae Bay, South Korea. Archives of Environmental Contamination and Toxicology, 2015, 69, 279-287.	2.1	209
33	A comparison of microscopic and spectroscopic identification methods for analysis of microplastics in environmental samples. Marine Pollution Bulletin, 2015, 93, 202-209.	2.3	602
34	Abundance and Distribution Characteristics of Microplastics in Surface Seawaters of the Incheon/Kyeonggi Coastal Region. Archives of Environmental Contamination and Toxicology, 2015, 69, 269-278.	2.1	127
35	Potential Threat of Microplastics to Zooplanktivores in the Surface Waters of the Southern Sea of Korea. Archives of Environmental Contamination and Toxicology, 2015, 69, 340-351.	2.1	77
36	Microplastics in the Ocean. Archives of Environmental Contamination and Toxicology, 2015, 69, 265-268.	2.1	142

#	Article	IF	CITATIONS
37	Qualitative Analysis of Additives in Plastic Marine Debris and Its New Products. Archives of Environmental Contamination and Toxicology, 2015, 69, 352-366.	2.1	156
38	Distribution and Size Relationships of Plastic Marine Debris on Beaches in South Korea. Archives of Environmental Contamination and Toxicology, 2015, 69, 288-298.	2.1	122
39	Enrichment of hexabromocyclododecanes in coastal sediments near aquaculture areas and a wastewater treatment plant in a semi-enclosed bay in South Korea. Science of the Total Environment, 2015, 505, 290-298.	3.9	76
40	Finding solutions for the styrofoam buoy debris problem through participatory workshops. Marine Policy, 2015, 51, 182-189.	1.5	27
41	Integrative assessment of sediment quality in terms of chemical contamination in Jinhae Bay, South Korea. Ocean Science Journal, 2014, 49, 265-278.	0.6	11
42	Sorption capacity of plastic debris for hydrophobic organic chemicals. Science of the Total Environment, 2014, 470-471, 1545-1552.	3.9	415
43	Hexabromocyclododecane in polystyrene based consumer products: An evidence of unregulated use. Chemosphere, 2014, 110, 111-119.	4.2	116
44	Levels and profiles of persistent organic pollutants in resident and migratory birds from an urbanized coastal region of South Korea. Science of the Total Environment, 2014, 470-471, 1463-1470.	3.9	40
45	Source- and region-specific distribution of polycyclic aromatic hydrocarbons in sediments from Jinhae Bay, Korea. Science of the Total Environment, 2014, 470-471, 1485-1493.	3.9	40
46	Large Accumulation of Micro-sized Synthetic Polymer Particles in the Sea Surface Microlayer. Environmental Science & Technology, 2014, 48, 9014-9021.	4.6	436
47	Sources of plastic marine debris on beaches of Korea: More from the ocean than the land. Ocean Science Journal, 2014, 49, 151-162.	0.6	94
48	Temporal changes in TBT pollution in water, sediment, and oyster from Jinhae Bay after the total ban in South Korea. Marine Pollution Bulletin, 2014, 86, 547-554.	2.3	35
49	Estimation of lost tourism revenue in Geoje Island from the 2011 marine debris pollution event in South Korea. Marine Pollution Bulletin, 2014, 81, 49-54.	2.3	194
50	Distribution of small plastic debris in cross-section and high strandline on Heungnam beach, South Korea. Ocean Science Journal, 2013, 48, 225-233.	0.6	169
51	Size-Dependent Effects of Micro Polystyrene Particles in the Marine Copepod <i>Tigriopus japonicus</i> . Environmental Science & amp; Technology, 2013, 47, 11278-11283.	4.6	719
52	Relationships among the abundances of plastic debris in different size classes on beaches in South Korea. Marine Pollution Bulletin, 2013, 77, 349-354.	2.3	324
53	Impacts of marine debris on wild animals in the coastal area of Korea. Marine Pollution Bulletin, 2013, 66, 117-124.	2.3	78
54	Multiple In Vitro Bioassay Approach in Sediment Toxicity Evaluation: Masan Bay, Korea. Bulletin of Environmental Contamination and Toxicology, 2012, 89, 32-37.	1.3	15

#	Article	lF	CITATIONS
55	Polychlorinated biphenyls (PCBs) in a benthic ecosystem in Gwangyang Bay, South Korea. Marine Pollution Bulletin, 2011, 62, 2863-2868.	2.3	13
56	Three decades of TBT contamination in sediments around a large scale shipyard. Journal of Hazardous Materials, 2011, 192, 634-642.	6.5	32
57	Status and trend of butyltin contamination in Masan Bay, Korea. Toxicology and Environmental Health Sciences, 2011, 3, 46-53.	1.1	10
58	Occurrence and spatial distribution of organic contaminants in sediments from Chinhae Bay, Korea. Toxicology and Environmental Health Sciences, 2010, 2, 119-124.	1.1	3
59	Dispersion of organic contaminants from wastewater treatment outfall in Masan Bay, Korea. Toxicology and Environmental Health Sciences, 2010, 2, 200-206.	1.1	6
60	Understanding the accumulation features of POPs in squid from the offshore waters of southeast Korea. Fisheries Science, 2010, 76, 325-331.	0.7	2
61	Temporal trend, spatial distribution, and terrestrial sources of PBDEs and PCBs in Masan Bay, Korea. Marine Pollution Bulletin, 2010, 60, 1836-1841.	2.3	74
62	Persistent organochlorine pollutants in Korean offshore waters: Squid (Todarodes pacificus) as a biomonitor. Marine Pollution Bulletin, 2009, 58, 1238-1244.	2.3	12
63	Biomarkers in marbled flounder (Pleuronectes yokohamae) from contaminated and reference sites in South Korea. Marine Pollution Bulletin, 2009, 58, 1754-1759.	2.3	4
64	Assessment of sediment contamination by persistent organic pollutants in Gyeonggi Bay, Korea. Toxicology and Environmental Health Sciences, 2009, 1, 56-63.	1.1	12
65	Biomonitoring background levels of PCBs and PBDEs in Seoul metropolitan atmosphere for possible health effects. Toxicology and Environmental Health Sciences, 2009, 1, 109-116.	1.1	5
66	Survey on organochlorine pesticides, PCDD/Fs, dioxin-like PCBs and HCB in sediments from the Han river, Korea. Chemosphere, 2009, 75, 580-587.	4.2	75
67	PCDD/F, PBDE, and nonylphenol contamination in a semi-enclosed bay (Masan Bay, South Korea) and a Mediterranean lagoon (Thau, France). Chemosphere, 2009, 77, 854-862.	4.2	54
68	Distribution of persistent organic pollutants in bivalves from the northeast coast of China. Marine Pollution Bulletin, 2008, 57, 775-781.	2.3	26
69	Distribution characteristics of nonylphenolic chemicals in Masan Bay environments, Korea. Chemosphere, 2008, 71, 1162-1172.	4.2	72
70	A congener-specific survey for polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) contamination in Masan Bay, Korea. Chemosphere, 2007, 68, 1613-1622.	4.2	26
71	Characterization of cholinesterases in marbled sole, Limanda yokohamae, and their inhibition in vitro by the fungicide iprobenfos. Marine Environmental Research, 2007, 63, 471-478.	1.1	21
72	Horizontal and vertical distribution of PCBs and chlorinated pesticides in sediments from Masan Bay, Korea. Marine Pollution Bulletin, 2003, 46, 244-253.	2.3	169