## Vera Sequeira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1040140/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identifying populations of the blue jack mackerel (Trachurus picturatus) in the Northeast Atlantic by using geometric morphometrics and otolith shape analysis. Fishery Bulletin, 2018, 116, 81-92.	0.2	36
2	Macroparasites as biological tags for stock identification of the bluemouth, Helicolenus dactylopterus (Delaroche, 1809) in Portuguese waters. Fisheries Research, 2010, 106, 321-328.	1.7	28
3	Otolith shape analysis as a tool for stock discrimination of forkbeard (Phycis phycis) in the Northeast Atlantic. Hydrobiologia, 2014, 728, 103-110.	2.0	27
4	Age and growth of bluemouth, Helicolenus dactylopterus, from the Portuguese continental slope. ICES Journal of Marine Science, 2009, 66, 524-531.	2.5	26
5	Reproductive strategies in black scabbardfish ( <i>Aphanopus carbo</i> Lowe, 1839) from the NE Atlantic. Scientia Marina, 2009, 73, 19-31.	0.6	25
6	New approach to the reproductive biology of Helicolenus dactylopterus. Journal of Fish Biology, 2003, 62, 1206-1210.	1.6	22
7	Discriminating bluemouth, Helicolenus dactylopterus (Pisces: Sebastidae), stocks in Portuguese waters by means of otolith shape analysis. Journal of the Marine Biological Association of the United Kingdom, 2011, 91, 1237-1242.	0.8	21
8	Age and growth of black scabbardfish ( <i>Aphanopus carbo</i> Lowe, 1839) in the southern NE Atlantic. Scientia Marina, 2009, 73, 33-46.	0.6	19
9	Distribution patterns and reproduction of the cuttlefish, <i>Sepia officinalis</i> in the Sado estuary (Portugal). Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 579-584.	0.8	14
10	Using body geometric morphometrics to identify bluemouth, Helicolenus dactylopterus (Delaroche,) Tj ETQq0 0 (	) rgBT /Ov	erlock 10 Tf 14
11	The gelatinous matrix of the teleost <i>Helicolenus dactylopterus dactylopterus</i> (Delaroche, 1809) in the context of its reproductive strategy. Marine Biology Research, 2011, 7, 478-487.	0.7	14
12	Life history parameters as possible discriminators of bluemouth Helicolenus dactylopterus (Delaroche, 1809) populations in Portuguese waters. Fisheries Research, 2012, 125-126, 69-76.	1.7	14
13	Feeding habits of the bluemouth, Helicolenus dactylopterus dactylopterus (Delaroche, 1809) (Pisces:) Tj ETQq1 1	0,784314 1.3	l rgBT /Over 14
14	Genetic and Morphological Variation of the Forkbeard, Phycis phycis (Pisces, Phycidae): Evidence of Panmixia and Recent Population Expansion along Its Distribution Area. PLoS ONE, 2016, 11, e0167045.	2.5	14
15	Feeding habits of the cuttlefish SepiaÂofficinalis during its life cycle in the Sado estuary (Portugal). Hydrobiologia, 2009, 636, 479-488.	2.0	11

16	Reproductive strategy of the female deep-water shark birdbeak dogfish, <i>Deania calcea</i> : lecithotrophy or matrotrophy?. Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 387-394.	0.8	10
17	Marine regime shifts impact synchrony of deepâ€sea fish growth in the northeast Atlantic. Oikos, 2020, 129, 1781-1794.	2.7	9

Adding Value to Bycatch Fish Species Captured in the Portuguese Coastâ€"Development of New Food4.39Products. Foods, 2021, 10, 68.

VERA SEQUEIRA

4

#	Article	IF	CITATIONS
19	Age, growth and reproduction of the protandrous hermaphrodite fish, Sarpa salpa, from the Portuguese continental coast. Journal of the Marine Biological Association of the United Kingdom, 2018, 98, 269-281.	0.8	8
20	Age and growth of forkbeard, Phycis phycis, in Portuguese continental waters. Journal of the Marine Biological Association of the United Kingdom, 2014, 94, 623-630.	0.8	7
21	Reproductive strategy of forkbeard, Phycis phycis, from the Portuguese coast. Helgoland Marine Research, 2016, 70, .	1.3	7
22	Otolith shape and isotopic ratio analyses as a tool to study Spondyliosoma cantharus population structure. Marine Environmental Research, 2019, 143, 93-100.	2.5	7
23	Age, growth and mortality of the comber <i>Serranus cabrilla</i> (Linnaeus, 1758) in the Eastern Atlantic. Marine Biology Research, 2016, 12, 656-662.	0.7	6
24	Modelling the growth of a protogynous sparid species, Spondyliosoma cantharus (Teleostei:) Tj ETQq0 0 0 rgBT /	Overlock 1 2.0	.0 <sub>6</sub> Tf 50 542
25	Phenotypic changes in the body of black seabream, Spondyliosoma cantharus (Teleostei: Sparidae), along the eastern Atlantic. Estuarine, Coastal and Shelf Science, 2018, 214, 31-37.	2.1	6
26	Age, growth and mortality of <i>Pontinus kuhlii</i> (Bowdich, 1825) (Scorpaeniformes:) Tj ETQq0 0 0	rgBT/Over 0.6	lock 10 Tf 50
27	Risks and benefits' consumption of birdbeak dogfishDeania calcea. British Food Journal, 2012, 114, 826-839.	2.9	5
28	Reproductive patterns of blacktail comber (Serranus atricauda, Serranidae) from south-west Portugal seamounts. Helgoland Marine Research, 2014, 68, 133-142.	1.3	5
29	Diversity of sexual strategies of fish species caught by bottom trawl off the western Iberian Peninsula. Marine Biology Research, 2015, 11, 361-374.	0.7	5
30	Insight on reproductive strategy in Portuguese waters of a commercial protogynous species, the black seabream Spondyliosoma cantharus (Sparidae). Fisheries Research, 2018, 206, 85-95.	1.7	5
31	Seasonal Sensory Evaluation of Low Commercial Value or Unexploited Fish Species from the Portuguese Coast. Foods, 2020, 9, 1880.	4.3	5
32	Tell a Story to Save a River: Assessing the Impact of Using a Children's Book in the Classroom as a Tool to Promote Environmental Awareness. Frontiers in Marine Science, 2021, 8, .	2.5	5
33	Highly regional population structure of Spondyliosoma cantharus depicted by nuclear and mitochondrial DNA data. Scientific Reports, 2020, 10, 4063.	3.3	4
34	Age and growth of small red scorpionfish, Scorpaena notata (Actinopterygii: Scorpaeniformes:) Tj ETQq0 0 0 rgB Piscatoria, 2015, 45, 13-20.	7 /Overlock 0.7	10 Tf 50 14
35	Modelling Fish Growth with Imperfect Data: The Case of Trachurus picturatus. Fishes, 2022, 7, 52.	1.7	4

36Seasonal study of the nutritional composition of unexploited and low commercial value fish species<br/>from the Portuguese coast. Food Science and Nutrition, 2022, 10, 3368-3379.3.4

VERA SEQUEIRA

#	Article	IF	CITATIONS
37	Whole or sectioned otoliths? Choosing the best method for aging bluemouth, Helicolenus dactyloterus (Delaroche, 1809). Fisheries Research, 2013, 147, 235-239.	1.7	3

## Estimating fecundity in the zygoparous species Helicolenus dactylopterus (Actinopterygii,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf $_3$ 50 702 Td $_{2.0}^{20}$

39	Zygoparity and sex steroid hormone profiles in bluemouth <i>Helicolenus dactylopterus</i> . Journal of Fish Biology, 2017, 90, 2157-2169.	1.6	3
40	Diet and feeding strategy of the forkbeard Phycis phycis (Pisces: Phycidae) from the Portuguese continental coast. Journal of the Marine Biological Association of the United Kingdom, 2018, 98, 1757-1765.	0.8	2
41	Annual variations in the mineral element content of five fish species from the Portuguese coast. Food Research International, 2022, 158, 111482.	6.2	2
42	Fecundity and sex steroid profile in boarfish Capros aper. Marine and Freshwater Research, 2021, 72, 140.	1.3	1
43	Enhancing knowledge on lowâ€value fishing species: the distinct reproductive strategy of two gurnard species. Journal of Fish Biology, 2021, 99, 1403-1414.	1.6	1
44	Bridging the gap between formal and non-formal science education: traditional fish markets as a tool to promote ocean literacy. Applied Environmental Education and Communication, 0, , 1-16.	1.1	1
45	Negative impact on the reproductive potential of blue jack mackerel Trachurus picturatus by Kudoa infection of the ovary. Diseases of Aquatic Organisms, 2020, 141, 47-52.	1.0	0