
Hong-Yan Zou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1040359/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Full length sequence of a novel HLAâ€B*3818 allele differs from HLAâ€B*380201 allele in exon 4 and intron 5. Tissue Antigens, 2009, 74, 439-440.	1.0	18
2	Characterization of a new HLA-C allele in a Chinese family by sequence-based typing: HLA-Cw*0348. Tissue Antigens, 2009, 73, 616-618.	1.0	7
3	Genomic fullâ€length sequence of the <i><scp>HLAâ€A</scp>*11:334</i> allele, identified by cloning and sequencing. Hla, 2020, 96, 495-496.	0.4	6
4	Characterization of the novel variant allele, <i><scp>HLAâ€B</scp>*13:82</i> , identified in a Chinese Han individual. Hla, 2020, 96, 510-511.	0.4	6
5	Characterization of a novel variant allele, HLAâ€A*11:155 , identified in a Chinese Han individual. Hla, 2020, 96, 208-209.	0.4	6
6	ldentification of a novel HLAâ€DPB1 allele, <i>HLAâ€DPB1*612:01</i> , in a Chinese individual. Hla, 2018, 92, 428-429.	0.4	5
7	Characterization of a novel variant allele, HLA *08:125 , identified in a Chinese Han individual. Hla, 2019, 94, 78-80.	0.4	5
8	Identification of a novel <i><scp>HLA</scp>â€B*51</i> allele, <i><scp>HLA</scp>â€B*51:144</i> , in a Chinese individual. Tissue Antigens, 2014, 84, 416-417.	1.0	3
9	Identification of a novel <i><scp>HLA</scp>â€A*33</i> allele, <i><scp>HLA</scp>â€*33:03:13</i> , in a Chinese family. Tissue Antigens, 2015, 85, 136-138.	1.0	3
10	Identification of a novel <i>HLAâ€A*02 allele</i> , <i>HLAâ€A*02:432</i> , in a Chinese individual. Hla, 2016, 87, 37-38.	0.4	3
11	Fullâ€length sequences of 3 <scp>HLA</scp> â€B alleles, <i>B*07:05:01:01</i> , <i>B*14:01:01</i> and <i>B*18:02</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 305-308.	0.4	3
12	Fullâ€length sequences of 3 <scp>HLA</scp> â€B alleles, <i>B*40:01:01</i> , <i>B*40:03</i> and <i>B*40:40</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 321-324.	0.4	3
13	Fullâ€length sequences of <i><scp>HLA</scp>â€B*39:05:01</i> and <i>B*39:<scp>38Q</scp></i> , confirmed by cloning and sequencing. Hla, 2017, 89, 159-162.	0.4	3
14	Fullâ€length sequences of 3 <i><scp>HLA</scp>â€B*56</i> alleles, <i>B*56:01:01:01</i> , <i>B*56:03</i> and <i>B*56:04</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 246-250.	0.4	3
15	Fullâ€length sequences of 4 <i><scp>HLA</scp>â€B*15</i> alleles, <i>B*15:03:01:01</i> , <i>B*15:13:01</i> , <i>B*15:13:01</i> , <i>B*15:18:01:01</i> and <i>B*15:25:01</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 309-312.	0.4	3
16	Fullâ€length sequences of 4 <i><scp>HLA</scp>â€B*35</i> alleles, <i>B*35:02:01:01</i> , <i>B*35:03:01:01</i> , <i>B*35:05:01:01</i> and <i>B*35:08:01:01</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 317-321.	0.4	3
17	Fullâ€length sequences of <i><scp>HLA</scp>â€B*67:01:01</i> and <i>B*67:01:02</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 324-327.	0.4	3
18	Fullâ€length sequence of <i><scp>HLA</scp>â€B*55:02:01:01</i> , confirmed by cloning and sequencing. Hla, 2017, 90, 45-48.	0.4	3

Hong-Yan Zou

#	Article	IF	CITATIONS
19	Fullâ€length sequences of 4 <i><scp>HLA</scp>â€B*15</i> alleles, <i>B*15:07:01:01</i> , <i>B*15:27:01</i> , <i>B*15:32:01</i> and <i>B*15:58</i> , confirmed by cloning and sequencing. Hla, 2017, 89, 313-317.	0.4	3
20	Fullâ€length sequences of 3 <scp>HLA</scp> â€B alleles, <i><scp>HLAâ€B</scp>*27:04:01</i> , <i><scp>B</scp>*27:07:01</i> and <i><scp>B</scp>*27:25</i> , confirmed by cloning and sequencing. Hla, 2017, 90, 40-43.	0.4	3
21	The fullâ€length sequence of the HLAâ€C allele, <i>HLAâ€C*15:13:01:01</i> . Hla, 2018, 91, 216-220.	0.4	3
22	The fullâ€length sequence of the HLA allele, <i>HLA *03:02:01</i> . Hla, 2018, 91, 204-207.	0.4	3
23	The fullâ€length sequence of the HLA allele, <i>HLA *03:40:01</i> . Hla, 2018, 91, 208-211.	0.4	3
24	The <i><scp>HLAâ€DRB1</scp>*11:23:02</i> allele confirmed in a Chinese individual by nextâ€generation sequencing. Hla, 2021, 97, 85-86.	0.4	3
25	The fullâ€length sequence of the novel <i><scp>HLA </scp>*08:190</i> allele, identified by cloning and sequencing. Hla, 2021, 97, 80-81.	0.4	3
26	Characterization of the novel <i>HLAâ€DQB1*03:362</i> allele in a Chinese family. Hla, 2021, 98, 410-412.	0.4	3
27	Discovery of the novel <i><scp>HLA </scp>*01:179</i> allele in a southern Chinese patient. Hla, 2021, 98, 165-166.	0.4	3
28	A substitution in exon 2 resulted in the novel <i><scp>HLAâ€A</scp>*30:140</i> variant identified in a Chinese individual. Hla, 2021, 98, 226-228.	0.4	3
29	A novel <i><scp>HLAâ€C</scp>*15</i> allele, <i><scp>HLAâ€C</scp>*15:192</i> , identified by next generation sequencing in a Chinese individual. Hla, 2021, 98, 485-486.	0.4	3
30	Discovery of the <scp>HLA </scp> *03:561 allele, a variant of <scp>HLA </scp> *03, in a Chinese individual. Hla, 2022, 99, 127-129.	0.4	3
31	Characterization of the novel <scp><i>HLA *01:213</i></scp> allele by nextâ€generation sequencing in a Chinese family. Hla, 2022, 99, 125-127.	0.4	3
32	Characterization of a novel variant allele, <i>HLAâ€C*03:587</i> , identified in a Chinese Han individual. Hla, 2022, 100, 82-83.	0.4	3
33	Fullâ€length sequence of 2 <scp>HLA</scp> â€B alleles, <i>B*52:01:01:01</i> and <i>B*52:01:02:01</i> , identified by cloning and sequencing. Hla, 2017, 89, 163-165.	0.4	2
34	The fullâ€length sequence of <i><scp>HLAâ€B</scp>*59:01:01:01</i> confirmed by cloning and sequencing. Hla, 2017, 90, 255-258.	0.4	2
35	Confirmed the fullâ€length sequence of <i><scp>HLA</scp>â€B*44:03:02</i> by cloning and sequencing. Hla, 2017, 90, 125-127.	0.4	2
36	Fullâ€length sequences of 2 <scp>HLA</scp> â€B alleles, <i>B*48:03:01</i> and <i>B*48:04:01</i> , confirmed by cloning and sequencing. Hla, 2017, 90, 128-130.	0.4	2

#	Article	IF	CITATIONS
37	Characterization of the novel <i>HLAâ€DQB1*06:01:22</i> allele by nextâ€generation sequencing. Hla, 2019, 94, 543-545.	0.4	2
38	Characterization of the novel HLAâ€B*15:435 allele by nextâ€generation sequencing in a Chinese family. Hla, 2019, 93, 108-109.	0.4	2
39	<i>HLA *08:01:25</i> , a novel HLA allele, which has arisen by a silent mutation in codon 271. Hla, 2019, 94, 162-163.	0.4	2
40	ldentification of <i>HLAâ€A*31:150</i> by nextâ€generation sequencing in a Chinese Han individual. Hla, 2019, 94, 373-375.	0.4	2
41	Identification of the novel <i>HLAâ€B*46:78</i> allele by next generation sequencing in a Chinese individual. Hla, 2020, 95, 137-138.	0.4	2