

Ismail S Zaitoun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1040639/publications.pdf>

Version: 2024-02-01

15
papers

206
citations

1040056

9
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

315
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of genomic imprinting of SLC38A4, NNAT, NAP1L5, and H19 in cattle. <i>BMC Genetics</i> , 2006, 7, 49.	2.7	44
2	Expression of pigment epithelium-derived factor and thrombospondin-1 regulate proliferation and migration of retinal pigment epithelial cells. <i>Physiological Reports</i> , 2015, 3, e12266.	1.7	28
3	Expression of Thrombospondin-1 Modulates the Angioinflammatory Phenotype of Choroidal Endothelial Cells. <i>PLoS ONE</i> , 2014, 9, e116423.	2.5	25
4	Bim expression in endothelial cells and pericytes is essential for regression of the fetal ocular vasculature. <i>PLoS ONE</i> , 2017, 12, e0178198.	2.5	18
5	Bcl-2 Expression in Pericytes and Astrocytes Impacts Vascular Development and Homeostasis. <i>Scientific Reports</i> , 2019, 9, 9700.	3.3	15
6	Use of RNAlater in fluorescence-activated cell sorting (FACS) reduces the fluorescence from GFP but not from DsRed. <i>BMC Research Notes</i> , 2010, 3, 328.	1.4	14
7	Attenuation of Retinal Vascular Development in Neonatal Mice Subjected to Hypoxic-Ischemic Encephalopathy. <i>Scientific Reports</i> , 2018, 8, 9166.	3.3	13
8	Endothelium Expression of Bcl-2 Is Essential for Normal and Pathological Ocular Vascularization. <i>PLoS ONE</i> , 2015, 10, e0139994.	2.5	12
9	Long-term evaluation of retinal morphology and function in a mouse model of oxygen-induced retinopathy. <i>Molecular Vision</i> , 2020, 26, 257-276.	1.1	10
10	Inhibition of retinal neovascularization by a PEDF-derived nonapeptide in newborn mice subjected to oxygen-induced ischemic retinopathy. <i>Experimental Eye Research</i> , 2020, 195, 108030.	2.6	9
11	Caffeine Inhibits Choroidal Neovascularization Through Mitigation of Inflammatory and Angiogenesis Activities. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 737426.	3.7	6
12	Hypoxic-ischemic injury causes functional and structural neurovascular degeneration in the juvenile mouse retina. <i>Scientific Reports</i> , 2021, 11, 12670.	3.3	5
13	7, 8-Dihydroxyflavone, a TrkB receptor agonist, provides minimal protection against retinal vascular damage during oxygen-induced ischemic retinopathy. <i>PLoS ONE</i> , 2021, 16, e0260793.	2.5	3
14	Bim Expression Promotes the Clearance of Mononuclear Phagocytes during Choroidal Neovascularization, Mitigating Scar Formation in Mice. <i>Life</i> , 2022, 12, 208.	2.4	3
15	Editorial "Hypoxic-Ischemic Encephalopathy: Impact on Retinal Neurovascular Integrity and Function." <i>Journal of Ophthalmic and Vision Research</i> , 2021, 16, 317-319.	1.0	1