Pierpaolo Pellicori

List of Publications by Citations

125 papers	2,136 citations	27 h-index	40 g-index
162 ext. papers	3,102 ext. citations	7 avg, IF	5.34 L-index

#	Paper	IF	Citations
125	The obesity paradox in type 2 diabetes mellitus: relationship of body mass index to prognosis: a cohort study. *Annals of Internal Medicine*, **2015**, 162, 610-8	8	114
124	Sarcopenia in patients with heart failure with preserved ejection fraction: Impact on muscle strength, exercise capacity and quality of life. *International Journal of Cardiology*, **2016**, 222, 41-46	3.2	109
123	IVC diameter in patients with chronic heart failure: relationships and prognostic significance. *JACC: Cardiovascular Imaging*, **2013**, 6, 16-28	8.4	99
122	Left atrial function measured by cardiac magnetic resonance imaging in patients with heart failure: clinical associations and prognostic value. *European Heart Journal*, **2015**, 36, 733-42	9.5	84
121	Prevalence and Prognostic Significance of Malnutrition Using 3 Scoring Systems Among Outpatients With Heart Failure: A Comparison With Body Mass Index. *JACC: Heart Failure*, **2018**, 6, 476-486	7.9	79
120	Prevalence and Outcomes of Anemia and Hematinic Deficiencies in Patients With Chronic Heart Failure. *JAMA Cardiology*, **2016**, 1, 539-47	16.2	72
119	Renal dysfunction in acute and chronic heart failure: prevalence, incidence and prognosis. *Heart Failure Reviews*, **2012**, 17, 133-49	5	63
118	Prognostic value of simple frailty and malnutrition screening tools in patients with acute heart failure due to left ventricular systolic dysfunction. *Clinical Research in Cardiology*, **2017**, 106, 533-541	6.1	59
117	What proportion of patients with chronic heart failure are eligible for sacubitril-valsartan?. *European Journal of Heart Failure*, **2017**, 19, 768-778	12.3	53
116	Cardiac dysfunction in cirrhosis is not associated with the severity of liver disease. *European Journal of Internal Medicine*, **2013**, 24, 172-6	3.9	51
115	Prognostic value of psychosocial factors for first and recurrent hospitalizations and mortality in heart failure patients: insights from the OPERA-HF study. *European Journal of Heart Failure*, **2018**, 20, 689-696	12.3	48
114	Cardiac Dysfunction, Congestion and Loop Diuretics: their Relationship to Prognosis in Heart Failure. *Cardiovascular Drugs and Therapy*, **2016**, 30, 599-609	3.9	46
113	Prevalence, pattern and clinical relevance of ultrasound indices of congestion in outpatients with heart failure. *European Journal of Heart Failure*, **2019**, 21, 904-916	12.3	44
112	Identification of Frailty in Chronic Heart Failure. *JACC: Heart Failure*, **2019**, 7, 291-302	7.9	44
111	Global longitudinal strain in patients with suspected heart failure and a normal ejection fraction: does it improve diagnosis and risk stratification?. *International Journal of Cardiovascular Imaging*, **2014**, 30, 69-79	2.5	40
110	Iron deficiency in patients with heart failure with preserved ejection fraction and its association with reduced exercise capacity, muscle strength and quality of life. *Clinical Research in Cardiology*, **2019**, 108, 203-211	6.1	36
109	Body mass index and all-cause mortality in heart failure patients with normal and reduced ventricular ejection fraction: a dose-response meta-analysis. *Clinical Research in Cardiology*, **2019**, 108, 119-132	6.1	35

108	Renal function estimation and Cockroft-Gault formulas for predicting cardiovascular mortality in population-based, cardiovascular risk, heart failure and post-myocardial infarction cohorts: The Heart TOMicsTin AGEing (HOMAGE) and the high-risk myocardial infarction database initiatives. *BMC Medicine*, **2016**, 14, 181	11.4	35
107	Fluid Management in Patients with Chronic Heart Failure. *Cardiac Failure Review*, **2015**, 1, 90-95	4.2	32
106	Clinical trials in patients with heart failure and preserved left ventricular ejection fraction. *Heart Failure Clinics*, **2014**, 10, 511-23	3.3	31
105	Subclinical anthracycline cardiotoxicity in patients with acute promyelocytic leukemia in long-term remission after the AIDA protocol. *Congestive Heart Failure*, **2012**, 18, 217-21		30
104	Telemonitoring in heart failure: Big Brother watching over you. *Heart Failure Reviews*, **2015**, 20, 107-16	5	29
103	The effects of short-term omission of daily medication on the pathophysiology of heart failure. *European Journal of Heart Failure*, **2017**, 19, 643-649	12.3	28
102	Low serum chloride in patients with chronic heart failure: clinical associations and prognostic significance. *European Journal of Heart Failure*, **2018**, 20, 1426-1435	12.3	27
101	COVID-19 and its cardiovascular effects: a systematic review of prevalence studies. *The Cochrane Library*, **2021**, 3, CD013879	5.2	26
100	High-sensitivity C-reactive protein in chronic heart failure: patient characteristics, phenotypes, and mode of death. *Cardiovascular Research*, **2020**, 116, 91-100	9.9	26
99	Malnutrition, congestion and mortality in ambulatory patients with heart failure. *Heart*, **2019**, 105, 297-306	5.1	23
98	The effect of spironolactone on cardiovascular function and markers of fibrosis in people at increased risk of developing heart failure: the heart TOMicsTin AGEing (HOMAGE) randomized clinical trial. *European Heart Journal*, **2021**, 42, 684-696	9.5	23
97	Prognostic significance of ultrasound-assessed jugular vein distensibility in heart failure. *Heart*, **2015**, 101, 1149-58	5.1	22
96	Effects of spironolactone on serum markers of fibrosis in people at high risk of developing heart failure: rationale, design and baseline characteristics of a proof-of-concept, randomised, precision-medicine, prevention trial. The Heart OMics in AGing (HOMAGE) trial. *European Journal of Heart Failure*, **2020**, 22, 1711-1723	12.3	22
95	Ultrasound imaging of congestion in heart failure: examinations beyond the heart. *European Journal of Heart Failure*, **2021**, 23, 703-712	12.3	21
94	Effects of danicamtiv, a novel cardiac myosin activator, in heart failure with reduced ejection fraction: experimental data and clinical results from a phase 2a trial. *European Journal of Heart Failure*, **2020**, 22, 1649-1658	12.3	20
93	Revisiting a classical clinical sign: jugular venous ultrasound. *International Journal of Cardiology*, **2014**, 170, 364-70	3.2	20
92	A meta-analysis of the therapeutic effects of glucagon-like Peptide-1 agonist in heart failure. *International Journal of Peptides*, **2012**, 2012, 249827		20
91	The struggle towards a Universal Definition of Heart Failure-how to proceed?. *European Heart Journal*, **2021**, 42, 2331-2343	9.5	19

90	Association of Fitness and Grip Strength With Heart Failure: Findings From the UK Biobank Population-Based Study. *Mayo Clinic Proceedings*, **2019**, 94, 2230-2240	6.4	18
89	Walking Pace Is Associated with Lower Risk of All-Cause and Cause-Specific Mortality. *Medicine and Science in Sports and Exercise*, **2019**, 51, 472-480	1.2	17
88	Prevalence, predictors, and prognostic implications of PR interval prolongation in patients with heart failure. *Clinical Research in Cardiology*, **2018**, 107, 108-119	6.1	17
87	New perspectives and future directions in the treatment of heart failure. *Heart Failure Reviews*, **2020**, 25, 147-159	5	17
86	Non-invasive measurement of right atrial pressure by near-infrared spectroscopy: preliminary experience. A report from the SICA-HF study. *European Journal of Heart Failure*, **2017**, 19, 883-892	12.3	16
85	Prescribing patterns to optimize heart rate: analysis of 1,000 consecutive outpatient appointments to a single heart failure clinic over a 6-month period. *JACC: Heart Failure*, **2015**, 3, 224-30	7.9	14
84	Exploring quality of life in patients with and without heart failure. *International Journal of Cardiology*, **2016**, 202, 676-84	3.2	13
83	Does cirrhotic cardiomyopathy exist? 50 years of uncertainty. *Clinical Research in Cardiology*, **2013**, 102, 859-64	6.1	13
82	Clinical trials update from the European Society of Cardiology-Heart Failure meeting 2015: AUGMENT-HF, TITRATION, STOP-HF, HARMONIZE, LION HEART, MOOD-HF, and renin-angiotensin inhibitors in patients with heart and renal failure. *European Journal of Heart Failure*, **2015**, 17, 979-83	12.3	13
81	Association between right-sided cardiac function and ultrasound-based pulmonary congestion on acutely decompensated heart failure: findings from a pooled analysis of four cohort studies. *Clinical Research in Cardiology*, **2021**, 110, 1181-1192	6.1	13
80	Proteomic and Mechanistic Analysis of Spironolactone in Patients at Risk for HF. *JACC: Heart Failure* , **2021**, 9, 268-277	7.9	13
79	Heart failure with preserved ejection fraction. *Clinical Medicine*, **2014**, 14 Suppl 6, s22-8	1.9	12
78	Agreement and Classification Performance of Malnutrition Tools in Patients with Chronic Heart Failure. *Current Developments in Nutrition*, **2020**, 4, nzaa071	0.4	12
77	Takotsubo syndrome in the paediatric population: a case report and a systematic review. *Journal of Cardiovascular Medicine*, **2017**, 18, 262-267	1.9	11
76	The relationship of QRS morphology with cardiac structure and function in patients with heart failure. *Clinical Research in Cardiology*, **2015**, 104, 935-45	6.1	10
75	The in vitro stability of novel cardiovascular and sepsis biomarkers at ambient temperature. *Clinical Chemistry and Laboratory Medicine*, **2014**, 52, 911-8	5.9	10
74	The impact of malnutrition on short-term morbidity and mortality in ambulatory patients with heart failure. *American Journal of Clinical Nutrition*, **2021**, 113, 695-705	7	10
73	Chronic Obstructive Pulmonary Disease and Heart Failure: A Breathless Conspiracy. *Heart Failure Clinics*, **2020**, 16, 33-44	3.3	10

72	Prevalence and Incidence of Atrial Fibrillation in Ambulatory Patients With Heart Failure. *American Journal of Cardiology*, **2019**, 124, 1554-1560	3	9
71	Dynamic risk stratification using serial measurements of plasma concentrations of natriuretic peptides in patients with heart failure. *International Journal of Cardiology*, **2018**, 269, 196-200	3.2	9
70	Case selection for cardiac resynchronization in atrial fibrillation. *Heart Failure Clinics*, **2013**, 9, 461-74, ix	3.3	9
69	Early benefits of empagliflozin in patients with or without heart failure: findings from EMPA-REG OUTCOME. *ESC Heart Failure*, **2020**, 7, 3401	3.7	9
68	Use of diuretics and outcomes in patients with type 2 diabetes: findings from the EMPA-REG OUTCOME trial. *European Journal of Heart Failure*, **2021**, 23, 1085-1093	12.3	9
67	Reply to the letter regarding the article TNatural history and prognostic significance of iron deficiency and anaemia in ambulatory patients with chronic heart failureT *European Journal of Heart Failure*, **2021**, 23, 1800-1801	12.3	9
66	Remote telemonitoring for patients with heart failure: might monitoring pulmonary artery pressure become routine?. *Expert Review of Cardiovascular Therapy*, **2014**, 12, 1025-33	2.5	8
65	Old and newer biomarkers in heart failure: from pathophysiology to clinical significance. *Journal of Cardiovascular Medicine*, **2013**, 14, 690-7	1.9	8
64	Criteria for Iron Deficiency in Patients With Heart Failure.. *Journal of the American College of Cardiology*, **2022**, 79, 341-351	15.1	8
63	Taxonomy of segmental myocardial systolic dysfunction. *European Heart Journal*, **2017**, 38, 942-954	9.5	8
62	Is the diagnostic coding position of acute heart failure related to mortality? A report from the Euro Heart Failure Survey-1. *European Journal of Heart Failure*, **2016**, 18, 556-63	12.3	7
61	Intravenous iron for heart failure with evidence of iron deficiency: a meta-analysis of randomised trials. *Clinical Research in Cardiology*, **2021**, 110, 1299-1307	6.1	7
60	The prognostic role of different renal function phenotypes in patients with acute heart failure. *International Journal of Cardiology*, **2019**, 276, 198-203	3.2	7
59	If home telemonitoring reduces mortality in heart failure, is this just due to better guideline-based treatment?. *Journal of Telemedicine and Telecare*, **2015**, 21, 331-9	6.8	6
58	Regional circulatory distribution of novel cardiac bio-markers and their relationships with haemodynamic measurements. *International Journal of Cardiology*, **2016**, 210, 149-55	3.2	6
57	Pharmacological and Non-pharmacological Treatment for Decompensated Heart Failure: What Is New?. *Current Heart Failure Reports*, **2017**, 14, 147-157	2.8	5
56	Update on management of heart failure with preserved ejection fraction. *Current Opinion in Cardiology*, **2015**, 30, 173-178	2.1	5
55	Eplerenone prevents an increase in serum carboxy-terminal propeptide of procollagen type I after myocardial infarction complicated by left ventricular dysfunction and/or heart failure. *European Journal of Heart Failure*, **2020**, 22, 901-903	12.3	5

54	Effect of beta-adrenergic blockade on weight changes in patients with chronic heart failure. *International Journal of Cardiology*, **2018**, 264, 104-112	3.2	5
53	Lipid-modifying treatments for heart failure: is their use justified?. *Heart Failure Clinics*, **2014**, 10, 621-34	3.3	5
52	Medical management of stable coronary atherosclerosis. *Current Atherosclerosis Reports*, **2013**, 15, 313	6	5
51	Is Swimming Safe in Heart Failure? A Systematic Review. *Cardiology in Review*, **2017**, 25, 321-325	3.2	5
50	Clinical trials update from the European Society of Cardiology meeting 2014: PARADIGM-HF, CONFIRM-HF, SIGNIFY, atrial fibrillation, beta-blockers and heart failure, and vagal stimulation in heart failure. *ESC Heart Failure*, **2014**, 1, 82-86	3.7	5
49	Cardiovascular Outcomes with Sacubitril-Valsartan in Heart Failure: Emerging Clinical Data. *Therapeutics and Clinical Risk Management*, **2020**, 16, 715-726	2.9	5
48	Natural history and prognostic significance of iron deficiency and anaemia in ambulatory patients with chronic heart failure. *European Journal of Heart Failure*, **2021**,	12.3	5
47	Ultrasound indices of congestion in patients with acute heart failure according to body mass index. *Clinical Research in Cardiology*, **2020**, 109, 1423-1433	6.1	5
46	This patient is not breathing properly: is this COPD, heart failure, or neither?. *Expert Review of Cardiovascular Therapy*, **2017**, 15, 389-396	2.5	4
45	Patent ductus arteriosus in older adults: incidental finding or relevant pathology?. *Journal of the American Geriatrics Society*, **2015**, 63, 409-11	5.6	4
44	Does speckle tracking really improve diagnosis and risk stratification in patients with HF with normal EF?. *Journal of the American College of Cardiology*, **2014**, 64, 1535	15.1	4
43	Fish oil vs olive oil for postoperative atrial fibrillation. *JAMA - Journal of the American Medical Association*, **2013**, 309, 871	27.4	4
42	Cor triatriatum: transoesophageal three-dimensional reconstruction shows exact membrane morphology. *Archives of Cardiovascular Diseases*, **2010**, 103, 196-7	2.7	4
41	A comparison of non-invasive methods of measuring body composition in patients with heart failure: a report from SICA-HF. *ESC Heart Failure*, **2021**, 8, 3929-3934	3.7	4
40	The effect of increasing inspired oxygen on exercise performance in patients with chronic heart failure. *Heart*, **2016**, 102, 597-601	5.1	3
39	Assessment of Phasic Changes of Vascular Size by Automated Edge Tracking-State of the Art and Clinical Perspectives.. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 775635	5.4	3
38	Systemic administration of glucocorticoids, cardiovascular complications and mortality in patients hospitalised with COVID-19, SARS, MERS or influenza: A systematic review and meta-analysis of randomised trials.. *Pharmacological Research*, **2021**, 176, 106053	10.2	3
37	Intravenous versus intracoronary bolus of glycoprotein IIb/IIIa inhibitor administration during primary percutaneous coronary intervention on long-term left ventricular systolic and diastolic function. *Cardiology Journal*, **2013**, 20, 310-7	1.4	3

36	The value of spot urinary creatinine as a marker of muscle wasting in patients with new-onset or worsening heart failure. *Journal of Cachexia, Sarcopenia and Muscle*, **2021**, 12, 555-567	10.3	3
35	Effect of increased inspired oxygen on exercise performance in patients with heart failure and normal ejection fraction. *International Journal of Cardiology*, **2018**, 268, 166-169	3.2	3
34	Congestion in Patients with Advanced Heart Failure: Assessment and Treatment. *Heart Failure Clinics*, **2021**, 17, 575-586	3.3	3
33	Clinical and prognostic relationships of pulmonary artery to aorta diameter ratio in patients with heart failure: a cardiac magnetic resonance imaging study. *Clinical Cardiology*, **2018**, 41, 20-27	3.3	2
32	116 The Obesity Paradox in Type II Diabetes Mellitus. Impact of Body Mass Index on Prognosis. *Heart*, **2014**, 100, A66.1-A66	5.1	2
31	45 Role of Natriuretic Peptides in Screening of Cardiac Dysfunction in Older Patients with Type-2 Dibetes Mellitus. A Report from Sica-diabetes Study (FP7/2007-2013/241558). *Heart*, **2014**, 100, A25.1-A25	5.1	2
30	Biomarker-based assessment of collagen cross-linking identifies patients at risk of heart failure more likely to benefit from spironolactone effects on left atrial remodelling. Insights from the HOMAGE clinical trial. *European Journal of Heart Failure*, **2021**,	12.3	2
29	The prevalence and clinical associations of ultrasound measures of congestion in patients at risk of developing heart failure. *European Journal of Heart Failure*, **2021**, 23, 1831-1840	12.3	2
28	Prognostic value of the chest X-ray in patients hospitalised for heart failure. *Clinical Research in Cardiology*, **2021**, 110, 1743-1756	6.1	2
27	Tachycardia-induced cardiomyopathy in pregnancy. *Journal of Cardiovascular Medicine*, **2016**, 17, 762-6	1.9	2
26	Clinical and prognostic association of total atrial conduction time in patients with heart failure: a report from Studies Investigating Co-morbidities Aggravating Heart Failure. *Journal of Cardiovascular Medicine*, **2019**, 20, 442-449	1.9	2
25	The association between blood groups and COVID-19 infection: a study from the UK Biobank. *Journal of Internal Medicine*, **2021**, 289, 747-748	10.8	2
24	Proteomic mechanistic profile of patients with diabetes at risk of developing heart failure: insights from the HOMAGE trial. *Cardiovascular Diabetology*, **2021**, 20, 163	8.7	2
23	Ethnic differences in prevalence of actionable HbA1c levels in UK Biobank: implications for screening. *BMJ Open Diabetes Research and Care*, **2021**, 9,	4.5	2
22	A novel treatment for heart failure targets myocardial fibrosis. *Nature Medicine*, **2021**, 27, 1343-1344	50.5	2
21	To master heart failure, first master congestion. *Lancet, The*, **2021**, 398, 935-936	40	2
20	Is the epidemic of heart disease really over or just evolving?. *American Journal of Medicine*, **2015**, 128, e17	2.4	1
19	The Prevalence of Iron Deficiency in Patients with Heart Failure with Preserved Ejection Fraction and its Association with Elevated Pulmonary Pressure, Reduced Exercise Capacity and Quality of Life. *Journal of Cardiac Failure*, **2015**, 21, S110-S111	3.3	1

18	An atrial mass: the value of echocardiographic three-dimensional reconstruction. *Journal of Cardiovascular Medicine*, **2012**, 13, 769-70	1.9	1
17	No influence of spironolactone on plasma concentrations of angiotensin-converting enzyme 2: Findings from the HOMAGE randomized trial. *Archives of Cardiovascular Diseases*, **2021**, 114, 814-817	2.7	1
16	Driving Habits and Reaction Times on a Driving Simulation in Older Drivers With Chronic Heart Failure. *Journal of Cardiac Failure*, **2020**, 26, 555-563	3.3	1
15	Spironolactone effect on the blood pressure of patients at risk of developing heart failure: an analysis from the HOMAGE trial. *European Heart Journal - Cardiovascular Pharmacotherapy*, **2021**,	6.4	1
14	Remote history of VTE is associated with severe COVID-19 in middle and older age: UK Biobank cohort study. *Journal of Thrombosis and Haemostasis*, **2021**, 19, 2533-2538	15.4	1
13	Warm water immersion in patients with chronic heart failure: a pilot study : Shah immerse: HF. *Clinical Research in Cardiology*, **2019**, 108, 468-476	6.1	1
12	Interatrial shunt devices for heart failure with normal ejection fraction: a technology update. *Medical Devices: Evidence and Research*, **2017**, 10, 123-132	1.5	0
11	The effect of digoxin on renal function in patients with heart failure. *BMC Nephrology*, **2021**, 22, 349	2.7	0
10	Association Between Walking Pace and Stroke Incidence: Findings From the UK Biobank Prospective Cohort Study. *Stroke*, **2020**, 51, 1388-1395	6.7	0
9	Cross-talk between non-alcoholic fatty liver disease and cardiovascular disease: Implications for future trial design. *Diabetes and Metabolism*, **2021**, 48, 101281	5.4	0
8	Predicting mortality after hospitalisation for COPD using electronic health records.. *Pharmacological Research*, **2022**, 106199	10.2	0
7	Chronic Obstructive Pulmonary Disease and Heart Failure: A Breathless Conspiracy.. *Cardiology Clinics*, **2022**, 40, 171-182	2.5	0
6	New pharmacological approaches in heart failure therapy: developments and possibilities. *Future Cardiology*, **2017**, 13, 173-188	1.3	
5	Losing Track by Tracking Speckles. *JACC: Cardiovascular Imaging*, **2018**, 11, 1038-1039	8.4	
4	6 Prognostic value of malnutrition screening tools in patients with chronic heart failure. *Heart*, **2017** , 103, A3.2-A4	5.1	
3	53 Heart Rate as a Therapeutic Target in Heart Failure: Analysis of 1000 Consecutive Outpatient Appointments to a Heart Failure Clinic. *Heart*, **2014**, 100, A30.2-A31	5.1	
2	Multiple cardiac clots in an individual with essential thrombocythemia and heart failure. *Journal of the American Geriatrics Society*, **2014**, 62, 583-4	5.6	
1	Use of Social Media by Cardiovascular Health Care Professionals: Is Patient Privacy Respected?. *JACC: Cardiovascular Imaging*, **2021**, 14, 1680-1682	8.4	