

Tobias B Huber

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1041124/publications.pdf>

Version: 2024-02-01

241
papers

26,587
citations

11639

70
h-index

6831

155
g-index

255
all docs

255
docs citations

255
times ranked

42204
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
3	Multiorgan and Renal Tropism of SARS-CoV-2. <i>New England Journal of Medicine</i> , 2020, 383, 590-592.	13.9	1,523
4	Mitochondrial Dynamics Controls T Cell Fate through Metabolic Programming. <i>Cell</i> , 2016, 166, 63-76.	13.5	1,025
5	Autophagy influences glomerular disease susceptibility and maintains podocyte homeostasis in aging mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 1084-1096.	3.9	604
6	Role of mTOR in podocyte function and diabetic nephropathy in humans and mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 2197-2209.	3.9	467
7	mTORC1 activation in podocytes is a critical step in the development of diabetic nephropathy in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 2181-2196.	3.9	462
8	CKD in diabetes: diabetic kidney disease versus nondiabetic kidney disease. <i>Nature Reviews Nephrology</i> , 2018, 14, 361-377.	4.1	442
9	Rip1 (Receptor-interacting protein kinase 1) mediates necroptosis and contributes to renal ischemia/reperfusion injury. <i>Kidney International</i> , 2012, 81, 751-761.	2.6	389
10	Decoding myofibroblast origins in human kidney fibrosis. <i>Nature</i> , 2021, 589, 281-286.	13.7	380
11	Nephrin and CD2AP Associate with Phosphoinositide 3-OH Kinase and Stimulate AKT-Dependent Signaling. <i>Molecular and Cellular Biology</i> , 2003, 23, 4917-4928.	1.1	348
12	Interaction with Podocin Facilitates Nephrin Signaling. <i>Journal of Biological Chemistry</i> , 2001, 276, 41543-41546.	1.6	304
13	Podocin and MEC-2 bind cholesterol to regulate the activity of associated ion channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 17079-17086.	3.3	262
14	SARS-CoV-2 renal tropism associates with acute kidney injury. <i>Lancet, The</i> , 2020, 396, 597-598.	6.3	253
15	Trafficking of TRPP2 by PACS proteins represents a novel mechanism of ion channel regulation. <i>EMBO Journal</i> , 2005, 24, 705-716.	3.5	237
16	Podocytes use FcRn to clear IgG from the glomerular basement membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 967-972.	3.3	233
17	Molecular basis of the functional podocin-nephrin complex: mutations in the NPHS2 gene disrupt nephrin targeting to lipid raft microdomains. <i>Human Molecular Genetics</i> , 2003, 12, 3397-3405.	1.4	231
18	Emerging role of autophagy in kidney function, diseases and aging. <i>Autophagy</i> , 2012, 8, 1009-1031.	4.3	228

#	ARTICLE	IF	CITATIONS
19	Autophagy plays a critical role in kidney tubule maintenance, aging and ischemia-reperfusion injury. <i>Autophagy</i> , 2012, 8, 826-837.	4.3	228
20	Endothelial cell and podocyte autophagy synergistically protect from diabetes-induced glomerulosclerosis. <i>Autophagy</i> , 2015, 11, 1130-1145.	4.3	224
21	Mitochondrial Priming by CD28. <i>Cell</i> , 2017, 171, 385-397.e11.	13.5	212
22	FAN1 mutations cause karyomegalic interstitial nephritis, linking chronic kidney failure to defective DNA damage repair. <i>Nature Genetics</i> , 2012, 44, 910-915.	9.4	205
23	NEPH1 defines a novel family of podocin-interacting proteins. <i>FASEB Journal</i> , 2003, 17, 115-117.	0.2	203
24	The podocyte slit diaphragm—from a thin grey line to a complex signalling hub. <i>Nature Reviews Nephrology</i> , 2013, 9, 587-598.	4.1	200
25	The slit diaphragm: a signaling platform to regulate podocyte function. <i>Current Opinion in Nephrology and Hypertension</i> , 2005, 14, 211-216.	1.0	196
26	AKT2 is essential to maintain podocyte viability and function during chronic kidney disease. <i>Nature Medicine</i> , 2013, 19, 1288-1296.	15.2	187
27	Cellular and Molecular Probing of Intact Human Organs. <i>Cell</i> , 2020, 180, 796-812.e19.	13.5	187
28	ANKS6 is a central component of a nephronophthisis module linking NEK8 to INVS and NPHP3. <i>Nature Genetics</i> , 2013, 45, 951-956.	9.4	183
29	Prorenin Receptor Is Essential for Podocyte Autophagy and Survival. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 2193-2202.	3.0	179
30	Development and validation of a renal risk score in ANCA-associated glomerulonephritis. <i>Kidney International</i> , 2018, 94, 1177-1188.	2.6	179
31	Unraveling the Role of Podocyte Turnover in Glomerular Aging and Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 707-716.	3.0	155
32	Homodimerization and Heterodimerization of the Glomerular Podocyte Proteins Nephrin and NEPH1. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 918-926.	3.0	153
33	Roles of mTOR complexes in the kidney: implications for renal disease and transplantation. <i>Nature Reviews Nephrology</i> , 2016, 12, 587-609.	4.1	146
34	SARS-CoV-2 infects the human kidney and drives fibrosis in kidney organoids. <i>Cell Stem Cell</i> , 2022, 29, 217-231.e8.	5.2	146
35	Secretome of adipose-derived mesenchymal stem cells promotes skeletal muscle regeneration through synergistic action of extracellular vesicle cargo and soluble proteins. <i>Stem Cell Research and Therapy</i> , 2019, 10, 116.	2.4	144
36	Microbiota-Induced Type I Interferons Instruct a Poised Basal State of Dendritic Cells. <i>Cell</i> , 2020, 181, 1080-1096.e19.	13.5	139

#	ARTICLE	IF	CITATIONS
37	Bigenic mouse models of focal segmental glomerulosclerosis involving pairwise interaction of CD2AP, Fyn, and synaptopodin. <i>Journal of Clinical Investigation</i> , 2006, 116, 1337-1345.	3.9	137
38	Scribble participates in Hippo signaling and is required for normal zebrafish pronephros development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8579-8584.	3.3	133
39	Anthracyclines Induce DNA Damage Response-Mediated Protection against Severe Sepsis. <i>Immunity</i> , 2013, 39, 874-884.	6.6	131
40	Molecular fingerprinting of the podocyte reveals novel gene and protein regulatory networks. <i>Kidney International</i> , 2013, 83, 1052-1064.	2.6	130
41	Cytoprotective activated protein C averts Nlrp3 inflammasome-induced ischemia-reperfusion injury via mTORC1 inhibition. <i>Blood</i> , 2017, 130, 2664-2677.	0.6	125
42	Clonal expansion and activation of tissue-resident memory-like T _H 17 cells expressing GM-CSF in the lungs of patients with severe COVID-19. <i>Science Immunology</i> , 2021, 6, .	5.6	125
43	mTOR and rapamycin in the kidney: signaling and therapeutic implications beyond immunosuppression. <i>Kidney International</i> , 2011, 79, 502-511.	2.6	124
44	CD2AP in mouse and human podocytes controls a proteolytic program that regulates cytoskeletal structure and cellular survival. <i>Journal of Clinical Investigation</i> , 2011, 121, 3965-3980.	3.9	124
45	Direct Reductive Amination of Ketones: Structure and Activity of <i>S</i> -selective Imine Reductases from <i>Streptomyces</i> . <i>ChemCatChem</i> , 2014, 6, 2248-2252.	1.8	123
46	Local TNF causes NFATc1-dependent cholesterol-mediated podocyte injury. <i>Journal of Clinical Investigation</i> , 2016, 126, 3336-3350.	3.9	123
47	A Dynamic Network Model of mTOR Signaling Reveals TSC-Independent mTORC2 Regulation. <i>Science Signaling</i> , 2012, 5, ra25.	1.6	120
48	Vps34 Deficiency Reveals the Importance of Endocytosis for Podocyte Homeostasis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 727-743.	3.0	117
49	Proteinuria Impairs Podocyte Regeneration by Sequestering Retinoic Acid. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1756-1768.	3.0	116
50	Autophagy in kidney disease and aging: lessons from rodent models. <i>Kidney International</i> , 2016, 90, 950-964.	2.6	114
51	Direct reprogramming of fibroblasts into renal tubular epithelial cells by defined transcription factors. <i>Nature Cell Biology</i> , 2016, 18, 1269-1280.	4.6	113
52	The Carboxyl Terminus of Neph Family Members Binds to the PDZ Domain Protein Zonula Occludens-1. <i>Journal of Biological Chemistry</i> , 2003, 278, 13417-13421.	1.6	112
53	KIBRA Modulates Directional Migration of Podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1891-1903.	3.0	112
54	Multi-organ assessment in mainly non-hospitalized individuals after SARS-CoV-2 infection: The Hamburg City Health Study COVID programme. <i>European Heart Journal</i> , 2022, 43, 1124-1137.	1.0	111

#	ARTICLE	IF	CITATIONS
55	Expression of Functional CCR and CXCR Chemokine Receptors in Podocytes. <i>Journal of Immunology</i> , 2002, 168, 6244-6252.	0.4	107
56	Anaerobic Glycolysis Maintains the Glomerular Filtration Barrier Independent of Mitochondrial Metabolism and Dynamics. <i>Cell Reports</i> , 2019, 27, 1551-1566.e5.	2.9	106
57	The Evolving Complexity of the Podocyte Cytoskeleton. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3166-3174.	3.0	104
58	Molecular consequences of SARS-CoV-2 liver tropism. <i>Nature Metabolism</i> , 2022, 4, 310-319.	5.1	98
59	Neph-Nephrin Proteins Bind the Par3-Par6-Atypical Protein Kinase C (aPKC) Complex to Regulate Podocyte Cell Polarity. <i>Journal of Biological Chemistry</i> , 2008, 283, 23033-23038.	1.6	97
60	Phosphorylation by casein kinase 2 induces PACS-1 binding of neprocystin and targeting to cilia. <i>EMBO Journal</i> , 2005, 24, 4415-4424.	3.5	92
61	Renal Atp6ap2/(Pro)renin Receptor Is Required for Normal Vacuolar H ⁺ -ATPase Function but Not for the Renin-Angiotensin System. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3320-3330.	3.0	91
62	How Many Ways Can a Podocyte Die?. <i>Seminars in Nephrology</i> , 2012, 32, 394-404.	0.6	88
63	Loss of Podocyte aPKC β 1 Causes Polarity Defects and Nephrotic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 798-806.	3.0	86
64	Renal fibrosis is the common feature of autosomal dominant tubulointerstitial kidney diseases caused by mutations in mucin 1 or uromodulin. <i>Kidney International</i> , 2014, 86, 589-599.	2.6	86
65	Glomerular development – Shaping the multi-cellular filtration unit. <i>Seminars in Cell and Developmental Biology</i> , 2014, 36, 39-49.	2.3	85
66	Rationale and Design of the Hamburg City Health Study. <i>European Journal of Epidemiology</i> , 2020, 35, 169-181.	2.5	85
67	COVID-19-associated nephritis: early warning for disease severity and complications?. <i>Lancet, The</i> , 2020, 395, e87-e88.	6.3	84
68	mTORC1 maintains renal tubular homeostasis and is essential in response to ischemic stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2817-26.	3.3	82
69	Podocin Organizes Ion Channel-Lipid Supercomplexes: Implications for Mechanosensation at the Slit Diaphragm. <i>Nephron Experimental Nephrology</i> , 2007, 106, e27-e31.	2.4	81
70	A Multi-layered Quantitative In Vivo Expression Atlas of the Podocyte Unravels Kidney Disease Candidate Genes. <i>Cell Reports</i> , 2018, 23, 2495-2508.	2.9	81
71	mTOR Regulates Endocytosis and Nutrient Transport in Proximal Tubular Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 230-241.	3.0	79
72	Cilia-localized LKB1 regulates chemokine signaling, macrophage recruitment, and tissue homeostasis in the kidney. <i>EMBO Journal</i> , 2018, 37, .	3.5	78

#	ARTICLE	IF	CITATIONS
73	New Insights into Podocyte Biology in Glomerular Health and Disease. Journal of the American Society of Nephrology: JASN, 2017, 28, 1707-1715.	3.0	75
74	Identification of a Novel Inhibitory Actin-capping Protein Binding Motif in CD2-associated Protein. Journal of Biological Chemistry, 2006, 281, 19196-19203.	1.6	74
75	Absence of miR-146a in Podocytes Increases Risk of Diabetic Glomerulopathy via Up-regulation of ErbB4 and Notch-1. Journal of Biological Chemistry, 2017, 292, 732-747.	1.6	74
76	Albumin-associated free fatty acids induce macropinocytosis in podocytes. Journal of Clinical Investigation, 2015, 125, 2307-2316.	3.9	73
77	Modeling Monogenic Human Nephrotic Syndrome in the Drosophila Garland Cell Nephrocyte. Journal of the American Society of Nephrology: JASN, 2017, 28, 1521-1533.	3.0	70
78	Podocytes maintain high basal levels of autophagy independent of mtor signaling. Autophagy, 2020, 16, 1932-1948.	4.3	69
79	A flexible, multilayered protein scaffold maintains the slit in between glomerular podocytes. JCI Insight, 2016, 1, .	2.3	69
80	mTOR-mediated podocyte hypertrophy regulates glomerular integrity in mice and humans. JCI Insight, 2019, 4, .	2.3	69
81	A novel mouse model of phospholipase A2 receptor 1-associated membranous nephropathy mimics podocyte injury in patients. Kidney International, 2020, 97, 913-919.	2.6	65
82	Mutations of the SLIT2-ROBO2 pathway genes SLIT2 and SRGAP1 confer risk for congenital anomalies of the kidney and urinary tract. Human Genetics, 2015, 134, 905-916.	1.8	62
83	YAP-mediated mechanotransduction determines the podocyte's response to damage. Science Signaling, 2017, 10, .	1.6	61
84	Angiotensin II increases the cytosolic calcium activity in rat podocytes in culture. Kidney International, 1997, 52, 687-693.	2.6	60
85	V-ATPase/mTOR Signaling Regulates Megalin-Mediated Apical Endocytosis. Cell Reports, 2014, 8, 10-19.	2.9	59
86	Pathogen-induced tissue-resident memory T _H 17 (T _{RM} 17) cells amplify autoimmune kidney disease. Science Immunology, 2020, 5, .	5.6	58
87	CD2-associated Protein (CD2AP) Expression in Podocytes Rescues Lethality of CD2AP Deficiency. Journal of Biological Chemistry, 2005, 280, 29677-29681.	1.6	57
88	Targeting mTOR Signaling Can Prevent the Progression of FSGS. Journal of the American Society of Nephrology: JASN, 2017, 28, 2144-2157.	3.0	57
89	Expression and Function of C/EBP Homology Protein (GADD153) in Podocytes. American Journal of Pathology, 2006, 168, 20-32.	1.9	56
90	N-WASP Is Required for Stabilization of Podocyte Foot Processes. Journal of the American Society of Nephrology: JASN, 2013, 24, 713-721.	3.0	56

#	ARTICLE	IF	CITATIONS
91	A Conformational Change in C-Reactive Protein Enhances Leukocyte Recruitment and Reactive Oxygen Species Generation in Ischemia/Reperfusion Injury. <i>Frontiers in Immunology</i> , 2018, 9, 675.	2.2	56
92	The FERM protein EPB41L5 regulates actomyosin contractility and focal adhesion formation to maintain the kidney filtration barrier. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4621-E4630.	3.3	54
93	Human C-terminal CUBN variants associate with chronic proteinuria and normal renal function. <i>Journal of Clinical Investigation</i> , 2019, 130, 335-344.	3.9	54
94	Autophagy in Glomerular Health and Disease. <i>Seminars in Nephrology</i> , 2014, 34, 42-52.	0.6	52
95	Podocyte-Specific GLUT4-Deficient Mice Have Fewer and Larger Podocytes and Are Protected From Diabetic Nephropathy. <i>Diabetes</i> , 2014, 63, 701-714.	0.3	52
96	The tetraspanin CD9 controls migration and proliferation of parietal epithelial cells and glomerular disease progression. <i>Nature Communications</i> , 2019, 10, 3303.	5.8	52
97	DNA Methyltransferase 1 Controls Nephron Progenitor Cell Renewal and Differentiation. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 63-78.	3.0	52
98	A model organism approach: defining the role of Neph proteins as regulators of neuron and kidney morphogenesis. <i>Human Molecular Genetics</i> , 2010, 19, 2347-2359.	1.4	51
99	MOF maintains transcriptional programs regulating cellular stress response. <i>Oncogene</i> , 2016, 35, 2698-2710.	2.6	51
100	Genetic and pharmacological inhibition of microRNA-92a maintains podocyte cell cycle quiescence and limits crescentic glomerulonephritis. <i>Nature Communications</i> , 2017, 8, 1829.	5.8	50
101	Role of the Polarity Protein Scribble for Podocyte Differentiation and Maintenance. <i>PLoS ONE</i> , 2012, 7, e36705.	1.1	50
102	Single-nephron proteomes connect morphology and function in proteinuric kidney disease. <i>Kidney International</i> , 2018, 93, 1308-1319.	2.6	49
103	From podocyte biology to novel cures for glomerular disease. <i>Kidney International</i> , 2019, 96, 850-861.	2.6	49
104	mTOR controls kidney epithelia in health and disease. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, i9-i18.	0.4	48
105	The polarity protein Inturned links NPHP4 to Daam1 to control the subapical actin network in multiciliated cells. <i>Journal of Cell Biology</i> , 2015, 211, 963-973.	2.3	48
106	Deoxycorticosterone Acetate/Salt-Induced Cardiac But Not Renal Injury Is Mediated By Endothelial Mineralocorticoid Receptors Independently From Blood Pressure. <i>Hypertension</i> , 2016, 67, 130-138.	1.3	48
107	Traction force microscopy with optimized regularization and automated Bayesian parameter selection for comparing cells. <i>Scientific Reports</i> , 2019, 9, 539.	1.6	48
108	Enhanced exercise and regenerative capacity in a mouse model that violates size constraints of oxidative muscle fibres. <i>ELife</i> , 2016, 5, .	2.8	47

#	ARTICLE	IF	CITATIONS
109	Implications of autophagy for glomerular aging and disease. <i>Cell and Tissue Research</i> , 2011, 343, 467-473.	1.5	45
110	The ubiquitin ligase Ubr4 controls stability of podocin/MEC-2 supercomplexes. <i>Human Molecular Genetics</i> , 2016, 25, 1328-1344.	1.4	45
111	NorUrsodeoxycholic acid ameliorates cholemic nephropathy in bile duct ligated mice. <i>Journal of Hepatology</i> , 2017, 67, 110-119.	1.8	44
112	An update on ABO-incompatible kidney transplantation. <i>Transplant International</i> , 2015, 28, 387-397.	0.8	43
113	Protein and Molecular Characterization of a Clinically Compliant Amniotic Fluid Stem Cell-Derived Extracellular Vesicle Fraction Capable of Accelerating Muscle Regeneration Through Enhancement of Angiogenesis. <i>Stem Cells and Development</i> , 2017, 26, 1316-1333.	1.1	42
114	Preventive medicine of von Hippel-Lindau disease-associated pancreatic neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2018, 25, 783-793.	1.6	42
115	Primary decidual zone formation requires Scribble for pregnancy success in mice. <i>Nature Communications</i> , 2019, 10, 5425.	5.8	42
116	Cardiac SARS-CoV-2 infection is associated with pro-inflammatory transcriptomic alterations within the heart. <i>Cardiovascular Research</i> , 2022, 118, 542-555.	1.8	42
117	N-Degradomic Analysis Reveals a Proteolytic Network Processing the Podocyte Cytoskeleton. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2867-2878.	3.0	41
118	Dysregulated mesenchymal PDGFR α drives kidney fibrosis. <i>EMBO Molecular Medicine</i> , 2020, 12, e11021.	3.3	41
119	CXCL12 and MYC control energy metabolism to support adaptive responses after kidney injury. <i>Nature Communications</i> , 2018, 9, 3660.	5.8	39
120	Comparison of urinary extracellular vesicle isolation methods for transcriptomic biomarker research in diabetic kidney disease. <i>Journal of Extracellular Vesicles</i> , 2020, 10, e12038.	5.5	39
121	Cell Loss and Autophagy in the Extra-Adrenal Chromaffin Organ of Zuckerkandl are Regulated by Glucocorticoid Signalling. <i>Journal of Neuroendocrinology</i> , 2013, 25, 34-47.	1.2	38
122	Podocyte polarity signalling. <i>Current Opinion in Nephrology and Hypertension</i> , 2009, 18, 324-330.	1.0	37
123	One hundred ABO-incompatible kidney transplantations between 2004 and 2014: a single-centre experience. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 663-671.	0.4	37
124	mTORC2 critically regulates renal potassium handling. <i>Journal of Clinical Investigation</i> , 2016, 126, 1773-1782.	3.9	37
125	α PKC β 1 and α PKC η Contribute to Podocyte Differentiation and Glomerular Maturation. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 253-267.	3.0	36
126	Genetic loci associated with renal function measures and chronic kidney disease in children: the Pediatric Investigation for Genetic Factors Linked with Renal Progression Consortium. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, gfv342.	0.4	35

#	ARTICLE	IF	CITATIONS
127	Novel 3D analysis using optical tissue clearing documents the evolution of murine rapidly progressive glomerulonephritis. <i>Kidney International</i> , 2019, 96, 505-516.	2.6	35
128	Mammalian target of rapamycin signaling in the podocyte. <i>Current Opinion in Nephrology and Hypertension</i> , 2012, 21, 251-257.	1.0	34
129	Pro-cachectic factors link experimental and human chronic kidney disease to skeletal muscle wasting programs. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	34
130	ARP3 Controls the Podocyte Architecture at the Kidney Filtration Barrier. <i>Developmental Cell</i> , 2018, 47, 741-757.e8.	3.1	33
131	Persistent SOMAtic symptoms ACROSS diseases “ from risk factors to modification: scientific framework and overarching protocol of the interdisciplinary SOMACROSS research unit (RU 5211). <i>BMJ Open</i> , 2022, 12, e057596.	0.8	33
132	Using the <i>Drosophila</i> Nephrocyte to Model Podocyte Function and Disease. <i>Frontiers in Pediatrics</i> , 2017, 5, 262.	0.9	32
133	Stra13, a prostaglandin E2-induced gene, regulates the cellular redox state of podocytes. <i>FASEB Journal</i> , 2003, 17, 682-684.	0.2	31
134	New players in the pathogenesis of focal segmental glomerulosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3406-3412.	0.4	31
135	Deep learning-based molecular morphometrics for kidney biopsies. <i>JCI Insight</i> , 2021, 6, .	2.3	31
136	Functional Study of Mammalian Neph Proteins in <i>Drosophila melanogaster</i> . <i>PLoS ONE</i> , 2012, 7, e40300.	1.1	30
137	Renal clearance of polymeric nanoparticles by mimicry of glycan surface of viruses. <i>Biomaterials</i> , 2020, 230, 119643.	5.7	30
138	Management of Tamm-Horsfall Protein for Reliable Urinary Analytics. <i>Proteomics - Clinical Applications</i> , 2019, 13, e1900018.	0.8	27
139	Neural metabolic imbalance induced by MOF dysfunction triggers pericyte activation and breakdown of vasculature. <i>Nature Cell Biology</i> , 2020, 22, 828-841.	4.6	27
140	Podocyte Regeneration. <i>American Journal of Pathology</i> , 2013, 183, 333-335.	1.9	25
141	The Rapamycin-Sensitive Complex of Mammalian Target of Rapamycin Is Essential to Maintain Male Fertility. <i>American Journal of Pathology</i> , 2016, 186, 324-336.	1.9	25
142	Hantavirus Infection With Severe Proteinuria and Podocyte Foot-Process Effacement. <i>American Journal of Kidney Diseases</i> , 2014, 64, 452-456.	2.1	24
143	COVID-19-associated Nephropathy Includes Tubular Necrosis and Capillary Congestion, with Evidence of SARS-CoV-2 in the Nephron. <i>Kidney360</i> , 2021, 2, 639-652.	0.9	24
144	The class III phosphatidylinositol 3-kinase PIK3C3/VPS34 regulates endocytosis and autophagosome-autolysosome formation in podocytes. <i>Autophagy</i> , 2013, 9, 1097-1099.	4.3	23

#	ARTICLE	IF	CITATIONS
145	Mutations in KIRREL1, a slit diaphragm component, cause steroid-resistant nephrotic syndrome. <i>Kidney International</i> , 2019, 96, 883-889.	2.6	23
146	Functional and Spatial Analysis of <i>C. elegans</i> SYG-1 and SYG-2, Orthologs of the Neph/Nephrin Cell Adhesion Module Directing Selective Synaptogenesis. <i>PLoS ONE</i> , 2011, 6, e23598.	1.1	22
147	Zona occludens proteins modulate podosome formation and function. <i>FASEB Journal</i> , 2011, 25, 505-514.	0.2	22
148	Compression of morbidity in a progeroid mouse model through the attenuation of myostatin/activin signalling. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 662-686.	2.9	22
149	Phosphorylation of BECLIN-1 by BCR-ABL suppresses autophagy in chronic myeloid leukemia. <i>Haematologica</i> , 2020, 105, 1285-1293.	1.7	22
150	Organisation of lymphocytic infiltrates in ANCA-associated glomerulonephritis. <i>Histopathology</i> , 2018, 72, 1093-1101.	1.6	21
151	Xenotropic and polytropic retrovirus receptor 1 regulates procoagulant platelet polyphosphate. <i>Blood</i> , 2021, 137, 1392-1405.	0.6	21
152	GSK3 β inactivation in podocytes results in decreased phosphorylation of p70 ^{S6K} accompanied by cytoskeletal rearrangements and inhibited motility. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F1152-F1162.	1.3	19
153	Plasminogen deficiency does not prevent sodium retention in a genetic mouse model of experimental nephrotic syndrome. <i>Acta Physiologica</i> , 2021, 231, e13512.	1.8	19
154	Long-Term Improvement of Chronic Low-Grade Inflammation After Bariatric Surgery. <i>Obesity Surgery</i> , 2021, 31, 2913-2920.	1.1	19
155	EPB41L5 controls podocyte extracellular matrix assembly by adhesome-dependent force transmission. <i>Cell Reports</i> , 2021, 34, 108883.	2.9	19
156	Patient Characteristics and Clinical Course of COVID-19 Patients Treated at a German Tertiary Center during the First and Second Waves in the Year 2020. <i>Journal of Clinical Medicine</i> , 2021, 10, 2274.	1.0	19
157	Calciophylaxis. <i>Lancet, The</i> , 2014, 383, 1067.	6.3	18
158	The chemokine receptor CX3CR1 reduces renal injury in mice with angiotensin II-induced hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F1526-F1535.	1.3	18
159	A reciprocal regulation of spermidine and autophagy in podocytes maintains the filtration barrier. <i>Kidney International</i> , 2020, 98, 1434-1448.	2.6	18
160	SRGAP1 Controls Small Rho GTPases To Regulate Podocyte Foot Process Maintenance. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 563-579.	3.0	18
161	Interleukin-9 protects from early podocyte injury and progressive glomerulosclerosis in Adriamycin-induced nephropathy. <i>Kidney International</i> , 2020, 98, 615-629.	2.6	18
162	Collapsing Focal Segmental Glomerulosclerosis in Viral Infections. <i>Frontiers in Immunology</i> , 2021, 12, 800074.	2.2	18

#	ARTICLE	IF	CITATIONS
163	Nephrin Contributes to Insulin Secretion and Affects Mammalian Target of Rapamycin Signaling Independently of Insulin Receptor. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1029-1041.	3.0	17
164	The use of urinary proteomics in the assessment of suitability of mouse models for ageing. <i>PLoS ONE</i> , 2017, 12, e0166875.	1.1	17
165	A homozygous KAT2B variant modulates the clinical phenotype of ADD3 deficiency in humans and flies. <i>PLoS Genetics</i> , 2018, 14, e1007386.	1.5	17
166	Proximal tubular dysfunction in patients with COVID-19: what have we learnt so far?. <i>Kidney International</i> , 2020, 98, 1092-1094.	2.6	17
167	MAGI-1 Interacts with Nephrin to Maintain Slit Diaphragm Structure through Enhanced Rap1 Activation in Podocytes. <i>Journal of Biological Chemistry</i> , 2016, 291, 24406-24417.	1.6	16
168	Perspectives in membranous nephropathy. <i>Cell and Tissue Research</i> , 2021, 385, 405-422.	1.5	16
169	Tripartite Separation of Glomerular Cell Types and Proteomes from Reporter-Free Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 2175-2193.	3.0	16
170	The cell fate determinant Scribble is required for maintenance of hematopoietic stem cell function. <i>Leukemia</i> , 2018, 32, 1211-1221.	3.3	15
171	ALF1L regulates actomyosin contractility and filopodial extensions in human podocytes. <i>PLoS ONE</i> , 2018, 13, e0200487.	1.1	15
172	Î±-Parvin Defines a Specific Integrin Adhesome to Maintain the Glomerular Filtration Barrier. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 786-808.	3.0	15
173	The BAR Domain Protein PICK1 Regulates Cell Recognition and Morphogenesis by Interacting with Neph Proteins. <i>Molecular and Cellular Biology</i> , 2011, 31, 3241-3251.	1.1	14
174	Molecular understanding of the slit diaphragm. <i>Pediatric Nephrology</i> , 2013, 28, 1957-1962.	0.9	14
175	Isolating Urinary Extracellular Vesicles as Biomarkers for Diabetic Disease. <i>Methods in Molecular Biology</i> , 2020, 2067, 175-188.	0.4	14
176	IL-17 Receptor C Signaling Controls CD4+ TH17 Immune Responses and Tissue Injury in Immune-Mediated Kidney Diseases. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3081-3098.	3.0	14
177	Loss of the collagen IV modifier prolyl 3-hydroxylase 2 causes thin basement membrane nephropathy. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	14
178	Flying podocytes. <i>Kidney International</i> , 2009, 75, 455-457.	2.6	13
179	Severe Acute Kidney Injury Due to Nivolumab/Ipilimumab-induced Granulomatosis and Fibrinoid Vascular Necrosis. <i>Journal of Immunotherapy</i> , 2020, 43, 29-31.	1.2	13
180	Reduction of Proteinuria through Podocyte Alkalinization. <i>Journal of Biological Chemistry</i> , 2014, 289, 17454-17467.	1.6	12

#	ARTICLE	IF	CITATIONS
181	The long journey through renal filtration. <i>Current Opinion in Nephrology and Hypertension</i> , 2017, 26, 148-153.	1.0	12
182	P2Y2R Signaling Is Involved in the Onset of Glomerulonephritis. <i>Frontiers in Immunology</i> , 2018, 9, 1589.	2.2	12
183	Proteomics: A Tool to Study Platelet Function. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4776.	1.8	12
184	Immune-mediated entities of (primary) focal segmental glomerulosclerosis. <i>Cell and Tissue Research</i> , 2021, 385, 423-434.	1.5	12
185	Validation of a Prospective Urinalysis-Based Prediction Model for ICU Resources and Outcome of COVID-19 Disease: A Multicenter Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3049.	1.0	12
186	Multiorgan tropism of SARS-CoV-2 lineage B.1.1.7. <i>International Journal of Legal Medicine</i> , 2021, 135, 2347-2349.	1.2	12
187	Th17 cell plasticity towards a T-bet-dependent Th1 phenotype is required for bacterial control in <i>Staphylococcus aureus</i> infection. <i>PLoS Pathogens</i> , 2022, 18, e1010430.	2.1	12
188	Signaling at the Slit. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1862-1864.	3.0	11
189	How Is Proteinuric Diabetic Nephropathy Caused by Disturbed Proteostasis and Autophagy in Podocytes?. <i>Diabetes</i> , 2016, 65, 539-541.	0.3	11
190	A Novel Domain Regulating Degradation of the Glomerular Slit Diaphragm Protein Podocin in Cell Culture Systems. <i>PLoS ONE</i> , 2013, 8, e57078.	1.1	11
191	A Brief Overview on IRM Function Across Evolution. <i>Journal of Neurogenetics</i> , 2014, 28, 264-269.	0.6	10
192	Microtubule Associated Protein 1b (MAP1B) Is a Marker of the Microtubular Cytoskeleton in Podocytes but Is Not Essential for the Function of the Kidney Filtration Barrier in Mice. <i>PLoS ONE</i> , 2015, 10, e0140116.	1.1	10
193	Def-6, a Novel Regulator of Small GTPases in Podocytes, Acts Downstream of Atypical Protein Kinase C (aPKC) β . <i>American Journal of Pathology</i> , 2013, 183, 1945-1959.	1.9	9
194	Chromatin dynamics in kidney development and function. <i>Cell and Tissue Research</i> , 2014, 356, 601-608.	1.5	9
195	The GYF domain protein CD2BP2 is critical for embryogenesis and podocyte function. <i>Journal of Molecular Cell Biology</i> , 2015, 7, 402-414.	1.5	9
196	Upregulation of HLA-F expression by BK polyomavirus infection induces immune recognition by KIR3DS1-positive natural killer cells. <i>Kidney International</i> , 2021, 99, 1140-1148.	2.6	9
197	Aberrant podocyte cell cycle in glomerular disease. <i>Cell Cycle</i> , 2016, 15, 2237-2238.	1.3	8
198	Podocyte-Specific Deletion of Murine CXADR Does Not Impair Podocyte Development, Function or Stress Response. <i>PLoS ONE</i> , 2015, 10, e0129424.	1.1	7

#	ARTICLE	IF	CITATIONS
199	Glomerular expression pattern of long non-coding RNAs in the type 2 diabetes mellitus BTBR mouse model. <i>Scientific Reports</i> , 2019, 9, 9765.	1.6	7
200	Distinct Modes of Balancing Glomerular Cell Proteostasis in Mucopolipidosis Type II and III Prevent Proteinuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1796-1814.	3.0	7
201	Inhibition of Activin/Myostatin signalling induces skeletal muscle hypertrophy but impairs mouse testicular development. <i>European Journal of Translational Myology</i> , 2020, 30, 62-78.	0.8	7
202	Bariatric Surgery Is Protective Against Renal Function Decline in Severely Obese Patients in the Long-Term. <i>Obesity Surgery</i> , 2021, 31, 1038-1045.	1.1	7
203	ADAM10-Mediated Ectodomain Shedding Is an Essential Driver of Podocyte Damage. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1389-1408.	3.0	7
204	Impact of Diabetic Stress Conditions on Renal Cell Metabolome. <i>Cells</i> , 2019, 8, 1141.	1.8	6
205	A Localized Scaffold for cGMP Increase Is Required for Apical Dendrite Development. <i>Cell Reports</i> , 2020, 31, 107519.	2.9	6
206	The calcium-sensing receptor stabilizes podocyte function in proteinuric humans and mice. <i>Kidney International</i> , 2022, 101, 1186-1199.	2.6	6
207	Reversible pulmonary hypertension in a kidney transplant with patent A-V fistula. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 347-349.	1.4	5
208	Sestrin 2: a regulator of the glomerular parietal epithelial cell phenotype. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F798-F799.	1.3	5
209	Association of SARS-CoV-2 renal tropism with acute kidney injury – Authors' reply. <i>Lancet, The</i> , 2020, 396, 1881-1882.	6.3	5
210	Convalescent plasma treatment for early post-kidney transplant acquired COVID-19. <i>Transplant Infectious Disease</i> , 2021, 23, e13685.	0.7	5
211	Increased rejection rates in kidney transplantations during the COVID-19 pandemic. <i>Transplant International</i> , 2021, 34, 2899-2902.	0.8	5
212	Kidneys control inter-organ homeostasis. <i>Nature Reviews Nephrology</i> , 2022, 18, 207-208.	4.1	5
213	BECLIN1 Is Essential for Podocyte Secretory Pathways Mediating VEGF Secretion and Podocyte-Endothelial Crosstalk. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3825.	1.8	5
214	The Amphiregulin/EGFR axis protects from lupus nephritis via downregulation of pathogenic CD4+ T helper cell responses. <i>Journal of Autoimmunity</i> , 2022, 129, 102829.	3.0	5
215	Old friends form alliance against podocytes. <i>Kidney International</i> , 2011, 80, 1117-1119.	2.6	4
216	Effects of Environmental Conditions on Nephron Number: Modeling Maternal Disease and Epigenetic Regulation in Renal Development. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4157.	1.8	4

#	ARTICLE	IF	CITATIONS
217	Role of mTOR Signaling for Tubular Function and Disease. <i>Physiology</i> , 2021, 36, 350-358.	1.6	4
218	Dichotomous Responses to Chronic Fetal Hypoxia Lead to a Predetermined Aging Phenotype. <i>Molecular and Cellular Proteomics</i> , 2022, 21, 100190.	2.5	4
219	Lack of Evidence for an Association between Previous HEV Genotype-3 Exposure and Glomerulonephritis in General. <i>Pathogens</i> , 2022, 11, 18.	1.2	4
220	A protocol for rat kidney normothermic machine perfusion and subsequent transplantation. <i>Artificial Organs</i> , 2021, 45, 168-174.	1.0	3
221	Surprising Hyperkalemia of 10.2 mmol/L in a Patient with Hyperglycemia: A Case Report. <i>Case Reports in Nephrology and Dialysis</i> , 2021, 11, 69-77.	0.3	3
222	Immune-mediated glomerular diseases: new basic concepts and clinical implications. <i>Cell and Tissue Research</i> , 2021, 385, 277-279.	1.5	3
223	CD2AP in mouse and human podocytes controls a proteolytic program that regulates cytoskeletal structure and cellular survival. <i>Journal of Clinical Investigation</i> , 2012, 122, 780-780.	3.9	3
224	Diminution in sperm quantity and quality in mouse models of Duchenne Muscular Dystrophy induced by a myostatin-based muscle growth-promoting intervention. <i>European Journal of Translational Myology</i> , 2020, 30, 8904.	0.8	3
225	Ravulizumab in Preemptive Living Donor Kidney Transplantation in Hereditary Atypical Hemolytic Uremic Syndrome. <i>Transplantation Direct</i> , 2022, 8, e1289.	0.8	3
226	Elate Derived by Extracorporeal Antibody-Based Immunoabsorption Elevates the Cytosolic Ca ²⁺ Concentration in Podocytes via B ₂ Kinin Receptors. <i>Kidney and Blood Pressure Research</i> , 2002, 25, 384-393.	0.9	2
227	Immunosuppression for membranous nephropathy. <i>Lancet, The</i> , 2013, 381, 2161.	6.3	2
228	Karyomegalic interstitial nephritis. <i>Lancet, The</i> , 2013, 382, 2093.	6.3	2
229	From genetics to personalized nephrology: kidney research at a tipping point. <i>Cell and Tissue Research</i> , 2017, 369, 1-4.	1.5	2
230	Diverging impact of cell fate determinants Scrib and Llg1 on adhesion and migration of hematopoietic stem cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1933-1944.	1.2	2
231	Urinary Extracellular Vesicles Magic Particles for Biomarker Discovery. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1306, 29-40.	0.8	2
232	Collateral effects and mortality of kidney transplant recipients during the COVID-19 pandemic. <i>Kidney360</i> , 2022, 3, 10.34067/KID.0006472021.	0.9	2
233	Conventional NK Cells and Type 1 Innate Lymphoid Cells Do Not Influence Pathogenesis of Experimental Glomerulonephritis. <i>Journal of Immunology</i> , 2022, 208, 1585-1594.	0.4	2
234	BET Proteins Regulate Expression of Osr1 in Early Kidney Development. <i>Biomedicines</i> , 2021, 9, 1878.	1.4	2

#	ARTICLE	IF	CITATIONS
235	Deep Learning-Based Bias Transfer for Overcoming Laboratory Differences of Microscopic Images. Lecture Notes in Computer Science, 2021, , 322-336.	1.0	1
236	A muscle growth-promoting treatment based on the attenuation of activin/myostatin signalling results in long-term testicular abnormalities. DMM Disease Models and Mechanisms, 2021, 14, .	1.2	1
237	Thyroid-stimulating hormone levels in euthyroid patients 8 years following bariatric surgery. International Journal of Obesity, 2022, 46, 825-830.	1.6	1
238	Donor-transmitted extramedullary acute myeloid leukaemia after living donor kidney transplantation. British Journal of Haematology, 2022, , .	1.2	1
239	The authors reply. Kidney International, 2019, 96, 245-246.	2.6	0
240	MO134 COVID-19-ASSOCIATED KIDNEY INJURY IS CHARACTERIZED BY ACUTE TUBULAR NECROSIS AND CAPILLARY CONGESTION WITH EVIDENCE FOR SARS-COV-2 IN THE NEPHRON. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
241	Across scales: novel insights into kidney health and disease by structural biology. Kidney International, 2021, 100, 281-288.	2.6	0